

**TABLE D3** THE TEN MOST COMMON CANCER SITES: AVERAGE ANNUAL AGE-ADJUSTED (2000 U.S. STANDARD) CANCER INCIDENCE RATES  
PER 100,000 POPULATION, LOUISIANA AND EIGHT STATE GEOGRAPHIC REGIONS, BLACK MALES, 1996-2000

PRIMARY SITE:	LOUISIANA	NEW ORLEANS REGION	BATON ROUGE REGION	SOUTHEAST REGION	ACADIANA REGION	SOUTHWEST REGION	CENTRAL REGION	NORTHWEST REGION	NORTHEAST REGION
INVASIVE CANCERS									
All Sites Combined-----	664.0	649.2	696.3	670.2	662.5	626.7	631.3	641.9	709.9 *
Prostate -----	223.3	198.6 *	259.7 *	218.6	197.3 *	218.0	193.1 *	231.0	266.3 *
Lung & bronchus-----	139.0	139.0	140.3	146.6	153.1	125.7	135.6	126.9	144.6
Colon-----	57.1	58.5	59.4	56.0	61.1	56.6	57.3	55.9	49.8
Stomach-----	20.7	20.5	21.5	21.5	21.0	16.1	18.9	23.1	18.5
Oral Cavity & Pharynx-----	19.1	19.4	15.7	23.1	22.2	13.6	13.7	22.0	18.9
Urinary bladder (includes in situ)	19.1	22.1	17.0	21.4	16.9	23.6	21.6	16.7	16.3
Kidney & renal pelvis-----	18.9	17.9	20.5	28.5 *	16.0	16.5	18.5	19.4	14.4
Pancreas-----	18.3	18.6	17.0	16.5	21.2	23.4	25.8	11.8 *	20.3
Rectum & rectosigmoid-----	17.6	16.9	17.8	21.6	17.8	9.7 *	14.2	19.6	17.1
Larynx-----	15.6	18.7	11.8	14.4	17.7	8.4 *	10.9	16.7	14.6

\* The age-adjusted rate is significantly different (P<0.05) from the Louisiana rate.