

Incidence Tables

Table A1. Average Annual Number of Cancer Cases by Site, Race, and Sex, 2018-2022, Louisiana

Primary Site	All Races & Ethnicities			NH White			NH Black			Hispanic			AI/AN ¹ & APIs ²		
<i>Invasive Cancers³</i>	Total ⁴	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Sites	27,260	14,714	12,545	18,379	9,959	8,421	7,826	4,208	3,618	601	300	301	359	189	170
Oral Cavity and Pharynx	765	566	198	587	439	149	151	108	43	14	10	3	11	8	3
Lip	31	25	6	29	23	6	1	^	^	^	^	^	^	^	^
Tongue	242	177	65	199	147	52	34	24	10	5	4	^	4	1	2
Salivary Gland	64	42	23	46	32	14	16	9	7	2	^	^	^	^	^
Floor of Mouth	38	27	11	27	19	8	10	7	2	^	^	^	^	^	^
Gum and Other Mouth	111	68	43	83	51	31	24	14	10	2	^	^	2	2	^
Nasopharynx	30	22	8	17	13	5	10	8	3	^	^	^	1	1	^
Tonsil	143	121	22	114	97	17	26	21	5	2	2	^	^	^	^
Oropharynx	51	41	11	40	31	9	10	8	2	^	^	^	^	^	^
Hypopharynx	44	36	8	26	21	5	16	14	2	^	^	^	1	1	^
Other Oral Cavity and Pharynx	10	8	2	6	5	1	4	3	^	^	^	^	^	^	^
Digestive System	5,108	2,891	2,217	3,196	1,823	1,373	1,686	936	750	124	69	56	91	56	34
Esophagus	269	216	53	203	166	37	59	43	15	5	4	^	2	2	^
Stomach	399	235	164	201	123	78	171	95	76	17	9	8	8	6	2
Small Intestine	192	99	94	108	58	49	79	39	41	4	2	2	1	^	^
Colon and Rectum	2,409	1,297	1,112	1,532	829	703	776	410	366	52	30	22	43	24	20
Colon excluding Rectum	1,672	864	808	1,058	550	509	551	279	272	33	19	14	25	13	12
Cecum	325	152	173	212	101	111	103	48	56	5	2	3	4	1	3
Appendix	98	42	56	70	29	41	24	11	13	2	^	1	1	^	^
Ascending Colon	333	154	178	213	96	117	111	53	58	4	3	2	3	^	2
Hepatic Flexure	73	40	32	43	24	20	26	14	12	2	1	^	^	^	^
Transverse Colon	161	86	75	99	53	46	56	29	27	3	2	1	3	2	^
Splenic Flexure	58	31	28	29	16	13	26	12	14	2	^	^	^	^	^
Descending Colon	116	66	49	67	42	25	42	21	22	3	2	2	2	1	^
Sigmoid Colon	410	240	170	265	157	108	127	72	55	9	6	3	8	4	4
Large Intestine, NOS	98	52	46	58	30	28	36	20	17	2	^	1	1	^	^
Rectum and Rectosigmoid Junction	737	433	304	473	279	194	225	131	94	19	11	7	19	11	8
Rectosigmoid Junction	130	74	55	86	48	38	37	22	15	2	2	^	4	3	1
Rectum	607	359	249	387	231	156	188	109	79	16	10	7	15	8	7
Anus, Anal Canal and Anorectum	114	41	72	83	28	54	27	12	15	3	^	2	^	^	^
Liver and Intrahepatic Bile Duct	646	475	171	385	279	106	222	169	54	19	12	7	19	15	4
Liver	550	423	127	315	241	74	199	156	43	17	11	5	18	14	4
Intrahepatic Bile Duct	97	52	44	70	38	31	24	13	11	2	^	2	^	^	^

Gallbladder	72	25	47	39	13	27	28	11	18	2	^	2	2	1	^
Other Biliary	88	47	41	58	31	27	26	14	12	2	^	1	2	^	^
Pancreas	841	426	415	539	277	262	271	133	138	19	9	10	11	7	4
Retroperitoneum	19	7	11	11	5	6	7	2	5	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	20	2	18	13	^	12	6	^	5	^	^	^	^	^	^
Other Digestive Organs	38	21	18	25	13	12	12	7	5	^	^	^	^	^	^
Respiratory System	3,868	2,181	1,686	2,665	1,450	1,215	1,104	673	431	46	27	19	48	28	20
Nose, Nasal Cavity and Middle Ear	43	28	15	29	19	10	10	7	4	2	2	^	^	^	^
Larynx	276	216	60	176	139	37	94	73	22	3	3	^	2	2	^
Lung and Bronchus	3,539	1,931	1,609	2,454	1,289	1,166	997	592	405	40	22	18	44	25	19
Pleura	1	1	^	1	1	^	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	7	5	2	4	2	2	2	2	^	^	^	^	^	^	^
Bones and Joints	50	25	25	35	17	18	12	7	5	1	^	^	^	^	^
Soft Tissue including Heart	199	112	86	134	81	53	57	26	31	4	3	2	2	1	^
Skin excluding Basal and Squamous Melanoma of the Skin	1,092	684	409	1,041	658	383	25	11	14	10	5	5	3	2	^
Other Non-Epithelial Skin	983	615	368	948	597	350	12	5	7	9	4	5	2	2	^
Breast	110	69	41	93	61	32	13	6	7	2	^	^	^	^	^
Breast	3,790	37	3,753	2,473	24	2,449	1,167	11	1,156	89	^	88	52	^	52
Female Genital System	1,275	--	1,275	792	--	792	413	--	413	45	--	45	21	--	21
Cervix Uteri	215	--	215	116	--	116	80	--	80	13	--	13	5	--	5
Corpus and Uterus, NOS	653	--	653	396	--	396	224	--	224	21	--	21	10	--	10
Corpus Uteri	633	--	633	385	--	385	215	--	215	20	--	20	10	--	10
Uterus, NOS	20	--	20	11	--	11	9	--	9	^	--	^	^	--	^
Ovary	243	--	243	163	--	163	68	--	68	7	--	7	4	--	4
Vagina	29	--	29	17	--	17	11	--	11	^	--	^	^	--	^
Vulva	89	--	89	65	--	65	20	--	20	2	--	2	^	--	^
Other Female Genital Organs	46	--	46	35	--	35	10	--	10	^	--	^	^	--	^
Male Genital System	4,293	4,293	--	2,592	2,592	--	1,550	1,550	--	83	83	--	46	46	--
Prostate	4,158	4,158	--	2,490	2,490	--	1,529	1,529	--	73	73	--	43	43	--
Testis	105	105	--	84	84	--	11	11	--	8	8	--	2	2	--
Penis	23	23	--	14	14	--	7	7	--	1	1	--	^	^	--
Other Male Genital Organs	7	7	--	4	4	--	2	2	--	^	^	--	^	^	--
Urinary System	2,371	1,653	718	1,761	1,261	500	527	336	191	51	34	17	23	16	7
Urinary Bladder	1,008	785	223	816	644	172	164	118	46	16	14	2	8	6	2
Kidney and Renal Pelvis	1,310	836	474	904	590	314	353	214	139	33	20	13	15	9	5
Ureter	27	16	11	22	14	8	4	2	2	^	^	^	^	^	^
Other Urinary Organs	26	16	10	20	13	6	6	3	3	^	^	^	^	^	^
Eye and Orbit	41	23	17	35	20	15	4	2	2	^	^	^	^	^	^
Brain and Other Nervous System	289	162	127	216	122	94	59	33	26	9	5	5	4	2	2
Brain	273	153	120	204	115	88	56	31	25	9	4	5	4	2	2
Cranial Nerves Other Nervous System	16	9	8	12	7	5	3	1	2	^	^	^	^	^	^
Endocrine System	683	191	493	480	145	335	156	35	120	29	7	22	15	3	12

Thyroid	629	165	465	452	132	320	133	24	109	27	6	21	13	2	11
Other Endocrine including Thymus	54	26	28	28	13	15	23	12	11	2	^	1	2	^	^
Lymphoma	1,143	616	528	838	453	385	252	129	122	35	21	13	15	9	6
Hodgkin Lymphoma	130	72	58	80	44	35	41	23	19	7	4	2	1	^	^
Hodgkin - Nodal	128	71	57	79	44	35	41	22	19	7	4	2	1	^	^
Hodgkin - Extranodal	2	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	1,014	544	470	758	409	350	210	107	103	28	17	11	14	9	5
NHL - Nodal	689	374	315	525	286	239	136	71	65	18	11	7	8	5	3
NHL - Extranodal	325	170	155	233	123	110	74	36	39	10	6	4	5	4	2
Myeloma	479	266	213	244	148	96	220	109	111	8	6	3	6	3	2
Leukemia	766	442	325	559	324	236	169	94	75	24	15	9	10	6	4
Lymphocytic Leukemia	378	227	151	288	173	115	71	41	30	14	9	5	3	2	^
Acute Lymphocytic Leukemia	71	38	32	43	22	21	18	10	8	8	5	3	1	^	^
Chronic Lymphocytic Leukemia	288	175	113	230	140	90	49	29	20	5	3	2	2	1	^
Other Lymphocytic Leukemia	20	14	6	16	11	5	3	2	1	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	358	199	159	251	140	111	91	49	42	9	5	4	6	4	2
Acute Myeloid Leukemia	232	127	105	160	87	72	61	32	28	7	4	3	5	3	2
Acute Monocytic Leukemia	5	4	2	4	2	1	2	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	117	66	51	84	48	36	28	15	13	3	1	1	^	^	^
Other Myeloid/Monocytic Leukemia	4	2	2	4	2	2	^	^	^	^	^	^	^	^	^
Other Leukemia	30	16	14	20	10	10	8	4	3	^	^	^	^	^	^
Other Acute Leukemia	10	5	5	7	4	3	2	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	20	11	9	13	7	7	6	4	2	^	^	^	^	^	^
Mesothelioma	56	40	16	43	32	11	10	7	4	2	1	^	^	^	^
Kaposi Sarcoma	23	21	2	8	7	^	13	12	1	2	2	^	^	^	^
Miscellaneous	968	511	457	679	363	316	252	130	122	23	11	12	11	5	6
<i>In Situ Cancers (not included above)</i>															
Breast In Situ	760	3	757	473	1	472	255	1	254	17	^	17	13	^	13

¹American Indians/Alaska Natives

²Asians and Pacific Islanders

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴The total case count for each cancer site may not have the same number as the sum of male and female due to rounding.

^ Count is not displayed due to fewer than 6 cases during the five-year period.

--Not applicable

Table A2. Percent Distribution of Cancer Cases by Site, Race, and Sex, 2018-2022, Louisiana

Primary Site <i>Invasive Cancers</i> ³	All Races & Ethnicities			White			Black			Hispanic			AI/AN ¹ & API ²		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Sites	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Oral Cavity and Pharynx	2.8	3.8	1.6	3.2	4.4	1.8	1.9	2.6	1.2	2.3	3.4	1.1	3.0	4.0	1.8
Lip	0.1	0.2	0.0	0.2	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0
Tongue	0.9	1.2	0.5	1.1	1.5	0.6	0.4	0.6	0.3	0.8	1.4	0.2	1.0	0.7	1.3
Salivary Gland	0.2	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.2	0.2
Floor of Mouth	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.0
Gum and Other Mouth	0.4	0.5	0.3	0.4	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.6	0.8	0.2
Nasopharynx	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.4	0.7	0.0
Tonsil	0.5	0.8	0.2	0.6	1.0	0.2	0.3	0.5	0.1	0.4	0.7	0.1	0.1	0.1	0.0
Oropharynx	0.2	0.3	0.1	0.2	0.3	0.1	0.1	0.2	0.0	0.1	0.2	0.1	0.1	0.1	0.0
Hypopharynx	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.1	0.1	0.0	0.3	0.6	0.0
Other Oral Cavity and Pharynx	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.2	0.0
Digestive System	18.7	19.7	17.7	17.4	18.3	16.3	21.5	22.2	20.7	20.7	22.9	18.5	25.2	29.8	20.1
Esophagus	1.0	1.5	0.4	1.1	1.7	0.4	0.7	1.0	0.4	0.8	1.3	0.3	0.6	1.0	0.1
Stomach	1.5	1.6	1.3	1.1	1.2	0.9	2.2	2.3	2.1	2.8	3.1	2.6	2.2	3.3	1.1
Small Intestine	0.7	0.7	0.7	0.6	0.6	0.6	1.0	0.9	1.1	0.7	0.5	0.8	0.3	0.2	0.5
Colon and Rectum	8.8	8.8	8.9	8.3	8.3	8.3	9.9	9.8	10.1	8.6	10.1	7.2	12.1	12.6	11.5
Colon excluding Rectum	6.1	5.9	6.4	5.8	5.5	6.0	7.0	6.6	7.5	5.5	6.3	4.7	6.9	7.0	6.8
Cecum	1.2	1.0	1.4	1.2	1.0	1.3	1.3	1.1	1.5	0.8	0.7	0.9	1.2	0.7	1.6
Appendix	0.4	0.3	0.4	0.4	0.3	0.5	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.5
Ascending Colon	1.2	1.0	1.4	1.2	1.0	1.4	1.4	1.3	1.6	0.7	0.9	0.5	0.8	0.5	1.2
Hepatic Flexure	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.5	0.2	0.3	0.5	0.0
Transverse Colon	0.6	0.6	0.6	0.5	0.5	0.5	0.7	0.7	0.7	0.6	0.7	0.4	0.7	0.8	0.6
Splenic Flexure	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.5	0.0
Descending Colon	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.5	0.6	0.6	0.5	0.6	0.7	0.7	0.6
Sigmoid Colon	1.5	1.6	1.4	1.4	1.6	1.3	1.6	1.7	1.5	1.5	2.1	0.9	2.2	2.2	2.1
Large Intestine, NOS	0.4	0.4	0.4	0.3	0.3	0.3	0.5	0.5	0.5	0.4	0.3	0.5	0.4	0.5	0.2
Rectum and Rectosigmoid Junction	2.7	2.9	2.4	2.6	2.8	2.3	2.9	3.1	2.6	3.1	3.8	2.5	5.2	5.6	4.7
Rectosigmoid Junction	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.6	0.2	1.1	1.5	0.7
Rectum	2.2	2.4	2.0	2.1	2.3	1.8	2.4	2.6	2.2	2.7	3.2	2.3	4.1	4.1	4.0
Anus, Anal Canal and Anorectum	0.4	0.3	0.6	0.5	0.3	0.6	0.4	0.3	0.4	0.5	0.1	0.8	0.2	0.0	0.4
Liver and Intrahepatic Bile Duct	2.4	3.2	1.4	2.1	2.8	1.3	2.8	4.0	1.5	3.2	4.0	2.4	5.2	7.7	2.4
Liver	2.0	2.9	1.0	1.7	2.4	0.9	2.5	3.7	1.2	2.8	3.8	1.8	4.9	7.4	2.1
Intrahepatic Bile Duct	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.4	0.2	0.6	0.3	0.3	0.2
Gallbladder	0.3	0.2	0.4	0.2	0.1	0.3	0.4	0.3	0.5	0.4	0.2	0.5	0.6	0.6	0.6
Other Biliary	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.5	0.6	0.5	0.6
Pancreas	3.1	2.9	3.3	2.9	2.8	3.1	3.5	3.2	3.8	3.1	3.0	3.2	3.1	3.5	2.6
Retroperitoneum	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.3	0.0

Peritoneum, Omentum and Mesentery	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.2
Other Digestive Organs	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.2
Respiratory System	14.2	14.8	13.4	14.5	14.6	14.4	14.1	16.0	11.9	7.7	8.9	6.4	13.3	14.8	11.6
Nose, Nasal Cavity and Middle Ear	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.1	0.4	0.5	0.2	0.3	0.4	0.1
Larynx	1.0	1.5	0.5	1.0	1.4	0.4	1.2	1.7	0.6	0.5	0.9	0.1	0.7	1.0	0.4
Lung and Bronchus	13.0	13.1	12.8	13.4	12.9	13.8	12.7	14.1	11.2	6.7	7.3	6.0	12.3	13.2	11.2
Pleura	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.0	0.1	0.2	0.0
Bones and Joints	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.3	0.3	0.4	0.1
Soft Tissue including Heart	0.7	0.8	0.7	0.7	0.8	0.6	0.7	0.6	0.9	0.7	0.9	0.5	0.4	0.6	0.2
Skin excluding Basal and Squamous Melanoma of the Skin	4.0	4.6	3.3	5.7	6.6	4.5	0.3	0.3	0.4	1.7	1.7	1.8	0.8	1.3	0.4
Other Non-Epithelial Skin	3.6	4.2	2.9	5.2	6.0	4.2	0.2	0.1	0.2	1.5	1.4	1.5	0.6	1.0	0.2
Breast	0.4	0.5	0.3	0.5	0.6	0.4	0.2	0.1	0.2	0.3	0.3	0.3	0.2	0.3	0.1
Female Genital System	13.9	0.3	29.9	13.5	0.2	29.1	14.9	0.3	32.0	14.9	0.3	29.4	14.6	0.2	30.6
Cervix Uteri	4.7	--	10.2	4.3	--	9.4	5.3	--	11.4	7.4	--	14.8	5.8	--	12.4
Corpus and Uterus, NOS	0.8	--	1.7	0.6	--	1.4	1.0	--	2.2	2.1	--	4.2	1.4	--	2.9
Corpus Uteri	2.4	--	5.2	2.2	--	4.7	2.9	--	6.2	3.5	--	6.9	2.9	--	6.1
Uterus, NOS	2.3	--	5.0	2.1	--	4.6	2.7	--	5.9	3.4	--	6.7	2.9	--	6.1
Ovary	0.1	--	0.2	0.1	--	0.1	0.1	--	0.2	0.1	--	0.2	0.0	--	0.0
Vagina	0.9	--	1.9	0.9	--	1.9	0.9	--	1.9	1.2	--	2.5	1.1	--	2.4
Vulva	0.1	--	0.2	0.1	--	0.2	0.1	--	0.3	0.2	--	0.3	0.0	--	0.0
Other Female Genital Organs	0.3	--	0.7	0.4	--	0.8	0.3	--	0.6	0.4	--	0.7	0.3	--	0.6
Male Genital System	0.2	--	0.4	0.2	--	0.4	0.1	--	0.3	0.1	--	0.2	0.2	--	0.4
Prostate	15.7	29.2	--	14.1	26.0	--	19.8	36.8	--	13.8	27.6	--	12.8	24.2	--
Testis	15.3	28.3	--	13.5	25.0	--	19.5	36.3	--	12.2	24.5	--	12.1	23.0	--
Penis	0.4	0.7	--	0.5	0.8	--	0.1	0.3	--	1.3	2.5	--	0.6	1.1	--
Other Male Genital Organs	0.1	0.2	--	0.1	0.1	--	0.1	0.2	--	0.2	0.5	--	0.1	0.2	--
Urinary System	0.0	0.0	--	0.0	0.0	--	0.0	0.1	--	0.1	0.1	--	0.0	0.0	--
Urinary Bladder	8.7	11.2	5.7	9.6	12.7	5.9	6.7	8.0	5.3	8.5	11.5	5.5	6.5	8.5	4.2
Kidney and Renal Pelvis	3.7	5.3	1.8	4.4	6.5	2.0	2.1	2.8	1.3	2.7	4.7	0.8	2.3	3.4	1.1
Ureter	4.8	5.7	3.8	4.9	5.9	3.7	4.5	5.1	3.8	5.6	6.7	4.4	4.1	5.0	3.2
Other Urinary Organs	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.1	0.0
Eye and Orbit	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
Brain and Other Nervous System	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.2
Brain	1.1	1.1	1.0	1.2	1.2	1.1	0.8	0.8	0.7	1.6	1.5	1.6	1.2	1.3	1.2
Cranial Nerves Other Nervous System	1.0	1.0	1.0	1.1	1.2	1.0	0.7	0.7	0.7	1.5	1.4	1.5	1.1	1.2	0.9
Endocrine System	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.2
Thyroid	2.5	1.3	3.9	2.6	1.5	4.0	2.0	0.8	3.3	4.9	2.3	7.4	4.2	1.6	7.1
Other Endocrine including Thymus	2.3	1.1	3.7	2.5	1.3	3.8	1.7	0.6	3.0	4.5	2.1	7.0	3.7	1.3	6.5
Lymphoma	0.2	0.2	0.2	0.2	0.1	0.2	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.3	0.6
Hodgkin Lymphoma	4.2	4.2	4.2	4.6	4.5	4.6	3.2	3.1	3.4	5.8	7.1	4.5	4.2	5.0	3.3
	0.5	0.5	0.5	0.4	0.4	0.4	0.5	0.5	0.5	1.1	1.4	0.8	0.3	0.3	0.4

Hodgkin - Nodal	0.5	0.5	0.5	0.4	0.4	0.4	0.5	0.5	0.5	1.1	1.4	0.8	0.3	0.3	0.4
Hodgkin - Extranodal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin Lymphoma	3.7	3.7	3.7	4.1	4.1	4.2	2.7	2.5	2.9	4.7	5.7	3.7	3.8	4.7	2.9
NHL - Nodal	2.5	2.5	2.5	2.9	2.9	2.8	1.7	1.7	1.8	3.0	3.5	2.5	2.3	2.8	1.9
NHL - Extranodal	1.2	1.2	1.2	1.3	1.2	1.3	1.0	0.8	1.1	1.7	2.1	1.2	1.5	1.9	1.1
Myeloma	1.8	1.8	1.7	1.3	1.5	1.1	2.8	2.6	3.1	1.4	1.9	0.9	1.6	1.8	1.3
Leukemia	2.8	3.0	2.6	3.0	3.2	2.8	2.2	2.2	2.1	4.0	4.9	3.1	2.7	3.2	2.2
Lymphocytic Leukemia	1.4	1.5	1.2	1.6	1.7	1.4	0.9	1.0	0.8	2.3	2.9	1.7	0.8	1.0	0.6
Acute Lymphocytic Leukemia	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	1.4	1.8	0.9	0.3	0.3	0.4
Chronic Lymphocytic Leukemia	1.1	1.2	0.9	1.3	1.4	1.1	0.6	0.7	0.6	0.8	1.0	0.7	0.4	0.6	0.2
Other Lymphocytic Leukemia	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0
Myeloid and Monocytic Leukemia	1.3	1.4	1.3	1.4	1.4	1.3	1.2	1.2	1.2	1.5	1.7	1.3	1.7	1.9	1.4
Acute Myeloid Leukemia	0.9	0.9	0.8	0.9	0.9	0.9	0.8	0.8	0.8	1.1	1.3	0.9	1.4	1.6	1.2
Acute Monocytic Leukemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
Chronic Myeloid Leukemia	0.4	0.4	0.4	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.2	0.2	0.2
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other Leukemia	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.3	0.3	0.2
Other Acute Leukemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.0	0.1
Aleukemic, Subleukemic and NOS	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.2	0.3	0.1
Mesothelioma	0.2	0.3	0.1	0.2	0.3	0.1	0.1	0.2	0.1	0.3	0.4	0.1	0.1	0.2	0.0
Kaposi Sarcoma	0.1	0.1	0.0	0.0	0.1	0.0	0.2	0.3	0.0	0.3	0.6	0.0	0.1	0.2	0.0
Miscellaneous	3.6	3.5	3.6	3.7	3.6	3.8	3.2	3.1	3.4	3.9	3.8	4.0	3.1	2.9	3.3

¹American Indians/Alaska Natives

²Asians and Pacific Islanders

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

--Not applicable

Table B. Average Annual Cancer Incidence Rates by Site, Race, and Sex,¹ 2018-2022, Louisiana

Primary Site <i>Invasive Cancers</i> ²	All Races			NH White			NH Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Sites	489.2	562.1	433.3	502.0	566.8	452.0	506.2	614.1	428.5
Oral Cavity and Pharynx	13.5	21.2	6.8	15.8	24.5	7.9	9.6	15.6	5.1
Lip	0.6	1.0	0.2	0.8	1.4	0.3	^	^	^
Tongue	4.2	6.5	2.3	5.3	8.1	2.8	2.2	3.4	1.2
Salivary Gland	1.2	1.7	0.8	1.3	1.9	0.8	1.0	1.2	0.9
Floor of Mouth	0.7	1.0	0.4	0.7	1.0	0.5	0.6	1.0	^
Gum and Other Mouth	2.0	2.7	1.5	2.2	3.0	1.6	1.6	2.2	1.3
Nasopharynx	0.6	0.9	0.3	0.5	0.8	0.3	0.7	1.2	^
Tonsil	2.4	4.3	0.7	3.0	5.3	0.9	1.6	2.8	0.5
Oropharynx	0.9	1.5	0.3	1.1	1.7	0.4	0.6	1.1	^
Hypopharynx	0.7	1.3	0.3	0.7	1.1	0.3	1.0	2.0	^
Other Oral Cavity and Pharynx	0.2	0.3	^	0.2	0.3	^	0.2	^	^
Digestive System	91.5	111.0	74.9	86.7	104.7	70.8	110.1	138.1	88.8
Esophagus	4.6	8.1	1.7	5.3	9.3	1.8	3.6	6.1	1.7
Stomach	7.2	9.1	5.6	5.4	7.1	3.9	11.5	14.8	9.2
Small Intestine	3.4	3.8	3.2	2.9	3.3	2.6	5.3	5.9	4.8
Colon and Rectum	44.3	51.2	38.4	43.1	49.3	37.4	51.6	61.9	43.8
Colon excluding Rectum	30.6	34.1	27.6	29.3	32.4	26.6	36.9	42.5	32.6
Cecum	5.9	6.1	5.8	5.7	5.9	5.4	6.9	7.3	6.6
Appendix	1.9	1.7	2.2	2.3	1.9	2.7	1.6	1.6	1.6
Ascending Colon	6.0	6.2	5.9	5.7	5.6	5.7	7.5	8.4	6.9
Hepatic Flexure	1.3	1.6	1.1	1.2	1.3	1.0	1.8	2.4	1.4
Transverse Colon	2.9	3.4	2.5	2.7	3.1	2.3	3.8	4.4	3.3
Splenic Flexure	1.1	1.2	0.9	0.8	1.0	0.6	1.8	1.8	1.6
Descending Colon	2.1	2.6	1.7	1.9	2.5	1.3	2.7	2.8	2.5
Sigmoid Colon	7.5	9.3	6.0	7.5	9.2	6.0	8.3	10.5	6.5
Large Intestine, NOS	1.8	2.1	1.5	1.6	1.8	1.4	2.5	3.2	2.0
Rectum and Rectosigmoid Junction	13.7	17.1	10.8	13.8	16.9	10.8	14.7	19.4	11.2
Rectosigmoid Junction	2.4	2.9	1.9	2.4	2.8	2.1	2.4	3.3	1.8
Rectum	11.4	14.2	8.9	11.3	14.1	8.8	12.3	16.2	9.4
Anus, Anal Canal and Anorectum	2.1	1.6	2.5	2.2	1.6	2.9	1.9	2.0	1.8
Liver and Intrahepatic Bile Duct	10.7	16.7	5.4	9.7	14.7	5.2	12.8	21.7	5.8
Liver	9.0	14.7	4.0	7.8	12.6	3.6	11.3	19.9	4.6
Intrahepatic Bile Duct	1.7	2.0	1.4	1.8	2.2	1.6	1.5	1.8	1.2
Gallbladder	1.3	1.0	1.6	1.0	0.7	1.3	1.9	1.8	2.1
Other Biliary	1.6	1.9	1.3	1.5	1.8	1.3	1.7	2.1	1.4
Pancreas	14.9	16.5	13.6	14.2	15.8	12.9	18.1	20.4	16.4
Retroperitoneum	0.4	0.3	0.4	0.3	0.3	0.3	0.4	^	0.6
Peritoneum, Omentum and Mesentery	0.4	^	0.6	0.4	^	0.6	0.4	^	0.6

Other Digestive Organs	0.7	0.8	0.6	0.7	0.7	0.6	0.8	1.0	0.6
Respiratory System	66.5	82.9	53.4	68.2	80.5	58.4	70.5	101.3	48.3
Nose, Nasal Cavity and Middle Ear	0.8	1.1	0.5	0.8	1.1	0.6	0.7	1.1	0.5
Larynx	4.7	7.9	1.9	4.5	7.5	1.8	5.8	10.3	2.4
Lung and Bronchus	60.9	73.6	50.9	62.7	71.6	55.9	63.9	89.6	45.4
Pleura	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.1	0.2	^	0.1	^	^	^	^	^
Bones and Joints	1.0	1.1	1.0	1.2	1.2	1.2	0.8	1.0	0.6
Soft Tissue including Heart	3.9	4.8	3.2	4.0	5.2	3.1	3.9	4.1	3.9
Skin excluding Basal and Squamous	20.7	28.3	15.1	30.4	40.2	22.8	1.8	1.9	1.7
Melanoma of the Skin	18.7	25.3	13.7	27.8	36.3	21.2	0.8	0.9	0.8
Other Non-Epithelial Skin	2.1	3.0	1.4	2.6	3.8	1.7	0.9	1.0	0.9
Breast	70.6	1.5	131.5	70.2	1.5	133.1	78.5	1.8	138.4
Female Genital System	23.7	--	44.9	23.0	--	44.4	27.1	--	48.3
Cervix Uteri	4.6	--	8.9	4.1	--	8.1	5.7	--	10.5
Corpus and Uterus, NOS	11.5	--	21.7	10.9	--	21.1	13.9	--	24.7
Corpus Uteri	11.1	--	21.1	10.6	--	20.5	13.4	--	23.7
Uterus, NOS	0.4	--	0.7	0.3	--	0.6	0.5	--	0.9
Ovary	4.6	--	8.6	4.7	--	9.0	4.6	--	8.2
Vagina	0.5	--	1.0	0.5	--	0.9	0.8	--	1.4
Vulva	1.7	--	3.1	1.9	--	3.5	1.4	--	2.5
Other Female Genital Organs	0.8	--	1.6	1.0	--	1.9	0.6	--	1.1
Male Genital System	70.9	153.3	--	65.0	137.8	--	92.0	212.8	--
Prostate	68.0	147.2	--	61.1	129.9	--	90.6	209.6	--
Testis	2.4	4.8	--	3.4	6.8	--	0.8	1.6	--
Penis	0.4	1.0	--	0.4	0.8	--	0.5	1.2	--
Other Male Genital Organs	0.1	0.3	--	0.1	0.2	--	^	^	--
Urinary System	42.9	65.9	24.3	47.8	73.5	26.2	35.0	52.4	22.3
Urinary Bladder	18.1	31.9	7.3	21.5	37.5	8.5	11.4	19.7	5.6
Kidney and Renal Pelvis	23.8	32.6	16.3	25.2	34.4	17.0	22.9	31.8	16.0
Ureter	0.5	0.7	0.4	0.6	0.8	0.4	0.3	^	^
Other Urinary Organs	0.5	0.7	0.3	0.5	0.8	0.3	0.4	^	0.4
Eye and Orbit	0.8	0.9	0.6	1.0	1.2	0.9	0.2	^	^
Brain and Other Nervous System	5.6	6.6	4.7	6.6	7.8	5.5	3.9	4.9	3.2
Brain	5.3	6.2	4.4	6.2	7.3	5.2	3.7	4.7	3.0
Cranial Nerves Other Nervous System	0.3	0.4	0.3	0.4	0.5	0.3	0.2	^	^
Endocrine System	13.8	7.6	19.8	15.9	9.1	22.8	10.4	5.1	15.0
Thyroid	12.8	6.6	18.8	15.1	8.3	21.9	8.9	3.3	13.7
Other Endocrine including Thymus	1.0	1.0	1.1	0.8	0.8	0.9	1.5	1.7	1.4
Lymphoma	21.5	25.1	18.5	23.8	27.5	20.6	17.1	19.7	15.0
Hodgkin Lymphoma	2.7	3.1	2.4	2.9	3.2	2.6	2.8	3.3	2.4
Hodgkin - Nodal	2.7	3.1	2.4	2.8	3.1	2.6	2.8	3.3	2.3
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	18.7	22.0	16.0	20.9	24.4	18.0	14.3	16.4	12.7
NHL - Nodal	12.7	15.2	10.6	14.5	17.1	12.2	9.2	10.9	7.8

NHL - Extranodal	6.0	6.8	5.4	6.4	7.2	5.8	5.1	5.4	4.9
Myeloma	8.6	10.4	7.0	6.5	8.5	4.8	14.6	16.8	13.0
Leukemia	14.4	18.1	11.4	16.0	19.8	12.8	11.7	14.9	9.4
Lymphocytic Leukemia	7.0	9.2	5.2	8.2	10.5	6.2	4.8	6.1	3.7
Acute Lymphocytic Leukemia	1.5	1.7	1.4	1.7	1.7	1.6	1.2	1.3	1.0
Chronic Lymphocytic Leukemia	5.1	6.9	3.6	6.0	8.1	4.3	3.3	4.5	2.5
Other Lymphocytic Leukemia	0.4	0.6	0.2	0.5	0.7	0.3	0.3	^	^
Myeloid and Monocytic Leukemia	6.8	8.3	5.7	7.2	8.7	6.1	6.4	8.1	5.3
Acute Myeloid Leukemia	4.4	5.3	3.8	4.5	5.3	4.0	4.3	5.3	3.5
Acute Monocytic Leukemia	0.1	0.2	^	0.1	^	^	^	^	^
Chronic Myeloid Leukemia	2.3	2.8	1.8	2.5	3.1	2.0	2.0	2.5	1.7
Other Myeloid/Monocytic Leukemia	0.1	^	^	0.1	^	^	^	^	^
Other Leukemia	0.6	0.7	0.5	0.6	0.6	0.5	0.5	0.7	0.4
Other Acute Leukemia	0.2	0.2	0.2	0.2	0.2	0.2	^	^	^
Aleukemic, Subleukemic and NOS	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.6	^
Mesothelioma	1.0	1.7	0.5	1.2	1.9	0.6	0.7	1.2	0.5
Kaposi Sarcoma	0.5	1.0	^	0.3	0.5	^	0.9	1.7	^
Miscellaneous	17.7	20.7	15.4	18.5	21.5	16.2	17.2	20.8	14.7
<i>In Situ Cancers (not included above)</i>									
Breast In Situ	14	^	26.5	13.6	^	26.3	16.5	^	29.4

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups - Census P25-1130) standard.

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases in the five-year period.

--Not applicable

Table C1. Average Annual Cancer Incidence Rates by Race and Sex,¹ 2018-2022: U.S., Louisiana, and 7-Parish Industrial Corridor² (Please review: [Cautions in Interpretation](#))

Primary Site <i>Invasive Cancers</i> ³	NH White Men				NH Black Men				NH White Women				NH Black Women			
	US	LA	Ind. Corr.		US	LA	Ind. Corr.		US	LA	Ind. Corr.		US	LA	Ind. Corr.	
All Sites	515.6	566.8	↑	578.5	537.3	614.1	↑	636.2	449.8	452.0		443.7	411.0	428.5	↑	426.9
Oral Cavity and Pharynx	20.6	24.5	↑	28.8 #	13.4	15.6	↑	15.2	7.5	7.9		8.3	5.0	5.1		3.1 *
Esophagus	8.2	9.3	↑	10.1	5.4	6.1		7.1	1.9	1.8		1.5	1.9	1.7		^
Stomach	7.4	7.1		8.0	12.7	14.8	↑	16.5	3.9	3.9		2.8	8.6	9.2		10.1
Colon excluding Rectum	28.0	32.4	↑	25.5 *	35.5	42.5	↑	37.9	24.1	26.6	↑	22.8 *	28.6	32.6	↑	28.4
Rectum and Rectosigmoid Junction	14.1	16.9	↑	16.7	14.3	19.4	↑	20.5	9.2	10.8	↑	9.8	9.5	11.2	↑	12.8
Liver and Intrahepatic Bile Duct	10.9	14.7	↑	14.9	15.5	21.7	↑	28.1 #	4.3	5.2	↑	5.5	5.2	5.8		6.2
Pancreas	15.8	15.8		14.3	17.8	20.4	↑	19.2	12.1	12.9	↑	12.4	15.5	16.4		16.9
Larynx	4.5	7.5	↑	6.3	6.4	10.3	↑	9.7	1.1	1.8	↑	2.2	1.3	2.4	↑	2.8
Lung and Bronchus	56.0	71.6	↑	60.1 *	65.3	89.6	↑	83.0	49.1	55.9	↑	52.3	42.8	45.4	↑	39.5 *
Melanoma of the Skin	44.0	36.3	↓	43.9 #	1.1	0.9		^	29.5	21.2	↓	23.0	0.9	0.8		^
Breast	1.3	1.5		^	1.8	1.8		^	140.0	133.1	↓	137.1	132.8	138.4	↑	140.6
Cervix Uteri	--	--		--	--	--		--	6.7	8.1	↑	7.1	8.2	10.5	↑	8.2
Corpus and Uterus, NOS	--	--		--	--	--		--	27.5	21.1	↓	19.3	29.5	24.7	↓	26.1
Ovary	--	--		--	--	--		--	10.2	9.0	↓	11.1 #	8.9	8.2		10.0
Prostate	117.9	129.9	↑	146.2 #	197.3	209.6	↑	226.1 #	--	--		--	--	--		--
Testis	7.3	6.8		6.9	1.6	1.6		^	--	--		--	--	--		--
Urinary Bladder	37.3	37.5		37.5	19.7	19.7		23.3	9.0	8.5		8.3	6.2	5.6		5.3
Kidney and Renal Pelvis	23.6	34.4	↑	35.6	25.7	31.8	↑	33.8	11.4	17.0	↑	14.6	13.2	16.0	↑	16.6
Brain and Other Nervous System	8.6	7.8	↓	7.1	4.8	4.9		5.3	6.0	5.5		6.2	3.5	3.2		3.1
Thyroid	8.2	8.3		10.3	3.5	3.3		3.2	20.3	21.9	↑	24.2	12.0	13.7	↑	15.2
Hodgkin Lymphoma	3.1	3.2		3.2	2.8	3.3		3.3	2.5	2.6		2.1	2.3	2.4		2.9
Non-Hodgkin Lymphoma	24.1	24.4		25.3	17.3	16.4		17.2	16.5	18.0	↑	16.8	12.0	12.7		16.1 #
Myeloma	8.2	8.5		8.6	17.3	16.8		19.8	5.0	4.8		4.2	13.4	13.0		16.1 #
Leukemia	19.9	19.8		18.3	14.2	14.9		15.4	12.0	12.8	↑	11.9	9.7	9.4		9.3

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Ascension, East Baton Rouge, Iberville, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table C2. Average Annual Cancer Incidence Rates by Race and Sex,¹ 2018-2022: U.S., Louisiana, and 11-Parish Industrial Corridor² (Please review: [Cautions in Interpretation](#))

Primary Site <i>Invasive Cancers</i> ³	NH White Men				NH Black Men				NH White Women				NH Black Women			
	US	LA	Ind. Corr.		US	LA	Ind. Corr.		US	LA	Ind. Corr.		US	LA	Ind. Corr.	
All Sites	515.6	566.8	↑	557.4	537.3	614.1	↑	592.7 *	449.8	452.0	436.7 *		411.0	428.5	↑	412.5 *
Oral Cavity and Pharynx	20.6	24.5	↑	26.0	13.4	15.6	↑	14.1	7.5	7.9	7.7		5.0	5.1		3.7 *
Esophagus	8.2	9.3	↑	9.4	5.4	6.1		5.7	1.9	1.8	1.7		1.9	1.7		1.2
Stomach	7.4	7.1		7.1	12.7	14.8	↑	15.8	3.9	3.9	2.9 *		8.6	9.2		9.5
Colon excluding Rectum	28.0	32.4	↑	27.8 *	35.5	42.5	↑	38.1 *	24.1	26.6	↑	23.5 *	28.6	32.6	↑	27.5 *
Rectum and Rectosigmoid Junction	14.1	16.9	↑	15.7	14.3	19.4	↑	18.5	9.2	10.8	↑	10.0	9.5	11.2	↑	11.5
Liver and Intrahepatic Bile Duct	10.9	14.7	↑	15.7	15.5	21.7	↑	24.3	4.3	5.2	↑	5.5	5.2	5.8		5.8
Pancreas	15.8	15.8		14.8	17.8	20.4	↑	18.1	12.1	12.9	↑	11.8	15.5	16.4		15.6
Larynx	4.5	7.5	↑	6.9	6.4	10.3	↑	8.8	1.1	1.8	↑	1.7	1.3	2.4	↑	2.4
Lung and Bronchus	56.0	71.6	↑	61.5 *	65.3	89.6	↑	80.6 *	49.1	55.9	↑	50.3 *	42.8	45.4	↑	43.3
Melanoma of the Skin	44.0	36.3	↓	40.7 #	1.1	0.9		^	29.5	21.2	↓	22.3	0.9	0.8		^
Breast	1.3	1.5		1.9	1.8	1.8		1.6	140.0	133.1	↓	139.8 #	132.8	138.4	↑	135.4
Cervix Uteri	--	--		--	--	--		--	6.7	8.1	↑	6.6 *	8.2	10.5	↑	9.4
Corpus and Uterus, NOS	--	--		--	--	--		--	27.5	21.1	↓	19.4	29.5	24.7	↓	23.1
Ovary	--	--		--	--	--		--	10.2	9.0	↓	10.6 #	8.9	8.2		8.9
Prostate	117.9	129.9	↑	137.0 #	197.3	209.6	↑	207.4	--	--	--		--	--		--
Testis	7.3	6.8		6.7	1.6	1.6		1.8	--	--	--		--	--		--
Urinary Bladder	37.3	37.5		38.5	19.7	19.7		19.8	9.0	8.5		8.8	6.2	5.6		5.5
Kidney and Renal Pelvis	23.6	34.4	↑	32.5	25.7	31.8	↑	33.1	11.4	17.0	↑	13.8 *	13.2	16.0	↑	15.6
Brain and Other Nervous System	8.6	7.8	↓	6.8	4.8	4.9		4.9	6.0	5.5		5.4	3.5	3.2		3.4
Thyroid	8.2	8.3		8.4	3.5	3.3		3.3	20.3	21.9	↑	22.5	12.0	13.7	↑	13.8
Hodgkin Lymphoma	3.1	3.2		3.5	2.8	3.3		3.7	2.5	2.6		2.3	2.3	2.4		2.5
Non-Hodgkin Lymphoma	24.1	24.4		24.5	17.3	16.4		16.8	16.5	18.0	↑	17.7	12.0	12.7		14.3
Myeloma	8.2	8.5		8.3	17.3	16.8		16.9	5.0	4.8		4.5	13.4	13.0		13.7
Leukemia	19.9	19.8		17.7	14.2	14.9		13.3	12.0	12.8	↑	10.5 *	9.7	9.4		8.3

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Ascension, East Baton Rouge, Iberville, Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table D1. Cancer Incidence Rates¹ among the Hispanic Population, 2018-2022: U.S. and Louisiana

Primary Site <i>Invasive Cancers</i> ²	Male			Female		
	U.S.	LA		U.S.	LA	
All Sites	358.2	249.7	↓	352.7	248.2	↓
Oral Cavity and Pharynx	9.6	8.0		4.6	2.8	↓
Esophagus	4.5	3.7		1.1	^	
Stomach	11.8	8.1	↓	8.8	6.7	
Colon and rectum	37.5	25.1	↓	28.9	18.0	↓
Liver and Intrahepatic Bile Duct	18.8	9.2	↓	8.9	6.1	↓
Pancreas	13.0	7.7	↓	11.6	8.1	↓
Larynx	3.1	^		0.4	^	
Lung and Bronchus	28.0	20.5	↓	22.5	15.8	↓
Melanoma of the Skin	5.1	4.0		5.5	3.8	
Breast	0.6	^		103.1	73.2	↓
Cervix Uteri	--	--		9.3	9.8	
Corpus and Uterus, NOS	--	--		27.3	17.1	↓
Ovary	--	--		10.0	6.0	↓
Prostate	89.5	63.3	↓	--	--	
Testis	6.6	4.5	↓	--	--	
Urinary Bladder	17.0	13.4		4.9	^	
Kidney and Renal Pelvis	22.7	16.7	↓	13.4	10.9	
Brain and Other Nervous System	5.7	2.9	↓	4.7	3.6	
Thyroid	5.8	4.1		20.6	16.1	↓
Hodgkin Lymphoma	2.5	3.0		1.9	^	
Non-Hodgkin Lymphoma	20.2	13.3	↓	15.7	9.3	↓
Myeloma	7.7	4.7	↓	5.5	^	
Leukemia	13.0	10.8		9.6	7.4	

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases in the five-year period.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table D2. Cancer Incidence Rates¹ among the NH American Indian/Alaska Native and Asian and Pacific Islander Population, 2018-2022: U.S. and Louisiana

Primary Site <i>Invasive Cancers</i> ²	Male		Female		
	U.S.	LA	U.S.	LA	
All Sites	310.3	317.3	329.6	260.0	↓
Oral Cavity and Pharynx	12.0	12.5	5.7	^	
Esophagus	4.0	^	1.1	^	
Stomach	11.4	9.4	7.0	^	
Colon and rectum	36.6	41.0	27.1	29.9	
Liver and Intrahepatic Bile Duct	16.8	22.4	6.8	5.9	↑
Pancreas	11.7	12.0	9.9	6.8	
Larynx	1.9	^	0.2	^	
Lung and Bronchus	40.1	43.4	28.7	29.5	
Melanoma of the Skin	2.0	^	1.6	^	
Breast	0.6	^	116.5	79.0	↓
Cervix Uteri	--	--	6.2	7.8	
Corpus and Uterus, NOS	--	--	25.3	15.0	↓
Ovary	--	--	9.6	5.7	↓
Prostate	66.1	70.7	--	--	
Testis	2.9	^	--	--	
Urinary Bladder	15.1	12.0	3.7	^	
Kidney and Renal Pelvis	13.5	15.5	6.6	7.6	
Brain and Other Nervous System	4.6	^	3.3	^	
Thyroid	6.9	^	20.3	17.7	
Hodgkin Lymphoma	1.6	^	1.2	^	
Non-Hodgkin Lymphoma	16.6	14.4	11.9	7.7	↓
Myeloma	5.1	6.4	3.5	^	
Leukemia	10.3	11.1	6.8	6.1	

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases in the five-year period.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table E1. Incidence Rates¹ by Louisiana Parish² for the Ten Most Commonly Diagnosed Cancers, 2018-2022:
NH White Males

	All Sites	Prostate	Lung and Bronchus	Colon and Rectum	Urinary Bladder	Melanoma of the Skin	Kidney and Renal Pelvis	Oral Cavity and Pharynx	Non- Hodgkin Lymphoma	Leukemia	Pancreas
Louisiana	566.8	129.9	71.6	49.3	37.5	36.3	34.4	24.5	24.4	19.8	15.8
Acadia	618.7	131.9	84.2	54.3	42.1	21.7	48.6	31.1	22.1	19.1	14.2
Allen	705.0	141.2	94.9	79.5	38.1	41.3	44.3	^	40.5	^	^
Ascension	562.2	149.7	59.0	35.1	33.3	38.3	32.9	29.9	25.5	17.7	14.1
Assumption	607.3	162.9	71.0	^	41.4	^	48.2	^	34.6	^	^
Avoyelles	625.8	123.5	78.2	66.3	62.6	32.2	43.2	18.9	28.9	^	23.8
Beauregard	574.9	129.9	68.0	62.1	32.9	28.7	30.9	19.3	25.0	28.1	^
Bienville	597.0	118.3	95.2	90.8	^	^	^	^	^	^	^
Bossier	563.4	109.1	74.9	48.4	43.2	41.5	36.7	21.4	24.9	17.5	16.7
Caddo	530.2	118.8	72.7	43.2	39.5	30.5	27.9	24.8	20.1	22.7	15.7
Calcasieu	550.4	129.5	70.8	50.4	31.5	35.0	32.2	23.3	21.8	20.9	13.3
Caldwell	487.5	124.4	91.3	^	^	^	^	^	^	^	^
Cameron	527.7	109.5	^	^	^	^	^	^	^	^	^
Catahoula	631.3	158.3	68.4	112.4	^	^	^	^	^	^	^
Claiborne	641.0	111.2	63.3	66.2	^	^	^	^	^	^	^
Concordia	511.2	110.1	68.4	49.1	^	^	^	^	^	^	^
De Soto	552.8	108.3	63.6	34.5	37.0	31.0	35.1	30.3	^	^	^
East Baton Rouge	574.9	154.2	54.1	38.2	36.9	50.8	34.3	26.5	24.5	16.9	13.9
East Carroll	403.2	^	^	^	^	^	^	^	^	^	^
East Feliciana	511.0	115.9	65.5	48.2	38.5	^	^	35.6	^	^	^
Evangeline	582.9	85.5	94.3	67.7	45.8	43.5	38.0	22.7	40.2	^	^
Franklin	573.0	93.0	106.7	82.1	48.1	^	^	^	^	^	^
Grant	516.5	93.5	78.2	63.7	^	^	^	^	^	^	^
Iberia	624.2	166.6	76.9	65.9	39.4	28.7	31.8	20.1	20.4	25.0	17.3
Iberville	735.8	138.5	104.9	64.9	49.2	46.7	73.2	40.8	^	^	^
Jackson	596.2	144.9	89.0	70.6	^	^	^	^	^	^	^
Jefferson	548.7	125.9	68.6	43.5	42.1	32.7	34.8	23.6	24.9	18.0	16.1
Jefferson Davis	561.5	141.6	67.1	37.0	31.0	34.3	46.3	19.5	^	^	^

Lafayette	566.4	156.6	63.5	43.2	32.0	28.5	44.1	22.5	27.3	19.0	14.8
Lafourche	549.1	117.4	75.0	51.9	37.4	23.1	38.4	17.7	28.5	20.7	15.7
La Salle	546.7	107.2	88.8	68.6	^	^	^	^	^	^	^
Lincoln	471.7	121.9	51.1	32.4	24.0	38.0	24.0	^	27.4	26.7	^
Livingston	558.7	116.5	88.6	47.0	32.4	38.1	32.3	26.8	24.9	21.9	11.0
Madison	559.8	135.6	^	^	^	^	^	^	^	^	^
Morehouse	528.0	120.2	70.8	70.3	^	^	^	^	^	^	^
Natchitoches	578.8	122.4	71.8	55.5	28.2	29.6	40.2	26.4	^	32.0	^
Orleans	513.1	141.5	45.1	43.4	31.7	53.3	16.7	25.4	22.0	16.5	13.9
Ouachita	557.8	120.3	65.1	44.0	33.8	50.7	34.1	27.2	23.5	20.9	15.5
Plaquemines	575.6	137.4	61.0	70.9	48.1	^	37.8	^	^	^	^
Pointe Coupee	553.4	100.6	60.3	60.5	40.0	27.2	41.5	^	^	^	^
Rapides	529.0	107.1	61.8	50.9	36.4	28.7	29.0	27.3	22.8	20.1	18.5
Red River	658.1	107.1	92.1	^	^	^	^	^	^	^	^
Richland	531.9	101.3	83.9	57.1	36.8	^	^	^	^	^	^
Sabine	609.3	132.0	99.1	46.8	32.1	^	34.3	^	33.4	^	^
St. Bernard	554.3	96.7	85.8	48.5	44.4	^	41.5	^	21.6	^	^
St. Charles	601.6	131.8	61.9	53.8	51.0	30.4	36.4	38.9	25.6	18.1	20.6
St. Helena	538.6	112.2	^	^	^	^	^	^	^	^	^
St. James	534.9	120.3	54.5	89.7	^	^	^	^	^	^	^
St. John the Baptist	556.8	87.4	79.7	53.4	34.7	^	38.7	^	47.4	^	^
St. Landry	595.6	132.6	74.1	67.4	34.9	27.0	37.0	29.7	21.9	26.8	11.5
St. Martin	626.9	147.4	88.7	75.8	40.4	26.5	43.3	20.9	27.1	16.4	19.0
St. Mary	610.5	133.1	107.8	45.6	43.6	19.5	30.3	23.6	27.5	21.9	23.1
St. Tammany	595.7	139.0	69.3	47.8	40.7	55.2	29.1	24.2	25.0	17.7	19.2
Tangipahoa	576.3	145.4	73.1	47.6	34.0	37.8	36.9	22.0	24.5	14.9	16.2
Tensas	425.9	^	^	^	^	^	^	^	^	^	^
Terrebonne	600.7	115.5	93.1	53.1	49.7	27.5	44.7	28.5	24.5	18.1	16.5
Union	473.4	82.7	85.9	27.3	37.7	^	32.4	^	^	^	^
Vermilion	646.2	171.8	72.6	64.0	41.4	30.9	48.2	18.7	25.5	25.6	14.0
Vernon	533.9	97.9	98.0	58.8	36.0	22.0	23.3	^	^	19.1	^
Washington	627.7	88.9	102.8	54.2	33.6	48.9	36.9	21.3	21.7	26.0	20.6
Webster	580.1	125.3	90.1	55.7	37.6	22.1	33.4	31.0	25.3	28.9	18.3
West Baton Rouge	547.2	152.0	78.3	^	^	39.4	^	^	^	32.9	^

West Carroll	618.5	146.6	112.9	75.5	^	^	^	^	^	^	^
West Feliciana	547.3	139.4	61.3	^	^	^	^	^	^	^	^
Winn	565.2	85.3	95.8	66.3	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Table E2. Incidence Rates¹ by Louisiana Parish² for the Ten Most Commonly Diagnosed Cancers, 2018-2022:
NH White Females

	All Sites	Breast	Lung and Bronchus	Colon and Rectum	Thyroid	Melanoma of the Skin	Corpus and Uterus, NOS	Non-Hodgkin Lymphoma	Kidney and Renal Pelvis	Pancreas	Leukemia
Louisiana	452.0	133.1	55.9	37.4	21.9	21.2	21.1	18.0	17.0	12.9	12.8
Acadia	486.8	145.2	61.8	37.6	24.6	15.5	27.4	16.0	28.0	12.6	20.4
Allen	474.9	95.2	70.8	55.7	^	^	^	^	^	^	^
Ascension	473.6	139.3	68.2	32.6	33.5	24.0	16.2	13.9	17.4	12.4	13.5
Assumption	427.0	114.1	69.9	32.0	^	^	^	^	^	^	^
Avoyelles	402.4	98.1	58.0	39.8	^	^	23.3	15.9	19.2	^	^
Beauregard	501.4	118.2	69.4	43.4	25.4	19.8	27.5	24.3	22.9	16.4	^
Bienville	479.4	78.2	74.8	^	^	^	^	^	^	^	^
Bossier	447.4	121.9	61.4	41.3	22.4	23.5	20.2	14.7	13.0	14.1	17.2
Caddo	473.7	128.8	56.6	40.0	24.3	22.9	24.1	18.6	14.7	13.8	16.1
Calcasieu	405.5	114.1	49.3	31.8	13.6	17.0	19.4	19.1	17.2	10.9	14.6
Caldwell	505.9	87.6	75.8	82.6	^	^	^	^	^	^	^
Cameron	656.6	211.7	98.3	^	^	^	^	^	^	^	^
Catahoula	533.9	154.5	^	^	^	^	^	^	^	^	^
Claiborne	505.9	137.7	48.8	56.4	^	^	^	^	^	^	^
Concordia	376.4	95.5	54.5	42.1	^	^	^	^	^	^	^
De Soto	466.7	116.1	68.8	35.6	^	^	^	30.3	^	^	^
East Baton Rouge	422.6	136.1	45.8	32.0	19.5	24.1	19.2	15.3	12.4	12.1	11.3
East Carroll	362.6	^	^	^	^	^	^	^	^	^	^
East Feliciana	461.2	129.9	84.9	^	^	^	^	^	^	^	^
Evangeline	473.9	108.1	79.6	49.0	29.3	^	^	^	39.6	^	^
Franklin	483.0	105.8	73.9	64.3	^	^	^	^	^	^	^
Grant	486.2	121.9	51.1	60.6	46.5	^	^	28.0	^	^	^
Iberia	454.2	132.5	62.5	39.8	12.9	18.5	19.2	18.6	18.3	16.1	14.6
Iberville	486.9	135.2	73.2	35.5	^	^	^	^	^	^	^
Jackson	530.0	133.0	56.6	70.8	^	^	^	^	^	^	^
Jefferson	440.1	143.0	51.6	35.1	25.2	17.7	19.6	21.4	14.7	12.8	9.5
Jefferson Davis	431.7	120.7	53.4	49.2	^	^	22.8	^	23.2	^	^
Lafayette	452.8	159.5	50.1	29.2	21.8	15.1	22.1	20.7	16.5	13.4	11.4

Lafourche	418.6	136.3	49.4	34.2	18.7	17.3	22.9	17.9	21.3	9.3	12.6
La Salle	504.5	123.4	67.1	60.9	^	^	^	^	^	^	^
Lincoln	391.0	120.9	47.6	31.4	^	^	30.9	^	^	^	^
Livingston	474.6	115.4	74.8	35.0	23.7	22.8	21.1	17.9	21.2	12.0	12.0
Madison	403.0	^	^	^	^	^	^	^	^	^	^
Morehouse	511.8	129.6	81.2	35.5	^	^	^	^	^	^	^
Natchitoches	496.2	157.8	40.4	50.7	^	^	23.0	^	^	^	^
Orleans	394.4	144.3	33.1	31.8	14.4	31.0	18.8	12.2	6.2	7.3	8.8
Ouachita	459.0	123.1	53.8	40.4	20.8	29.2	18.6	15.8	18.3	15.4	12.6
Plaquemines	475.8	121.3	85.1	38.9	^	^	^	^	^	^	^
Pointe Coupee	468.3	105.6	38.4	40.5	^	48.1	^	^	^	^	^
Rapides	436.0	119.2	50.8	35.2	29.1	20.7	19.8	16.8	11.8	12.9	15.1
Red River	403.5	137.1	^	^	^	^	^	^	^	^	^
Richland	442.5	113.2	77.0	49.6	^	^	^	^	^	^	^
Sabine	515.7	130.9	58.2	49.5	^	^	^	^	^	^	^
St. Bernard	461.7	132.8	63.3	32.6	^	^	27.2	^	19.3	^	^
St. Charles	452.6	128.9	47.4	29.0	27.6	17.7	20.4	18.4	20.0	^	^
St. Helena	419.3	107.2	79.9	^	^	^	^	^	^	^	^
St. James	503.9	143.5	46.1	58.0	^	^	^	^	^	^	^
St. John the Baptist	481.5	147.2	45.5	40.8	^	^	^	^	^	^	^
St. Landry	482.0	135.7	63.5	38.2	23.9	20.0	22.9	17.7	21.6	18.0	^
St. Martin	469.9	155.8	56.3	44.2	17.0	^	27.0	20.5	^	14.7	17.5
St. Mary	419.0	110.6	56.6	35.0	^	^	19.3	23.8	19.9	^	^
St. Tammany	480.6	154.3	55.8	38.0	22.4	27.7	18.3	19.2	18.0	11.9	11.6
Tangipahoa	455.1	135.6	52.9	37.5	22.5	15.4	22.5	16.0	18.2	16.9	12.8
Tensas	527.0	^	^	^	^	^	^	^	^	^	^
Terrebonne	464.2	138.2	61.2	38.2	19.0	18.2	21.5	18.2	14.9	13.4	16.9
Union	519.5	116.3	65.7	47.1	^	39.7	^	^	^	^	^
Vermilion	470.6	128.9	68.3	41.4	18.1	17.0	27.8	17.7	21.9	18.3	13.8
Vernon	478.4	96.8	65.9	47.4	24.3	26.9	38.7	^	15.8	15.8	^
Washington	462.6	128.6	74.5	34.6	^	^	18.3	17.3	21.1	16.4	15.5
Webster	452.4	124.1	49.3	45.0	^	19.7	22.5	24.1	^	19.6	^
West Baton Rouge	454.4	137.0	77.8	^	^	^	^	^	^	^	^
West Carroll	504.3	135.6	56.0	56.5	^	^	^	^	^	^	^

West Feliciana	410.9	145.9	^	^	^	^	^	^	^	^	^
Winn	504.2	126.0	73.4	60.3	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period

Table E3. Incidence Rates¹ by Louisiana Parish² for the Ten Most Commonly Diagnosed Cancers, 2018-2022:
NH Black Males

	All Sites	Prostate	Lung and Bronchus	Colon and Rectum	Kidney and Renal Pelvis	Liver and Intrahepatic Bile Duct	Pancreas	Urinary Bladder	Myeloma	Non-Hodgkin Lymphoma	Oral Cavity and Pharynx
Louisiana	614.1	209.6	89.6	61.9	31.8	21.7	20.4	19.7	16.8	16.4	15.6
Acadia	642.8	207.8	120.9	^	^	^	^	^	^	^	^
Allen	432.4	162.8	^	^	^	^	^	^	^	^	^
Ascension	686.8	252.7	77.6	72.1	48.2	25.7	^	^	^	^	^
Assumption	606.5	160.0	135.1	103.1	^	^	^	^	^	^	^
Avoyelles	810.9	215.0	132.0	83.7	^	^	^	^	^	^	^
Beauregard	568.8	164.8	^	^	^	^	^	^	^	^	^
Bienville	648.2	280.6	^	^	^	^	^	^	^	^	^
Bossier	576.8	194.2	86.6	69.7	38.7	22.0	^	^	^	^	^
Caddo	597.5	186.8	98.9	61.4	28.6	23.4	21.8	24.0	17.5	16.6	16.9
Calcasieu	617.1	198.5	90.4	60.5	31.0	17.4	16.9	20.5	16.7	21.2	13.7
Caldwell	480.5	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	1112.5	^	^	^	^	^	^	^	^	^	^
Claiborne	631.9	198.5	109.9	^	^	^	^	^	^	^	^
Concordia	638.6	264.5	^	^	^	^	^	^	^	^	^
De Soto	771.3	207.2	140.9	105.6	^	^	^	^	^	^	^
East Baton Rouge	624.5	219.6	82.9	56.2	32.1	30.1	19.7	23.0	19.0	16.9	14.2
East Carroll	774.1	319.6	^	^	^	^	^	^	^	^	^
East Feliciana	675.4	258.7	110.9	^	^	^	^	^	^	^	^
Evangeline	704.0	186.0	130.3	^	^	^	^	^	^	^	^
Franklin	575.7	177.6	^	^	^	^	^	^	^	^	^
Grant	636.1	285.8	^	^	^	^	^	^	^	^	^
Iberia	721.9	232.5	110.8	63.5	44.0	^	^	^	^	^	^
Iberville	848.5	257.1	118.4	85.7	^	33.9	^	^	^	^	^
Jackson	620.2	244.8	135.8	^	^	^	^	^	^	^	^
Jefferson	598.6	213.1	79.8	56.6	32.7	16.4	19.5	21.3	18.8	18.3	11.5
Jefferson Davis	676.4	260.7	^	^	^	^	^	^	^	^	^

Lafayette	635.8	188.5	105.9	63.3	45.6	23.6	31.1	17.9	22.3	15.5	18.3
Lafourche	662.3	233.1	95.7	^	^	^	^	^	^	^	^
La Salle	448.9	^	^	^	^	^	^	^	^	^	^
Lincoln	533.6	266.2	51.1	^	^	^	^	^	^	^	^
Livingston	795.1	305.1	^	^	^	^	^	^	^	^	^
Madison	568.2	198.5	^	^	^	^	^	^	^	^	^
Morehouse	638.1	238.5	111.0	73.6	^	^	^	^	^	^	^
Natchitoches	602.4	169.0	99.5	76.9	^	^	^	^	^	^	^
Orleans	542.1	181.9	79.4	54.9	33.7	23.0	16.8	16.2	13.6	15.2	14.0
Ouachita	577.5	208.9	85.6	51.2	29.5	^	17.9	19.1	16.9	16.7	14.2
Plaquemines	574.5	216.0	^	^	^	^	^	^	^	^	^
Pointe Coupee	663.8	204.3	85.3	110.1	^	^	^	^	^	^	^
Rapides	639.0	204.1	88.4	63.8	15.9	19.5	23.6	22.7	23.5	22.7	25.2
Red River	617.5	^	^	^	^	^	^	^	^	^	^
Richland	743.0	260.0	107.0	112.6	^	^	^	^	^	^	^
Sabine	484.6	196.5	^	^	^	^	^	^	^	^	^
St. Bernard	694.8	219.9	^	^	^	^	^	^	^	^	^
St. Charles	606.7	217.9	66.8	56.6	^	^	^	^	^	^	^
St. Helena	613.9	233.6	^	^	^	^	^	^	^	^	^
St. James	572.9	190.0	103.5	^	^	^	^	^	^	^	^
St. John the Baptist	561.9	234.6	54.6	65.7	^	^	^	^	^	^	^
St. Landry	722.8	206.7	100.5	84.8	27.1	18.0	38.6	30.3	^	^	23.3
St. Martin	621.1	220.0	81.4	101.4	^	39.7	^	^	^	^	^
St. Mary	595.4	191.1	73.7	75.8	^	^	^	^	^	^	^
St. Tammany	650.9	246.9	66.3	63.9	47.2	^	30.9	^	^	24.6	^
Tangipahoa	678.4	258.0	114.9	73.9	33.3	30.9	^	^	^	^	^
Tensas	666.0	181.7	^	^	^	^	^	^	^	^	^
Terrebonne	613.8	157.8	143.7	64.2	^	^	^	^	^	^	^
Union	612.6	228.2	^	^	^	^	^	^	^	^	^
Vermilion	815.4	272.5	128.0	95.6	^	^	^	^	^	^	^
Vernon	553.5	192.7	^	^	^	^	^	^	^	^	^
Washington	661.5	218.0	92.6	75.4	^	^	^	^	^	^	^
Webster	675.9	247.3	128.5	70.1	^	^	^	^	^	^	^
West Baton Rouge	698.3	259.0	95.8	^	^	^	^	^	^	^	^

West Carroll	418.2	^	^	^	^	^	^	^	^	^	^
West Feliciana	948.9	350.6	159.6	92.5	^	62.1	^	^	^	^	^
Winn	496.4	208.5	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Table E4. Incidence Rates¹ by Louisiana Parish² for the Ten Most Commonly Diagnosed Cancers, 2018-2022:
NH Black Females

	All Sites	Breast	Lung and Bronchus	Colon and Rectum	Corpus and Uterus, NOS	Pancreas	Kidney and Renal Pelvis	Thyroid	Myeloma	Non-Hodgkin Lymphoma	Cervix Uteri
Louisiana	428.5	138.4	45.4	43.8	24.7	16.4	16.0	13.7	13.0	12.7	10.5
Acadia	507.0	191.5	56.3	54.9	^	^	^	^	^	^	^
Allen	472.9	193.2	^	^	^	^	^	^	^	^	^
Ascension	443.1	157.9	42.7	39.3	^	25.9	^	^	21.3	^	^
Assumption	548.8	190.9	^	^	^	^	^	^	^	^	^
Avoyelles	494.8	173.3	^	^	^	^	^	^	^	^	^
Beauregard	479.1	147.2	^	^	^	^	^	^	^	^	^
Bienville	532.9	160.0	^	^	^	^	^	^	^	^	^
Bossier	430.0	137.5	54.8	46.9	31.8	^	20.1	^	^	^	^
Caddo	425.4	129.4	37.1	52.9	27.6	17.5	18.3	11.7	11.9	14.3	12.7
Calcasieu	428.4	124.1	51.9	52.6	18.2	19.9	15.3	^	^	15.6	11.4
Caldwell	443.1	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	435.2	^	^	^	^	^	^	^	^	^	^
Claiborne	389.5	162.0	^	^	^	^	^	^	^	^	^
Concordia	381.5	149.9	^	^	^	^	^	^	^	^	^
De Soto	474.6	203.8	^	^	^	^	^	^	^	^	^
East Baton Rouge	423.7	137.9	38.5	38.7	26.7	15.7	17.7	15.8	15.3	18.1	9.4
East Carroll	615.8	^	115.0	^	^	^	^	^	^	^	^
East Feliciana	414.1	125.1	^	67.0	^	^	^	^	^	^	^
Evangeline	507.1	127.1	85.6	^	^	^	^	^	^	^	^
Franklin	428.1	83.9	^	^	^	^	^	^	^	^	^
Grant	418.9	^	^	^	^	^	^	^	^	^	^
Iberia	495.0	165.3	54.2	57.6	^	^	^	^	^	^	^
Iberville	436.3	131.3	50.6	44.7	^	^	^	^	^	^	^
Jackson	368.3	^	^	^	^	^	^	^	^	^	^
Jefferson	435.0	150.9	42.8	38.9	22.0	14.8	14.8	13.8	11.4	13.2	13.2

Jefferson Davis	385.2	150.7	^	^	^	^	^	^	^	^	^
Lafayette	486.5	167.9	45.3	51.0	37.1	16.0	17.5	14.7	12.1	^	^
Lafourche	505.5	167.1	52.9	^	^	^	^	^	^	^	^
La Salle	416.6	^	^	^	^	^	^	^	^	^	^
Lincoln	407.0	140.5	48.4	^	^	^	^	^	^	^	^
Livingston	442.2	128.3	^	^	^	^	^	^	^	^	^
Madison	336.0	^	^	^	^	^	^	^	^	^	^
Morehouse	456.8	102.0	38.0	68.4	^	^	^	^	^	^	^
Natchitoches	511.1	172.2	53.5	69.6	^	^	^	^	^	^	^
Orleans	384.0	121.7	47.2	37.2	20.0	14.6	14.1	12.0	12.2	13.1	8.5
Ouachita	410.1	126.4	33.5	42.8	34.2	18.4	15.6	^	12.6	^	^
Plaquemines	410.0	137.7	^	^	^	^	^	^	^	^	^
Pointe Coupee	379.8	117.2	^	^	^	^	^	^	^	^	^
Rapides	442.8	134.3	51.5	47.8	20.7	12.4	21.9	19.9	14.2	^	^
Red River	478.2	^	^	^	^	^	^	^	^	^	^
Richland	539.4	144.8	^	^	^	^	^	^	^	^	^
Sabine	440.6	^	^	^	^	^	^	^	^	^	^
St. Bernard	511.8	144.1	^	^	^	^	^	^	^	^	^
St. Charles	356.2	131.0	^	^	^	^	^	^	^	^	^
St. Helena	278.5	^	^	^	^	^	^	^	^	^	^
St. James	492.7	153.2	49.0	61.9	^	^	^	^	^	^	^
St. John the Baptist	414.7	128.1	42.0	44.1	28.0	^	^	^	^	^	^
St. Landry	460.5	172.6	53.3	37.8	20.4	22.4	17.2	^	^	^	^
St. Martin	451.9	156.0	55.5	56.2	^	^	^	^	^	^	^
St. Mary	432.9	156.7	46.8	46.1	^	^	^	^	^	^	^
St. Tammany	442.2	170.0	52.5	39.0	21.3	^	^	17.1	^	^	^
Tangipahoa	411.9	127.6	42.2	31.3	24.6	^	18.8	17.8	15.3	^	16.3
Tensas	374.9	^	^	^	^	^	^	^	^	^	^
Terrebonne	465.0	146.8	65.7	44.7	29.4	^	^	^	^	^	^
Union	566.6	173.9	^	^	^	^	^	^	^	^	^
Vermilion	498.2	138.0	^	^	^	^	^	^	^	^	^
Vernon	384.2	^	^	^	^	^	^	^	^	^	^
Washington	429.9	125.2	44.5	54.9	^	^	^	^	^	^	^
Webster	427.2	127.1	62.6	39.1	^	^	^	^	^	^	^

West Baton Rouge	492.4	185.3	50.9	57.1	^	^	^	^	^	^	^
West Carroll	308.9	^	^	^	^	^	^	^	^	^	^
West Feliciana	544.7	176.5	^	^	^	^	^	^	^	^	^
Winn	417.7	^	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases.

Table F1. Incidence Rates¹ by LTR Region² for the Ten Most Commonly Diagnosed Cancers, 2018-2022:
NH White Males

Primary Site				New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region	
Invasive cancers ³	U.S. ⁴	LA																	
All Sites	515.6	566.8	↑	538.5	*	572.8		586.9	#	597.5	#	564.6		546.8		559.4		535.5	*
Prostate	117.9	129.9	↑	128.5	*	141.3	#	126.1		147.2	#	131.2		107.7	*	116.8	*	116.2	*
Lung and Bronchus	56.0	71.6	↑	62.9	*	67.0	*	75.1		76.2		71.1		74.7		76.5		74.3	
Colon and Rectum	42.1	49.3	↑	43.8	*	42.5	*	51.9		55.9	#	52.5		59.4	#	48.0		48.8	
Urinary Bladder	37.3	37.5		39.2		35.7		41.5	#	37.5		32.6		38.3		38.7		32.5	*
Melanoma of the Skin	44.0	36.3	↓	38.4		42.4	#	40.7	#	27.9	*	33.8		27.5	*	32.1	*	39.2	
Kidney and Renal Pelvis	23.6	34.4	↑	29.5	*	35.5		34.7		41.3	#	35.3		29.9		34.0		31.1	
Oral Cavity and Pharynx	20.6	24.5	↑	23.5		26.8		24.8		23.4		22.6		23.3		25.0		24.3	
Non-Hodgkin Lymphoma	24.1	24.4	↑	24.0		24.2		25.5		25.8		23.3		24.5		23.6		22.2	
Leukemia	19.9	19.8		17.1		19.0		19.0		21.1		22.7		19.1		23.1		20.0	
Pancreas	15.8	15.8		15.4		14.1		17.8		15.3		14.3		17.9		16.6		15.5	

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table F2. Incidence Rates¹ by LTR Region² for the Ten Most Commonly Diagnosed Cancers, 2018-2022:
NH White Females

Primary Site			New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
Invasive cancers ³	U.S. ⁴	LA								
All Sites	449.8	452.0	429.7 *	449.5	464.2 #	461.5	431.5 *	447.4	467.7 #	463.7
Breast	140.0	133.1 ↓	143.1 #	131.3	143.8 #	143.0 #	116.2 *	113.5 *	127.2	120.2 *
Lung and Bronchus	49.1	55.9 ↑	47.4 *	58.1	56.2	58.5	55.0	56.5	57.2	58.6
Colon and Rectum	33.3	37.4 ↑	34.3	33.3 *	37.2	36.3	37.5	42.8 #	42.2 #	44.8 #
Thyroid	20.3	21.9 ↑	20.8	23.6	21.3	20.5	15.6 *	27.0 #	24.4	22.2
Melanoma of the Skin	29.5	21.2 ↓	21.6	22.7	22.4	15.5 *	17.9	19.5	22.1	28.7 #
Corpus and Uterus, NOS	27.5	21.1 ↓	19.6	19.7	19.9	23.0	21.3	23.7	23.2	21.0
Non-Hodgkin Lymphoma	16.5	18.0 ↑	18.5	16.5	19.0	19.2	20.1	16.2	18.7	15.5
Kidney and Renal Pelvis	11.4	17.0 ↑	12.8 *	16.5	18.4	20.0 #	19.5	13.8	15.5	19.6
Pancreas	12.1	12.9 ↑	11.4	12.8	12.0	14.4	11.6	14.0	13.6	14.1
Leukemia	12.0	12.8 ↑	9.3 *	12.0	13.0	13.3	14.3	13.9	16.3 #	12.7

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table F3. Incidence Rates¹ by LTR Region² for the Ten Most Commonly Diagnosed Cancers, 2018-2022:
NH Black Males

Primary Site				New Orleans		Baton Rouge		Southeast		Acadiana		Southwest		Central		Northwest		Northeast	
Invasive cancers ³				U.S. ⁴		LA		Region		Region		Region		Region		Region		Region	
All Sites				537.3	614.1	↑	562.4	*	657.8	#	618.8	666.8	#	604.7	637.7	611.5		585.7	
Prostate				197.3	209.6	↑	192.7	*	233.9	#	217.9	206.1		199.5	213.7	195.4	*	221.8	
Lung and Bronchus				65.3	89.6	↑	79.2	*	91.8		86.0	101.1	#	87.1	89.5	102.2	#	86.0	
Colon and Rectum				49.8	61.9	↑	55.5	*	62.5		61.0	73.1	#	59.3	63.9	66.3		59.0	
Kidney and Renal Pelvis				25.7	31.8	↑	33.2		34.7		33.6	34.2		28.5	23.9	26.9		31.9	
Liver and Intrahepatic Bile Duct				15.5	21.7	↑	21.6		30.6	#	16.3	*	22.4	20.9	17.7	21.8		6.8	*
Pancreas				17.8	20.4	↑	17.4		18.3		22.6	28.2	#	17.6	22.4	22.3		19.6	
Urinary Bladder				19.7	19.7		17.6		21.3		18.3	21.1		20.2	23.3	24.2		12.8	*
Myeloma				17.3	16.8		15.0		17.1		16.8	16.5		16.5	19.7	18.9		16.0	
Non-Hodgkin Lymphoma				17.3	16.4		16.4		16.7		18.2	16.5		19.1	18.0	15.1		13.4	
Oral Cavity and Pharynx				13.4	15.6	↑	13.2		15.7		13.0	19.4		16.3	22.1	15.3		14.5	

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table F4. Incidence Rates¹ by LTR Region² for the Ten Most Commonly Diagnosed Cancers, 2018-2022:
NH Black Females

Primary Site				New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
Invasive cancers ³	U.S. ⁴	LA									
All Sites	411.1	428.5	↑	402.2 *	425.7	438.5	474.3 #	430.3	436.7	437.5	425.8
Breast	132.8	138.4	↑	131.2	138.3	146.8	162.8 #	131.7	139.0	139.6	118.5 *
Lung and Bronchus	42.8	45.4	↑	46.3	41.0	47.4	53.0 #	51.5	45.1	42.7	44.0
Colon and Rectum	38.1	43.8	↑	37.4 *	39.6	44.7	50.0	47.2	47.8	50.5 #	49.2
Corpus and Uterus, NOS	29.5	24.7	↓	20.7 *	25.3	23.8	25.3	22.4	22.2	28.4	31.8 #
Pancreas	15.5	16.4		14.7	16.3	14.8	17.7	19.7	16.3	16.6	19.5
Kidney and Renal Pelvis	13.2	16.0	↑	14.7	16.5	15.8	16.4	13.2	18.2	17.1	16.9
Thyroid	12.0	13.7	↑	12.9	15.2	15.6	14.2	^	18.3	12.2	12.3
Myeloma	13.4	13.0		12.0	16.3 #	14.1	11.3	^	12.3	12.6	14.2
Non-Hodgkin Lymphoma	12.0	12.7		12.9	15.8 #	11.7	10.6	14.1	11.5	12.0	8.7
Cervix Uteri	8.2	10.5	↑	10.4	10.1	7.4	10.2	10.2	15.6	11.6	11.0

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G1. Incidence Rates¹ by LA OPH Region² for the Ten Most Commonly Diagnosed Cancers, 2018-2022:
NH White Males

Primary Site				New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
Invasive cancers ³	U.S. ⁴	LA										
All Sites	515.6	566.8	↑	539.7 *	574.1	579.1	596.4 #	564.6	546.8	559.4	535.5 *	585.1 #
Prostate	117.9	129.9	↑	128.9 *	147.7 #	122.1	148.4 #	131.2	107.7 *	116.8 *	116.2 *	131.1
Lung and Bronchus	56.0	71.6	↑	62.9 *	59.5 *	81.1 #	73.6	71.1	74.7	76.5	74.3	76.6
Colon and Rectum	42.1	49.3	↑	44.7 *	40.0 *	52.1	56.6 #	52.5	59.4 #	48.0	48.8	48.2
Urinary Bladder	37.3	37.5		39.5	36.6	43.2 #	37.0	32.6	38.3	38.7	32.5 *	37.0
Melanoma of the Skin	44.0	36.3	↓	38.1	45.8 #	25.0 *	28.6 *	33.8	27.5 *	32.1 *	39.2	46.7 #
Kidney and Renal Pelvis	23.6	34.4	↑	29.8 *	35.1	38.9	42.2 #	35.3	29.9	34.0	31.1	32.2
Oral Cavity and Pharynx	20.6	24.5	↑	23.6	28.0 #	25.5	23.4	22.6	23.3	25.0	24.3	24.2
Non-Hodgkin Lymphoma	24.1	24.4		23.7	23.5	27.7	25.7	23.3	24.5	23.6	22.2	24.6
Leukemia	19.9	19.8		17.2	18.7	19.9	21.0	22.7	19.1	23.1	20.0	18.9
Pancreas	15.8	15.8		15.3	14.1	17.1	14.7	14.3	17.9	16.6	15.5	16.9

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G2. Incidence Rates¹ by LA OPH Region² for the Ten Most Commonly Diagnosed Cancers, 2018-2022:
NH White Females

Primary Site				New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
Invasive cancers ³	U.S. ⁴	LA										
All Sites	449.8	452.0		430.9 *	440.7	442.9	464.9 #	431.5	447.4	467.7 #	463.7	472.1 #
Breast	140.0	133.1	↓	142.3 #	136.0	132.1	145.5 #	116.2 *	113.5 *	127.2	120.2 *	139.1
Lung and Bronchus	49.1	55.9	↑	48.7 *	53.5	53.9	58.7	55.0	56.5	57.2	58.6	61.2 #
Colon and Rectum	33.3	37.4	↑	34.4	32.0 *	36.3	36.4	37.5	42.8 #	42.2 #	44.8 #	36.6
Thyroid	20.3	21.9	↑	21.0	24.1	20.0	21.0	15.6 *	27.0 #	24.4	22.2	22.2
Melanoma of the Skin	29.5	21.2	↓	21.6	24.9 #	17.4 *	15.8 *	17.9	19.5	22.1	28.7 #	23.1
Corpus and Uterus, NOS	27.5	21.1	↓	19.5	18.5	21.4	23.3	21.3	23.7	23.2	21.0	19.9
Non-Hodgkin Lymphoma	16.5	18.0	↑	18.5	16.0	19.9	18.9	20.1	16.2	18.7	15.5	18.2
Kidney and Renal Pelvis	11.4	17.0	↑	12.9 *	14.1 *	18.8	20.0 #	19.5	13.8	15.5	19.6	19.0
Pancreas	12.1	12.9	↑	11.3	12.4	11.2	14.7	11.6	14.0	13.6	14.1	13.2
Leukemia	12.0	12.8	↑	9.3 *	11.5	14.3	13.4	14.3	13.9	16.3 #	12.7	12.2

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G3. Incidence Rates¹ by LA OPH Region² for the Ten Most Commonly Diagnosed Cancers, 2018-2022:
NH Black Males

Primary Site				New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
Invasive cancers ³	U.S. ⁴	LA										
All Sites	537.3	614.1	↑	562.7 *	654.3 #	596.2	677.9 #	604.7	637.7	611.5	585.7	670.2 #
Prostate	197.3	209.6	↑	193.1 *	231.3 #	200.8	208.3	199.5	213.7	195.4 *	221.8	248.5 #
Lung and Bronchus	65.3	89.6	↑	79.4 *	88.3	90.7	105.0 #	87.1	89.5	102.2 #	86.0	89.1
Colon and Rectum	49.8	61.9	↑	55.4 *	59.6	63.4	72.9 #	59.3	63.9	66.3	59.0	70.6
Kidney and Renal Pelvis	25.7	31.8	↑	33.0	32.7	33.8	34.3	28.5	23.9	26.9	31.9	39.7
Liver and Intrahepatic Bile Duct	15.5	21.7	↑	21.5	31.5 #	15.3 *	24.0	20.9	17.7 *	21.8	6.8 *	22.0
Pancreas	17.8	20.4	↑	17.5	19.3	16.5	29.6 #	17.6	22.4	22.3	19.6	23.2
Urinary Bladder	19.7	19.7		17.6	23.0	20.7	20.7	20.2	23.3	24.2	12.8 *	14.0
Myeloma	17.3	16.8		14.7	18.7	19.4	16.4	16.5	19.7	18.9	16.0	10.4 *
Non-Hodgkin Lymphoma	17.3	16.4		16.6	17.1	13.9	17.7	19.1	18.0	15.1	13.4	18.3
Oral Cavity and Pharynx	13.4	15.6	↑	13.0	16.0	12.9	20.8 #	16.3	22.1	15.3	14.5	13.5

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G4. Incidence Rates¹ by LA OPH Region² for the Ten Most Commonly Diagnosed Cancers, 2018-2022:
NH Black Females

Primary Site				New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
Invasive cancers ³	U.S. ⁴	LA										
All Sites	411.0	428.5	↑	402.4 *	427.9	444.8	479.6 #	430.3	436.7	437.5	425.8	417.9
Breast	132.8	138.4	↑	131.3	140.4	146.1	164.1 #	131.7	139.0	139.6	118.5 *	138.5
Lung and Bronchus	42.8	45.4	↑	46.2	41.4	46.7	54.0 #	51.5	45.1	42.7	44.0	43.6
Colon and Rectum	38.1	43.8	↑	37.3 *	40.6	46.4	50.5	47.2	47.8	50.5 #	49.2	38.2 *
Corpus and Uterus, NOS	29.5	24.7	↓	21.0 *	26.2	25.3	25.8	22.4	22.2	28.4	31.8 #	19.4
Pancreas	15.5	16.4		14.8	16.5	16.7	17.1	19.7	16.3	16.6	19.5	13.9
Kidney and Renal Pelvis	13.2	16.0	↑	14.8	16.2	18.0	16.5	13.2	18.2	17.1	16.9	14.8
Thyroid	12.0	13.7	↑	12.9	14.8	14.5	13.9	^	18.3	12.2	12.3	18.0
Myeloma	13.4	13.0		11.9	16.4 #	13.4	12.1	^	12.3	12.6	14.2	14.3
Non-Hodgkin Lymphoma	12.0	12.7		12.8	16.2 #	10.3	10.8	14.1	11.5	12.0	8.7	14.3
Cervix Uteri	8.2	10.5	↑	10.4	8.9	9.0	9.7	10.2	15.6	11.6	11.0	11.7

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table H1. Number of Children and Adolescent Cancer Diagnoses,¹ 2018-2022 Combined, Louisiana

ICCC ² Primary Site	All Races			NH White			NH Black		
	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls
All ICCC Sites including Borderline & Benign Brain/CNS Tumors	1,219	628	591	712	360	352	369	189	180
I Leukemias, myeloproliferative & myelodysplastic diseases	266	154	112	152	79	73	77	49	28
II Lymphomas & reticuloendothelial neoplasms	166	109	57	99	68	31	49	28	21
III CNS & miscellaneous intracranial & intraspinal neoplasms	276	125	151	168	83	85	86	34	52
IV Neuroblastoma & other peripheral nervous cell tumors	47	18	29	32	11	21	12	^	7
V Retinoblastoma	12	^	8	6	^	^	^	^	^
VI Renal tumors	53	26	27	25	11	14	20	12	8
VII Hepatic tumors	17	10	7	11	6	^	^	^	^
VIII Malignant bone tumors	47	30	17	30	19	11	12	8	^
IX Soft tissue & other extraosseous sarcomas	91	55	36	38	24	14	44	24	20
X Germ cell tumors, trophoblastic tumors & neoplasms of gonads	53	29	24	28	18	10	17	^	12
XI Other malignant epithelial neoplasms & malignant melanomas	128	37	91	88	24	64	24	11	13
XII Other & unspecified malignant neoplasms	^	^	^	^	^	^	^	^	^
Not classified by SEER or in situ	60	30	30	35	15	20	18	9	9

¹Children and adolescent cancers include patients aged 0-19 years.

²ICCC: International Classification of Childhood Cancer. For more information: <https://seer.cancer.gov/iccc/iccc-iarc-2017.html>

³Group I includes myelodysplastic syndromes.

⁴Group III includes benign and borderline brain/CNS tumors.

⁵Group X includes benign and borderline intracranial and intraspinal germ cell tumors.

⁶Group XI includes in situ urinary bladder tumors.

^ Count is not displayed due to fewer than 6 cases during the five-year period.

Table H2. Percent Distribution of Children and Adolescent Cancers,¹ 2018-2022, Louisiana

ICCC ² Primary Site	All Races			NH White			NH Black		
	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls
All ICCC Sites including Borderline & Benign Brain/CNS Tumors	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
I Leukemias, myeloproliferative & myelodysplastic diseases	21.8	24.5	19.0	21.3	21.9	20.7	20.9	25.9	15.6
II Lymphomas & reticuloendothelial neoplasms	13.6	17.4	9.6	13.9	18.9	8.8	13.3	14.8	11.7
III CNS & miscellaneous intracranial & intraspinal neoplasms	22.6	19.9	25.5	23.6	23.1	24.1	23.3	18.0	28.9
IV Neuroblastoma & other peripheral nervous cell tumors	3.9	2.9	4.9	4.5	3.1	6.0	3.3	2.6	3.9
V Retinoblastoma	1.0	0.6	1.4	0.8	0.6	1.1	1.1	0.5	1.7
VI Renal tumors	4.3	4.1	4.6	3.5	3.1	4.0	5.4	6.3	4.4
VII Hepatic tumors	1.4	1.6	1.2	1.5	1.7	1.4	1.1	1.6	0.6
VIII Malignant bone tumors	3.9	4.8	2.9	4.2	5.3	3.1	3.3	4.2	2.2
IX Soft tissue & other extraosseous sarcomas	7.5	8.8	6.1	5.3	6.7	4.0	11.9	12.7	11.1
X Germ cell tumors, trophoblastic tumors & neoplasms of gonads	4.3	4.6	4.1	3.9	5.0	2.8	4.6	2.6	6.7
XI Other malignant epithelial neoplasms & malignant melanomas	10.5	5.9	15.4	12.4	6.7	18.2	6.5	5.8	7.2
XII Other & unspcified malignant neoplasms	0.2	0.2	0.3	0.0	0.0	0.0	0.5	0.0	1.1
Not classified by SEER or in situ	4.9	4.8	5.1	4.9	4.2	5.7	4.9	4.8	5.0

¹Children and adolescent cancers include patients aged 0-19 years.

²ICCC: International Classification of Childhood Cancer. For more information: <https://seer.cancer.gov/iccc/iccc-iarc-2017.html>

³Group I includes myelodysplastic syndromes.

⁴Group III includes benign and borderline brain/CNS tumors.

⁵Group X includes benign and borderline intracranial and intraspinal germ cell tumors.

⁶Group XI includes in situ urinary bladder tumors.

Table H3. Average Annual Cancer Incidence Rates¹ of Children and Adolescent Cancers,² 2018-2022, Louisiana

ICCC ³ Primary Site	All Races			NH White			NH Black		
	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls
All ICCC Sites excluding Borderline & Benign Brain/CNS Tumors	180.5	185.7	175.2	206.8	206.9	206.7	145.3	150.6	139.9
All ICCC Sites including Borderline & Benign Brain/CNS Tumors	199.9	202.1	197.7	229.3	226.3	232.4	161.4	163.5	159.2
I Leukemias, myeloproliferative & myelodysplastic diseases	43.5	49.4	37.3	49.2	49.9	48.6	33.8	42.6	24.8
II Lymphomas & reticuloendothelial neoplasms	27.2	35.1	19.1	31.7	42.6	20.2	21.3	24.1	18.4
III CNS & miscellaneous intracranial & intraspinal neoplasms	45.3	40.3	50.5	54.1	52.2	56.1	37.6	29.4	46.0
IV Neuroblastoma & other peripheral nervous cell tumors	7.7	5.8	9.7	10.5	^	14.1	^	^	^
V Retinoblastoma	^	^	^	^	^	^	^	^	^
VI Renal tumors	8.7	8.3	9.0	8.2	^	^	8.8	^	^
VII Hepatic tumors	2.8	^	^	^	^	^	^	^	^
VIII Malignant bone tumors	7.7	9.7	5.7	9.6	11.9	^	^	^	^
IX Soft tissue & other extraosseous sarcomas	14.9	17.7	12.1	12.3	15.1	^	19.2	20.7	17.7
X Germ cell tumors, trophoblastic tumors & neoplasms of gonads	8.7	9.4	8.1	9.0	11.2	^	7.4	^	^
XI Other malignant epithelial neoplasms & malignant melanomas	21.1	11.9	30.5	28.0	14.9	41.7	10.5	^	^
XII Other & unspecified malignant neoplasms	^	^	^	^	^	^	^	^	^
Not classified by SEER or in situ	9.9	9.7	10.1	11.2	^	13.1	7.9	^	^

¹Rates are per 1,000,000 and age-adjusted to the 2000 US Population (19 age groups - Census P25-1130) standard.

²Children and adolescent cancers include patients aged 0-19 years.

²ICCC: International Classification of Childhood Cancer. For more information: <https://seer.cancer.gov/iccc/iccc-iarc-2017.html>

³Group I includes myelodysplastic syndromes.

⁴Group III includes benign and borderline brain/CNS tumors.

⁵Group X includes benign and borderline intracranial and intraspinal germ cell tumors.

⁶Group XI includes in situ urinary bladder tumors.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Table I1. Age-specific Number of Cancer Cases¹, 2018-2022, Louisiana

Primary Site															
<i>Invasive Cancers³</i>	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
All Sites	529	841	1,570	2,484	3,513	5,480	8,889	14,525	20,553	23,419	20,741	15,356	9,639	5,238	2,478
Oral Cavity and Pharynx	12	12	27	55	86	179	362	569	692	617	499	327	216	105	54
Lip	^	^	^	^	^	12	13	20	19	19	27	17	12	7	9
Tongue	^	^	14	12	26	58	110	179	227	214	148	113	59	29	10
Salivary Gland	^	6	^	14	9	11	11	29	44	40	50	46	34	16	^
Floor of Mouth	^	^	^	^	^	8	24	25	43	32	20	15	11	8	^
Gum and Other Mouth	^	^	^	9	17	25	41	62	76	80	84	47	58	29	20
Nasopharynx	^	^	^	7	11	9	18	22	24	20	10	12	^	^	^
Tonsil	^	^	^	11	12	34	95	148	145	123	88	33	14	^	^
Oropharynx	^	^	^	^	6	10	29	43	58	43	37	21	6	^	^
Hypopharynx	^	^	^	^	^	12	14	33	49	39	27	21	15	7	^
Other Oral Cavity and Pharynx	^	^	^	^	^	^	7	8	7	7	8	^	6	^	^
Digestive System	52	88	170	332	570	1,062	1,914	2,877	3,851	4,277	3,826	2,872	1,870	1,167	550
Esophagus	^	^	^	6	15	45	83	175	243	234	219	156	92	49	23
Stomach	^	^	21	44	40	75	124	213	276	343	288	234	160	111	53
Small Intestine	^	^	8	8	32	47	78	115	151	159	164	98	57	31	10
Colon and Rectum	40	66	100	212	359	678	1,181	1,315	1,627	1,868	1,688	1,223	864	530	270
Colon excluding Rectum	30	45	64	133	199	409	667	823	1,086	1,321	1,264	941	696	433	225
Cecum	^	^	^	10	32	70	98	146	184	293	246	204	162	115	53
Appendix	21	31	29	22	35	40	46	43	64	59	44	17	13	^	^
Ascending Colon	^	^	^	19	12	52	92	121	198	250	315	245	183	119	53
Hepatic Flexure	^	^	^	^	^	12	28	24	48	52	77	52	30	17	10
Transverse Colon	^	^	7	7	19	31	53	80	100	116	132	115	81	42	21
Splenic Flexure	^	^	^	^	8	9	32	35	38	43	33	40	29	10	7
Descending Colon	^	^	^	15	18	32	53	76	90	93	81	41	36	24	14
Sigmoid Colon	^	6	13	39	64	148	242	263	302	340	260	169	111	64	29
Large Intestine, NOS	^	^	^	11	6	15	23	35	62	75	76	58	51	38	37
Rectum and Rectosigmoid Junction	10	21	36	79	160	269	514	492	541	547	424	282	168	97	45
Rectosigmoid Junction	^	^	6	13	20	41	85	77	109	97	81	64	33	13	8

Rectum	10	19	30	66	140	228	429	415	432	450	343	218	135	84	37
Anus, Anal Canal and Anorectum	^	^	6	12	22	33	58	78	99	81	69	56	23	19	11
Liver and Intrahepatic Bile Duct	^	^	10	12	26	55	134	426	734	705	479	338	159	98	32
Liver	^	^	10	9	21	41	106	367	661	615	401	270	128	71	26
Intrahepatic Bile Duct	^	^	^	^	^	14	28	59	73	90	78	68	31	27	6
Gallbladder	^	^	^	^	^	11	16	32	40	46	79	56	37	17	16
Other Biliary	^	^	^	^	^	9	17	39	57	79	70	62	48	41	11
Pancreas	^	9	13	25	58	97	202	441	553	713	713	609	403	245	117
Retroperitoneum	^	^	^	^	^	^	6	8	17	11	10	12	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	9	13	14	16	13	9	6	8	^
Other Digestive Organs	^	^	^	^	^	^	6	22	40	22	34	19	17	17	^
Respiratory System	11	7	36	62	134	301	792	1,953	3,230	3,652	3,366	2,871	1,778	821	315
Nose, Nasal Cavity and Middle Ear	^	^	6	7	9	13	9	21	33	25	33	23	17	10	^
Larynx	^	^	^	7	11	46	102	229	274	269	194	134	70	27	12
Lung and Bronchus	^	7	24	48	113	241	678	1,698	2,913	3,357	3,135	2,707	1,690	782	299
Pleura	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	^	^	^	^	8	^	^	7	^	^	^
Bones and Joints	10	21	9	10	11	16	9	21	17	15	23	9	11	9	7
Soft Tissue including Heart	17	15	32	32	41	54	50	88	98	107	122	97	84	47	28
Skin excluding Basal and Squamous	37	72	151	191	232	279	387	464	628	743	737	612	448	277	176
Melanoma of the Skin	35	66	144	178	214	267	371	433	561	678	667	535	374	228	137
Other Non-Epithelial Skin	^	6	7	13	18	12	16	31	67	65	70	77	74	49	39
Breast	15	81	248	552	928	1,366	1,631	2,105	2,667	2,964	2,580	1,793	1,092	618	308
Female Genital System	20	60	190	268	331	386	541	779	996	986	768	474	316	164	80
Cervix Uteri	^	30	99	134	142	107	118	123	103	88	47	41	23	16	^
Corpus and Uterus, NOS	^	11	43	77	111	166	272	441	617	601	472	233	128	61	28
Corpus Uteri	^	11	43	73	109	163	265	428	597	582	459	225	122	56	27
Uterus, NOS	^	^	^	^	^	^	7	13	20	19	13	8	6	^	^
Ovary	13	16	30	42	47	73	88	141	182	165	135	117	84	48	22
Vagina	^	^	^	^	^	^	10	16	14	29	15	18	14	8	6
Vulva	^	^	9	12	24	27	35	36	54	59	64	37	45	22	18
Other Female Genital Organs	^	^	^	^	^	11	18	22	26	44	35	28	22	9	^
Male Genital System	67	89	92	100	138	400	1,212	2,579	4,090	5,125	3,905	2,162	967	364	149

Prostate	^	^	^	15	77	355	1,175	2,541	4,066	5,093	3,883	2,136	949	353	146
Testis	67	89	90	82	57	39	27	23	11	9	9	^	^	^	^
Penis	^	^	^	^	^	^	9	10	9	18	12	20	14	10	^
Other Male Genital Organs	^	^	^	^	^	^	^	^	^	^	^	6	^	^	^
Urinary System	12	26	69	175	278	480	695	1,164	1,670	1,897	1,869	1,576	1,022	591	273
Urinary Bladder	^	^	8	31	42	73	164	366	629	799	864	861	602	408	182
Kidney and Renal Pelvis	8	23	61	141	236	402	523	786	1,022	1,059	952	663	373	163	82
Ureter	^	^	^	^	^	^	^	7	12	17	31	28	25	9	^
Other Urinary Organs	^	^	^	^	^	^	^	^	7	22	22	24	22	11	8
Eye and Orbit	^	^	^	8	8	10	11	22	23	27	27	27	10	^	^
Brain and Other Nervous System	32	38	47	57	49	79	81	123	186	155	173	127	91	29	20
Brain	29	36	45	51	44	76	75	114	175	151	165	121	89	27	18
Cranial Nerves Other Nervous System	^	^	^	6	^	^	6	9	11	^	8	6	^	^	^
Endocrine System	97	124	226	273	306	305	324	364	408	345	289	154	79	23	16
Thyroid	92	121	217	265	291	295	305	340	368	307	258	136	66	20	16
Other Endocrine including Thymus	^	^	9	8	15	10	19	24	40	38	31	18	13	^	^
Lymphoma	98	138	153	161	179	235	312	500	662	774	809	690	482	275	104
Hodgkin Lymphoma	61	85	61	44	44	33	37	44	31	38	46	22	20	7	^
Hodgkin - Nodal	61	84	60	44	44	32	37	43	31	37	45	21	19	7	^
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	37	53	92	117	135	202	275	456	631	736	763	668	462	268	102
NHL - Nodal	27	30	54	69	84	136	191	308	431	489	545	455	320	186	68
NHL - Extranodal	10	23	38	48	51	66	84	148	200	247	218	213	142	82	34
Myeloma	^	^	11	26	40	85	149	216	339	426	393	338	198	128	44
Leukemia	33	38	49	82	88	107	197	316	398	511	546	481	404	219	105
Lymphocytic Leukemia	12	9	12	23	27	41	91	163	217	265	275	226	186	102	49
Acute Lymphocytic Leukemia	12	6	11	8	9	10	10	21	16	20	12	9	13	^	^
Chronic Lymphocytic Leukemia	^	^	^	9	12	26	74	130	195	230	250	206	161	96	47
Other Lymphocytic Leukemia	^	^	^	6	6	^	7	12	6	15	13	11	12	^	^
Myeloid and Monocytic Leukemia	19	27	35	58	60	60	97	149	170	224	241	238	206	102	47
Acute Myeloid Leukemia	11	14	17	31	30	37	57	92	113	152	154	173	130	60	39
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	6	^	^
Chronic Myeloid Leukemia	8	12	18	27	30	21	38	54	56	64	81	61	68	32	7

Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Other Leukemia	^	^	^	^	^	6	9	^	11	22	30	17	12	15	9
Other Acute Leukemia	^	^	^	^	^	^	^	^	^	^	9	^	^	8	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	8	^	10	18	21	12	8	7	6
Mesothelioma	^	^	^	^	7	^	9	12	19	50	54	51	36	23	10
Kaposi Sarcoma	^	9	25	15	7	10	6	^	^	^	9	^	6	^	^
Miscellaneous	12	18	31	85	80	121	207	368	574	743	746	692	529	368	234

In Situ Cancers (not included above)

Breast In Situ	^	6	20	80	221	303	416	471	607	654	519	295	131	57	17
----------------	---	---	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----	----

^Statistic not displayed due to fewer than 6 cases.

¹Number of cases is the total for the 5-year time period.

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

Table I2. Age-Specific Average Annual Cancer Incidence Rates,¹ 2018-2022, Louisiana

Primary Site															
<i>Invasive Cancers³</i>	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
All Sites	34.9	53.4	97.6	156.9	245.9	410.9	639.2	962.1	1,390.1	1,849.7	2,099.7	2,362.7	2,354.4	2,316.1	1,749.0
Oral Cavity and Pharynx	^	^	1.7	3.5	6.0	13.4	26.0	37.7	46.8	48.7	50.5	50.3	52.8	46.4	38.1
Lip	^	^	^	^	^	^	^	1.3	1.3	1.5	2.7	2.6	^	^	^
Tongue	^	^	^	^	1.8	4.3	7.9	11.9	15.4	16.9	15.0	17.4	14.4	12.8	^
Salivary Gland	^	^	^	^	^	^	^	1.9	3.0	3.2	5.1	7.1	8.3	7.1	^
Floor of Mouth	^	^	^	^	^	^	1.7	1.7	2.9	2.5	2.0	^	^	^	^
Gum and Other Mouth	^	^	^	^	1.2	1.9	2.9	4.1	5.1	6.3	8.5	7.2	14.2	12.8	14.1
Nasopharynx	^	^	^	^	^	^	1.3	1.5	1.6	1.6	^	^	^	^	^
Tonsil	^	^	^	^	^	2.5	6.8	9.8	9.8	9.7	8.9	5.1	^	^	^
Oropharynx	^	^	^	^	^	^	2.1	2.8	3.9	3.4	3.7	3.2	^	^	^
Hypopharynx	^	^	^	^	^	^	^	2.2	3.3	3.1	2.7	3.2	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Digestive System	3.4	5.6	10.6	21.0	39.9	79.6	137.6	190.6	260.5	337.8	387.3	441.9	456.8	516.0	388.2
Esophagus	^	^	^	^	^	3.4	6.0	11.6	16.4	18.5	22.2	24.0	22.5	21.7	16.2
Stomach	^	^	1.3	2.8	2.8	5.6	8.9	14.1	18.7	27.1	29.2	36.0	39.1	49.1	37.4
Small Intestine	^	^	^	^	2.2	3.5	5.6	7.6	10.2	12.6	16.6	15.1	13.9	13.7	^
Colon and Rectum	2.6	4.2	6.2	13.4	25.1	50.8	84.9	87.1	110.0	147.5	170.9	188.2	211.0	234.4	190.6
Colon excluding Rectum	2.0	2.9	4.0	8.4	13.9	30.7	48.0	54.5	73.5	104.3	128.0	144.8	170.0	191.5	158.8
Cecum	^	^	^	^	2.2	5.2	7.0	9.7	12.4	23.1	24.9	31.4	39.6	50.9	37.4
Appendix	1.4	2.0	1.8	1.4	2.4	3.0	3.3	2.8	4.3	4.7	4.5	2.6	^	^	^
Ascending Colon	^	^	^	1.2	^	3.9	6.6	8.0	13.4	19.7	31.9	37.7	44.7	52.6	37.4
Hepatic Flexure	^	^	^	^	^	^	2.0	1.6	3.2	4.1	7.8	8.0	7.3	7.5	^
Transverse Colon	^	^	^	^	1.3	2.3	3.8	5.3	6.8	9.2	13.4	17.7	19.8	18.6	14.8
Splenic Flexure	^	^	^	^	^	^	2.3	2.3	2.6	3.4	3.3	6.2	7.1	^	^
Descending Colon	^	^	^	^	1.3	2.4	3.8	5.0	6.1	7.3	8.2	6.3	8.8	10.6	^
Sigmoid Colon	^	^	^	2.5	4.5	11.1	17.4	17.4	20.4	26.9	26.3	26.0	27.1	28.3	20.5
Large Intestine, NOS	^	^	^	^	^	^	1.7	2.3	4.2	5.9	7.7	8.9	12.5	16.8	26.1
Rectum and Rectosigmoid Junction	^	1.3	2.2	5.0	11.2	20.2	37.0	32.6	36.6	43.2	42.9	43.4	41.0	42.9	31.8
Rectosigmoid Junction	^	^	^	^	1.4	3.1	6.1	5.1	7.4	7.7	8.2	9.8	8.1	^	^
Rectum	^	1.2	1.9	4.2	9.8	17.1	30.9	27.5	29.2	35.5	34.7	33.5	33.0	37.1	26.1

Anus, Anal Canal and Anorectum	^	^	^	^	1.5	2.5	4.2	5.2	6.7	6.4	7.0	8.6	5.6	8.4	^
Liver and Intrahepatic Bile Duct	^	^	^	^	1.8	4.1	9.6	28.2	49.6	55.7	48.5	52.0	38.8	43.3	22.6
Liver	^	^	^	^	1.5	3.1	7.6	24.3	44.7	48.6	40.6	41.5	31.3	31.4	18.4
Intrahepatic Bile Duct	^	^	^	^	^	^	2.0	3.9	4.9	7.1	7.9	10.5	7.6	11.9	^
Gallbladder	^	^	^	^	^	^	1.2	2.1	2.7	3.6	8.0	8.6	9.0	7.5	11.3
Other Biliary	^	^	^	^	^	^	1.2	2.6	3.9	6.2	7.1	9.5	11.7	18.1	^
Pancreas	^	^	^	1.6	4.1	7.3	14.5	29.2	37.4	56.3	72.2	93.7	98.4	108.3	82.6
Retroperitoneum	^	^	^	^	^	^	^	^	1.1	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	^	^	^	1.3	^	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	1.5	2.7	1.7	3.4	2.9	4.2	7.5	^
Respiratory System	^	^	2.2	3.9	9.4	22.6	57.0	129.4	218.5	288.4	340.8	441.7	434.3	363.0	222.3
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	1.4	2.2	2.0	3.3	3.5	4.2	^	^
Larynx	^	^	^	^	^	3.4	7.3	15.2	18.5	21.2	19.6	20.6	17.1	11.9	^
Lung and Bronchus	^	^	1.5	3.0	7.9	18.1	48.8	112.5	197.0	265.1	317.4	416.5	412.8	345.8	211.0
Pleura	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Bones and Joints	^	1.3	^	^	^	1.2	^	1.4	1.1	^	2.3	^	^	^	^
Soft Tissue including Heart	1.1	^	2.0	2.0	2.9	4.0	3.6	5.8	6.6	8.5	12.4	14.9	20.5	20.8	19.8
Skin excluding Basal and Squamous	2.4	4.6	9.4	12.1	16.2	20.9	27.8	30.7	42.5	58.7	74.6	94.2	109.4	122.5	124.2
Melanoma of the Skin	2.3	4.2	9.0	11.2	15.0	20.0	26.7	28.7	37.9	53.5	67.5	82.3	91.4	100.8	96.7
Other Non-Epithelial Skin	^	^	^	^	1.3	^	1.2	2.1	4.5	5.1	7.1	11.8	18.1	21.7	27.5
Breast	^	5.1	15.4	34.9	64.9	102.4	117.3	139.4	180.4	234.1	261.2	275.9	266.7	273.3	217.4
Female Genital System	1.3	3.8	11.8	16.9	23.2	28.9	38.9	51.6	67.4	77.9	77.7	72.9	77.2	72.5	56.5
Cervix Uteri	^	1.9	6.2	8.5	9.9	8.0	8.5	8.1	7.0	7.0	4.8	6.3	5.6	7.1	^
Corpus and Uterus, NOS	^	^	2.7	4.9	7.8	12.4	19.6	29.2	41.7	47.5	47.8	35.9	31.3	27.0	19.8
Corpus Uteri	^	^	2.7	4.6	7.6	12.2	19.1	28.3	40.4	46.0	46.5	34.6	29.8	24.8	19.1
Uterus, NOS	^	^	^	^	^	^	^	^	1.4	1.5	^	^	^	^	^
Ovary	^	1.0	1.9	2.7	3.3	5.5	6.3	9.3	12.3	13.0	13.7	18.0	20.5	21.2	15.5
Vagina	^	^	^	^	^	^	^	1.1	^	2.3	^	2.8	^	^	^
Vulva	^	^	^	^	1.7	2.0	2.5	2.4	3.7	4.7	6.5	5.7	11.0	9.7	12.7
Other Female Genital Organs	^	^	^	^	^	^	1.3	1.5	1.8	3.5	3.5	4.3	5.4	^	^
Male Genital System	4.4	5.6	5.7	6.3	9.7	30.0	87.2	170.8	276.6	404.8	395.3	332.7	236.2	161.0	105.2
Prostate	^	^	^	^	5.4	26.6	84.5	168.3	275.0	402.2	393.1	328.7	231.8	156.1	103.1
Testis	4.4	5.6	5.6	5.2	4.0	2.9	1.9	1.5	^	^	^	^	^	^	^

Penis	^	^	^	^	^	^	^	^	^	1.4	^	3.1	^	^	^
Other Male Genital Organs	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Urinary System	^	1.6	4.3	11.1	19.5	36.0	50.0	77.1	113.0	149.8	189.2	242.5	249.6	261.3	192.7
Urinary Bladder	^	^	^	2.0	2.9	5.5	11.8	24.2	42.5	63.1	87.5	132.5	147.0	180.4	128.5
Kidney and Renal Pelvis	^	1.5	3.8	8.9	16.5	30.1	37.6	52.1	69.1	83.6	96.4	102.0	91.1	72.1	57.9
Ureter	^	^	^	^	^	^	^	^	^	1.3	3.1	4.3	6.1	^	^
Other Urinary Organs	^	^	^	^	^	^	^	^	^	1.7	2.2	3.7	5.4	^	^
Eye and Orbit	^	^	^	^	^	^	^	1.5	1.6	2.1	2.7	4.2	^	^	^
Brain and Other Nervous System	2.1	2.4	2.9	3.6	3.4	5.9	5.8	8.1	12.6	12.2	17.5	19.5	22.2	12.8	14.1
Brain	1.9	2.3	2.8	3.2	3.1	5.7	5.4	7.6	11.8	11.9	16.7	18.6	21.7	11.9	12.7
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Endocrine System	6.4	7.9	14.1	17.2	21.4	22.9	23.3	24.1	27.6	27.2	29.3	23.7	19.3	10.2	11.3
Thyroid	6.1	7.7	13.5	16.7	20.4	22.1	21.9	22.5	24.9	24.2	26.1	20.9	16.1	8.8	11.3
Other Endocrine including Thymus	^	^	^	^	^	^	1.4	1.6	2.7	3.0	3.1	2.8	^	^	^
Lymphoma	6.5	8.8	9.5	10.2	12.5	17.6	22.4	33.1	44.8	61.1	81.9	106.2	117.7	121.6	73.4
Hodgkin Lymphoma	4.0	5.4	3.8	2.8	3.1	2.5	2.7	2.9	2.1	3.0	4.7	3.4	4.9	^	^
Hodgkin - Nodal	4.0	5.3	3.7	2.8	3.1	2.4	2.7	2.8	2.1	2.9	4.6	3.2	4.6	^	^
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	2.4	3.4	5.7	7.4	9.4	15.1	19.8	30.2	42.7	58.1	77.2	102.8	112.8	118.5	72.0
NHL - Nodal	1.8	1.9	3.4	4.4	5.9	10.2	13.7	20.4	29.2	38.6	55.2	70.0	78.2	82.2	48.0
NHL - Extranodal	^	1.5	2.4	3.0	3.6	4.9	6.0	9.8	13.5	19.5	22.1	32.8	34.7	36.3	24.0
Myeloma	^	^	^	1.6	2.8	6.4	10.7	14.3	22.9	33.6	39.8	52.0	48.4	56.6	31.1
Leukemia	2.2	2.4	3.0	5.2	6.2	8.0	14.2	20.9	26.9	40.4	55.3	74.0	98.7	96.8	74.1
Lymphocytic Leukemia	^	^	^	1.5	1.9	3.1	6.5	10.8	14.7	20.9	27.8	34.8	45.4	45.1	34.6
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	1.4	1.1	1.6	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	^	1.9	5.3	8.6	13.2	18.2	25.3	31.7	39.3	42.4	33.2
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	1.3	1.7	2.2	3.7	4.2	4.5	7.0	9.9	11.5	17.7	24.4	36.6	50.3	45.1	33.2
Acute Myeloid Leukemia	^	^	1.1	2.0	2.1	2.8	4.1	6.1	7.6	12.0	15.6	26.6	31.8	26.5	27.5
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	^	^	1.1	1.7	2.1	1.6	2.7	3.6	3.8	5.1	8.2	9.4	16.6	14.1	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Other Leukemia	^	^	^	^	^	^	^	^	^	1.7	3.0	2.6	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^	^	1.4	2.1	^	^	^	^
Mesothelioma	^	^	^	^	^	^	^	^	1.3	3.9	5.5	7.8	8.8	10.2	^
Kaposi Sarcoma	^	^	1.6	^	^	^	^	^	^	^	^	^	^	^	^
Miscellaneous	^	1.1	1.9	5.4	5.6	9.1	14.9	24.4	38.8	58.7	75.5	106.5	129.2	162.7	165.2

In Situ Cancers (not included above)

Breast In Situ	^	^	1.2	5.1	15.5	22.7	29.9	31.2	41.1	51.7	52.5	45.4	32.0	25.2	12.0
----------------	---	---	-----	-----	------	------	------	------	------	------	------	------	------	------	------

¹Rates are per 100,000 and age-adjusted to the 2000 US Population

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases.