

Incidence Tables

Table A1. Average Annual Number of Cancer Cases by Site, Race, and Sex, 2017-2021, Louisiana

Primary Site	All Races & Ethnicities			NH White			NH Black			Hispanic			NH AI/AN ¹ & APis ²		
<i>Invasive Cancers³</i>	Total ⁴	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Sites	26,851	14,420	12,430	18,202	9,821	8,382	7,654	4,089	3,566	564	276	287	343	179	164
Oral Cavity and Pharynx	742	545	197	562	417	145	156	111	44	13	9	4	9	6	3
Lip	29	23	6	27	21	6	1	1	^	^	^	^	^	^	^
Tongue	234	170	64	191	140	51	35	25	10	5	4	^	3	^	2
Salivary Gland	66	42	24	46	32	14	16	9	7	2	^	2	^	^	^
Floor of Mouth	35	25	10	23	17	7	11	8	3	^	^	^	^	^	^
Gum and Other Mouth	105	64	40	75	47	28	26	15	11	1	^	^	2	1	^
Nasopharynx	30	22	8	17	12	5	10	8	3	^	^	^	2	1	^
Tonsil	142	120	22	114	96	18	26	22	4	2	2	^	^	^	^
Oropharynx	47	36	11	36	27	9	10	9	2	^	^	^	^	^	^
Hypopharynx	42	33	9	25	19	5	15	12	3	^	^	^	1	1	^
Other Oral Cavity and Pharynx	13	9	3	8	6	2	5	3	2	^	^	^	^	^	^
Digestive System	5,039	2,858	2,181	3,166	1,807	1,359	1,663	926	737	115	63	52	84	55	29
Esophagus	253	201	52	188	154	34	60	42	18	4	3	^	2	2	^
Stomach	384	232	152	195	122	73	166	96	70	14	8	6	7	5	2
Small Intestine	184	95	89	104	57	47	75	36	39	3	^	2	1	^	^
Colon and Rectum	2,419	1,297	1,122	1,553	837	716	770	404	366	50	29	21	41	24	17
Colon excluding Rectum	1,682	864	818	1,076	556	520	547	274	273	31	18	14	24	14	10
Cecum	334	155	179	221	103	118	104	48	56	5	2	2	4	1	3
Appendix	98	42	55	71	30	42	22	11	12	2	1	^	1	^	^
Ascending Colon	329	152	177	212	98	114	110	50	60	4	3	1	3	^	2
Hepatic Flexure	76	43	34	46	25	21	26	15	11	2	1	^	1	1	^
Transverse Colon	158	84	75	99	54	45	54	27	28	3	2	1	2	2	^
Splenic Flexure	54	29	24	28	17	11	23	11	13	1	^	^	^	^	^
Descending Colon	118	67	51	69	43	26	44	22	22	3	^	2	2	1	^
Sigmoid Colon	418	241	177	270	156	114	129	73	56	10	6	3	8	5	3
Large Intestine, NOS	97	51	46	59	30	29	35	19	16	2	^	1	1	^	^
Rectum and Rectosigmoid Junction	737	433	304	477	281	196	223	130	94	19	11	8	17	10	7
Rectosigmoid Junction	127	72	54	86	49	37	35	19	16	3	2	^	3	2	1
Rectum	611	360	250	392	232	159	188	110	78	16	9	7	13	8	5
Anus, Anal Canal and Anorectum	109	40	69	81	28	53	25	12	13	3	^	2	^	^	^
Liver and Intrahepatic Bile Duct	641	474	168	377	275	103	226	172	54	18	11	8	18	15	3
Liver	553	426	127	315	241	74	204	160	45	16	10	6	17	14	3
Intrahepatic Bile Duct	89	48	41	63	34	29	22	12	10	3	^	2	1	^	^
Gallbladder	72	25	47	39	12	26	29	11	18	2	^	2	2	^	^

Other Biliary	87	48	40	58	32	26	24	13	11	3	1	2	2	^	^
Pancreas	813	417	396	523	272	251	262	130	132	16	9	8	10	6	4
Retroperitoneum	16	6	10	9	4	5	6	1	4	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	21	2	19	14	^	13	7	1	5	^	^	^	^	^	^
Other Digestive Organs	39	21	18	25	13	12	13	7	5	^	^	^	^	^	^
Respiratory System	3,853	2,190	1,663	2,674	1,469	1,205	1,084	668	416	43	23	19	48	27	21
Nose, Nasal Cavity and Middle Ear	42	27	16	29	18	11	10	7	4	2	1	^	^	^	^
Larynx	281	220	62	182	143	40	93	72	21	3	3	^	2	2	^
Lung and Bronchus	3,522	1,939	1,583	2,458	1,305	1,152	978	587	391	37	19	18	45	25	20
Pleura	1	1	^	1	1	^	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other	6	4	2	3	2	2	2	2	^	^	^	^	^	^	^
Bones and Joints	48	25	23	33	17	17	12	6	5	1	^	^	^	^	^
Soft Tissue including Heart	200	115	85	139	85	54	54	26	28	4	2	1	1	^	^
Skin excluding Basal and Squamous	1,074	668	407	1,021	641	381	27	13	14	10	5	5	4	3	^
Melanoma of the Skin	958	597	361	925	580	345	12	6	6	8	4	4	3	2	^
Other Non-Epithelial Skin	116	70	46	96	61	35	15	7	8	2	^	1	1	^	^
Breast	3,743	35	3,708	2,448	24	2,424	1,153	10	1,143	86	^	85	50	^	50
Female Genital System	1,269	--	1,269	791	--	791	413	--	413	41	--	41	20	--	20
Cervix Uteri	221	--	221	119	--	119	84	--	84	12	--	12	5	--	5
Corpus and Uterus, NOS	643	--	643	391	--	391	222	--	222	18	--	18	10	--	10
Corpus Uteri	621	--	621	380	--	380	211	--	211	18	--	18	10	--	10
Uterus, NOS	22	--	22	11	--	11	11	--	11	^	--	^	^	--	^
Ovary	246	--	246	169	--	169	67	--	67	7	--	7	4	--	4
Vagina	27	--	27	16	--	16	10	--	10	^	--	^	^	--	^
Vulva	87	--	87	63	--	63	21	--	21	2	--	2	^	--	^
Other Female Genital Organs	44	--	44	32	--	32	10	--	10	^	--	^	^	--	^
Male Genital System	4,101	4,101	--	2,501	2,501	--	1,460	1,460	--	75	75	--	41	41	--
Prostate	3,966	3,966	--	2,398	2,398	--	1,439	1,439	--	67	67	--	39	39	--
Testis	106	106	--	85	85	--	11	11	--	7	7	--	2	2	--
Penis	22	22	--	13	13	--	8	8	--	^	^	--	^	^	--
Other Male Genital Organs	7	7	--	4	4	--	2	2	--	^	^	--	^	^	--
Urinary System	2,336	1,618	718	1,754	1,246	508	503	319	184	48	33	15	23	15	8
Urinary Bladder	1,000	779	222	816	642	174	159	115	44	14	12	2	8	6	1
Kidney and Renal Pelvis	1,285	810	475	898	579	319	336	201	135	33	20	12	15	8	7
Ureter	27	16	11	23	14	9	3	^	2	^	^	^	^	^	^
Other Urinary Organs	24	14	10	17	12	6	6	2	4	^	^	^	^	^	^
Eye and Orbit	40	24	17	35	20	15	4	2	1	^	^	^	^	^	^
Brain and Other Nervous System	294	166	128	223	127	96	58	32	25	9	4	5	4	2	2
Brain	277	156	121	211	120	92	54	31	23	8	4	5	3	2	1
Cranial Nerves Other Nervous System	17	10	7	12	7	4	3	1	2	^	^	^	^	^	^
Endocrine System	698	198	500	498	149	348	155	37	118	27	7	20	14	3	11
Thyroid	649	171	478	474	136	337	133	25	108	26	7	20	13	2	11

Other Endocrine including Thymus	48	26	22	24	13	11	22	12	10	^	^	^	1	^	^
Lymphoma	1,150	624	527	844	461	383	253	131	123	33	20	14	16	10	7
Hodgkin Lymphoma	131	73	58	82	46	37	42	23	19	5	4	2	2	^	^
Hodgkin - Nodal	130	72	58	81	45	36	41	22	19	5	4	2	2	^	^
Hodgkin - Extranodal	1	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	1,019	550	469	762	416	346	212	108	104	28	16	12	15	9	6
NHL - Nodal	690	377	314	526	289	237	136	71	64	17	9	8	10	6	4
NHL - Extranodal	329	174	155	235	126	109	76	37	39	11	7	4	5	3	2
Myeloma	464	254	210	236	140	96	213	103	110	9	7	2	5	4	2
Leukemia	747	433	314	548	320	228	164	93	72	22	12	9	10	6	4
Lymphocytic Leukemia	370	226	144	283	175	109	70	41	29	12	7	5	3	1	1
Acute Lymphocytic Leukemia	67	39	28	41	23	18	17	10	7	7	5	2	^	^	^
Chronic Lymphocytic Leukemia	283	174	109	226	141	86	49	29	20	4	2	2	2	^	^
Other Lymphocytic Leukemia	20	13	7	16	11	5	3	2	2	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	347	191	156	244	135	109	87	47	40	9	4	4	6	4	2
Acute Myeloid Leukemia	225	124	101	157	86	70	57	31	26	6	3	3	5	3	2
Acute Monocytic Leukemia	6	4	2	4	3	2	1	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	113	62	51	80	44	36	28	15	13	3	1	1	1	^	^
Other Myeloid/Monocytic Leukemia	4	3	2	4	2	2	^	^	^	^	^	^	^	^	^
Other Leukemia	29	16	14	20	10	10	7	4	3	^	^	^	^	^	^
Other Acute Leukemia	9	4	4	6	3	3	2	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	21	12	9	14	7	7	6	4	2	^	^	^	^	^	^
Mesothelioma	58	41	17	43	31	12	12	8	4	1	^	^	^	^	^
Kaposi Sarcoma	23	21	2	8	7	^	13	12	1	2	2	^	^	^	^
Miscellaneous	971	505	466	677	358	319	257	131	127	24	11	13	10	4	6
<i>In Situ Cancers (not included above)</i>															
Breast In Situ	733	4	730	455	2	454	247	2	245	19	^	19	10	^	10

¹American Indians/Alaska Natives

²Asians and Pacific Islanders

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴The total case count for each cancer site may not have the same number as the sum of male and female due to rounding.

^ Count is not displayed due to fewer than 6 cases during the five-year period.

--Not applicable

Table A2. Percent Distribution of Cancer Cases by Site, Race, and Sex, 2017-2021, Louisiana

Primary Site <i>Invasive Cancers</i> ³	All Races & Ethnicities			White			Black			Hispanic			AI/AN ¹ & APIs ²		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Sites	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Oral Cavity and Pharynx	2.8	3.8	1.6	3.1	4.3	1.7	2.0	2.7	1.2	2.3	3.1	1.5	2.6	3.5	1.7
Lip	0.1	0.2	0.0	0.1	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0
Tongue	0.9	1.2	0.5	1.0	1.4	0.6	0.5	0.6	0.3	0.9	1.4	0.3	0.8	0.6	1.0
Salivary Gland	0.2	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.2	0.6	0.2	0.2	0.2
Floor of Mouth	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1
Gum and Other Mouth	0.4	0.4	0.3	0.4	0.5	0.3	0.3	0.4	0.3	0.2	0.3	0.2	0.5	0.8	0.2
Nasopharynx	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.5	0.8	0.1
Tonsil	0.5	0.8	0.2	0.6	1.0	0.2	0.3	0.5	0.1	0.3	0.6	0.1	0.0	0.0	0.0
Oropharynx	0.2	0.2	0.1	0.2	0.3	0.1	0.1	0.2	0.0	0.1	0.1	0.1	0.1	0.1	0.0
Hypopharynx	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.1	0.2	0.0	0.4	0.7	0.0
Other Oral Cavity and Pharynx	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Digestive System	18.8	19.8	17.5	17.4	18.4	16.2	21.7	22.7	20.7	20.4	22.7	18.2	24.5	30.6	17.7
Esophagus	0.9	1.4	0.4	1.0	1.6	0.4	0.8	1.0	0.5	0.7	1.1	0.3	0.5	0.9	0.0
Stomach	1.4	1.6	1.2	1.1	1.2	0.9	2.2	2.4	2.0	2.5	2.9	2.1	2.0	2.8	1.2
Small Intestine	0.7	0.7	0.7	0.6	0.6	0.6	1.0	0.9	1.1	0.6	0.3	0.8	0.4	0.3	0.4
Colon and Rectum	9.0	9.0	9.0	8.5	8.5	8.5	10.1	9.9	10.3	8.9	10.3	7.4	11.9	13.3	10.4
Colon excluding Rectum	6.3	6.0	6.6	5.9	5.7	6.2	7.1	6.7	7.7	5.6	6.4	4.8	7.0	7.7	6.2
Cecum	1.2	1.1	1.4	1.2	1.1	1.4	1.4	1.2	1.6	0.8	0.8	0.8	1.3	0.8	1.8
Appendix	0.4	0.3	0.4	0.4	0.3	0.5	0.3	0.3	0.3	0.4	0.4	0.3	0.4	0.3	0.5
Ascending Colon	1.2	1.1	1.4	1.2	1.0	1.4	1.4	1.2	1.7	0.7	1.0	0.4	0.8	0.6	1.0
Hepatic Flexure	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.4	0.4	0.3	0.4	0.7	0.1
Transverse Colon	0.6	0.6	0.6	0.5	0.5	0.5	0.7	0.7	0.8	0.5	0.6	0.4	0.7	0.9	0.5
Splenic Flexure	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.3	0.4	0.2	0.2	0.2	0.3	0.6	0.0
Descending Colon	0.4	0.5	0.4	0.4	0.4	0.3	0.6	0.5	0.6	0.5	0.3	0.6	0.6	0.8	0.4
Sigmoid Colon	1.6	1.7	1.4	1.5	1.6	1.4	1.7	1.8	1.6	1.7	2.3	1.2	2.2	2.7	1.7
Large Intestine, NOS	0.4	0.4	0.4	0.3	0.3	0.3	0.5	0.5	0.4	0.4	0.3	0.5	0.4	0.4	0.2
Rectum and Rectosigmoid Junction	2.7	3.0	2.4	2.6	2.9	2.3	2.9	3.2	2.6	3.3	4.0	2.6	4.9	5.6	4.2
Rectosigmoid Junction	0.5	0.5	0.4	0.5	0.5	0.4	0.5	0.5	0.4	0.5	0.7	0.2	1.0	1.1	0.9
Rectum	2.3	2.5	2.0	2.2	2.4	1.9	2.5	2.7	2.2	2.8	3.3	2.4	3.9	4.5	3.3
Anus, Anal Canal and Anorectum	0.4	0.3	0.6	0.4	0.3	0.6	0.3	0.3	0.4	0.5	0.1	0.8	0.1	0.0	0.2
Liver and Intrahepatic Bile Duct	2.4	3.3	1.3	2.1	2.8	1.2	3.0	4.2	1.5	3.3	3.9	2.6	5.4	8.6	1.8
Liver	2.1	3.0	1.0	1.7	2.5	0.9	2.7	3.9	1.3	2.8	3.6	1.9	5.0	8.0	1.6
Intrahepatic Bile Duct	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.3	0.7	0.4	0.6	0.2
Gallbladder	0.3	0.2	0.4	0.2	0.1	0.3	0.4	0.3	0.5	0.4	0.2	0.6	0.5	0.6	0.5
Other Biliary	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.6	0.5	0.6	0.6	0.6	0.6
Pancreas	3.0	2.9	3.2	2.9	2.8	3.0	3.4	3.2	3.7	2.9	3.2	2.6	2.8	3.2	2.3
Retroperitoneum	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.3	0.1

Peritoneum, Omentum and Mesentery	0.1	0.0	0.1	0.1	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0
Other Digestive Organs	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.0	0.1	0.0	0.1
Respiratory System	14.4	15.2	13.4	14.7	15.0	14.4	14.2	16.3	11.7	7.6	8.5	6.7	14.1	15.3	12.8
Nose, Nasal Cavity and Middle Ear	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.1	0.3	0.4	0.1	0.2	0.3	0.1
Larynx	1.0	1.5	0.5	1.0	1.5	0.5	1.2	1.8	0.6	0.6	1.1	0.1	0.6	0.9	0.4
Lung and Bronchus	13.1	13.4	12.7	13.5	13.3	13.7	12.8	14.4	11.0	6.6	6.8	6.4	13.2	14.0	12.3
Pleura	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Trachea, Mediastinum and Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0
Bones and Joints	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.3	0.2	0.3	0.4	0.1
Soft Tissue including Heart	0.7	0.8	0.7	0.8	0.9	0.6	0.7	0.6	0.8	0.7	0.9	0.5	0.4	0.6	0.2
Skin excluding Basal and Squamous	4.0	4.6	3.3	5.6	6.5	4.5	0.4	0.3	0.4	1.8	1.8	1.7	1.1	1.7	0.5
Melanoma of the Skin	3.6	4.1	2.9	5.1	5.9	4.1	0.2	0.1	0.2	1.4	1.4	1.3	0.8	1.2	0.2
Other Non-Epithelial Skin	0.4	0.5	0.4	0.5	0.6	0.4	0.2	0.2	0.2	0.4	0.4	0.4	0.4	0.4	0.2
Breast	13.9	0.2	29.8	13.4	0.2	28.9	15.1	0.2	32.1	15.3	0.2	29.7	14.7	0.3	30.4
Female Genital System	4.7	--	10.2	4.3	--	9.4	5.4	--	11.6	7.2	--	14.1	5.8	--	12.2
Cervix Uteri	0.8	--	1.8	0.7	--	1.4	1.1	--	2.4	2.1	--	4.2	1.3	--	2.8
Corpus and Uterus, NOS	2.4	--	5.2	2.1	--	4.7	2.9	--	6.2	3.3	--	6.4	2.9	--	6.1
Corpus Uteri	2.3	--	5.0	2.1	--	4.5	2.8	--	5.9	3.2	--	6.3	2.9	--	6.1
Uterus, NOS	0.1	--	0.2	0.1	--	0.1	0.1	--	0.3	0.1	--	0.1	0.0	--	0.0
Ovary	0.9	--	2.0	0.9	--	2.0	0.9	--	1.9	1.2	--	2.3	1.1	--	2.3
Vagina	0.1	--	0.2	0.1	--	0.2	0.1	--	0.3	0.2	--	0.3	0.0	--	0.0
Vulva	0.3	--	0.7	0.3	--	0.8	0.3	--	0.6	0.4	--	0.7	0.3	--	0.6
Other Female Genital Organs	0.2	--	0.4	0.2	--	0.4	0.1	--	0.3	0.1	--	0.2	0.2	--	0.4
Male Genital System	15.3	28.4	--	13.7	25.5	--	19.1	35.7	--	13.4	27.3	--	11.9	22.8	--
Prostate	14.8	27.5	--	13.2	24.4	--	18.8	35.2	--	11.9	24.3	--	11.3	21.6	--
Testis	0.4	0.7	--	0.5	0.9	--	0.1	0.3	--	1.3	2.7	--	0.5	1.0	--
Penis	0.1	0.2	--	0.1	0.1	--	0.1	0.2	--	0.1	0.2	--	0.1	0.2	--
Other Male Genital Organs	0.0	0.0	--	0.0	0.0	--	0.0	0.1	--	0.0	0.1	--	0.0	0.0	--
Urinary System	8.7	11.2	5.8	9.6	12.7	6.1	6.6	7.8	5.2	8.5	11.9	5.3	6.7	8.4	4.9
Urinary Bladder	3.7	5.4	1.8	4.5	6.5	2.1	2.1	2.8	1.2	2.5	4.5	0.6	2.2	3.5	0.9
Kidney and Renal Pelvis	4.8	5.6	3.8	4.9	5.9	3.8	4.4	4.9	3.8	5.8	7.4	4.3	4.4	4.7	4.0
Ureter	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.2	0.0
Other Urinary Organs	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.0	0.0	0.0
Eye and Orbit	0.2	0.2	0.1	0.2	0.2	0.2	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Brain and Other Nervous System	1.1	1.1	1.0	1.2	1.3	1.1	0.8	0.8	0.7	1.6	1.5	1.7	1.1	1.1	1.1
Brain	1.0	1.1	1.0	1.2	1.2	1.1	0.7	0.8	0.7	1.5	1.3	1.6	0.9	1.0	0.9
Cranial Nerves Other Nervous System	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.1	0.2
Endocrine System	2.6	1.4	4.0	2.7	1.5	4.2	2.0	0.9	3.3	4.9	2.7	7.0	4.1	1.7	6.8
Thyroid	2.4	1.2	3.8	2.6	1.4	4.0	1.7	0.6	3.0	4.7	2.5	6.8	3.8	1.3	6.5
Other Endocrine including Thymus	0.2	0.2	0.2	0.1	0.1	0.1	0.3	0.3	0.3	0.2	0.2	0.1	0.4	0.3	0.4
Lymphoma	4.3	4.3	4.2	4.6	4.7	4.6	3.3	3.2	3.4	5.9	7.1	4.8	4.8	5.5	4.0
Hodgkin Lymphoma	0.5	0.5	0.5	0.5	0.5	0.4	0.5	0.6	0.5	1.0	1.3	0.6	0.5	0.4	0.5

Hodgkin - Nodal	0.5	0.5	0.5	0.4	0.5	0.4	0.5	0.5	0.5	1.0	1.3	0.6	0.5	0.4	0.5
Hodgkin - Extranodal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin Lymphoma	3.8	3.8	3.8	4.2	4.2	4.1	2.8	2.6	2.9	5.0	5.8	4.2	4.3	5.0	3.5
NHL - Nodal	2.6	2.6	2.5	2.9	2.9	2.8	1.8	1.7	1.8	3.1	3.3	2.8	3.0	3.5	2.4
NHL - Extranodal	1.2	1.2	1.2	1.3	1.3	1.3	1.0	0.9	1.1	1.9	2.5	1.4	1.3	1.6	1.1
Myeloma	1.7	1.8	1.7	1.3	1.4	1.1	2.8	2.5	3.1	1.5	2.4	0.7	1.6	2.0	1.1
Leukemia	2.8	3.0	2.5	3.0	3.3	2.7	2.1	2.3	2.0	3.8	4.5	3.2	2.9	3.2	2.4
Lymphocytic Leukemia	1.4	1.6	1.2	1.6	1.8	1.3	0.9	1.0	0.8	2.1	2.6	1.6	0.8	0.7	0.9
Acute Lymphocytic Leukemia	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.2	1.7	0.8	0.3	0.2	0.4
Chronic Lymphocytic Leukemia	1.1	1.2	0.9	1.2	1.4	1.0	0.6	0.7	0.6	0.8	0.8	0.8	0.5	0.4	0.5
Other Lymphocytic Leukemia	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0
Myeloid and Monocytic Leukemia	1.3	1.3	1.3	1.3	1.4	1.3	1.1	1.2	1.1	1.6	1.6	1.5	1.8	2.1	1.5
Acute Myeloid Leukemia	0.8	0.9	0.8	0.9	0.9	0.8	0.7	0.8	0.7	1.1	1.2	1.0	1.4	1.7	1.1
Acute Monocytic Leukemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
Chronic Myeloid Leukemia	0.4	0.4	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.5	0.4	0.5	0.4	0.3	0.4
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other Leukemia	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.1	0.3	0.4	0.1
Other Acute Leukemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.1
Aleukemic, Subleukemic and NOS	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.2	0.3	0.0
Mesothelioma	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.2	0.1	0.2	0.4	0.1	0.2	0.3	0.0
Kaposi Sarcoma	0.1	0.1	0.0	0.0	0.1	0.0	0.2	0.3	0.0	0.3	0.6	0.0	0.0	0.0	0.0
Miscellaneous	3.6	3.5	3.8	3.7	3.6	3.8	3.4	3.2	3.6	4.3	4.1	4.4	3.0	2.5	3.7

¹American Indians/Alaska Natives

²Asians and Pacific Islanders

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

--Not applicable

Table B. Average Annual Cancer Incidence Rates by Site, Race, and Sex,¹ 2017-2021, Louisiana

Primary Site <i>Invasive Cancers</i> ²	All Races			NH White			NH Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Sites	483.6	555.0	430.2	491.6	554.9	444.1	496.4	599.5	423.1
Oral Cavity and Pharynx	13.2	20.5	6.7	15.0	23.1	7.5	9.9	15.9	5.3
Lip	0.5	0.9	0.2	0.7	1.2	0.3	^	^	^
Tongue	4.1	6.3	2.2	5.1	7.7	2.7	2.2	3.6	1.2
Salivary Gland	1.2	1.7	0.9	1.3	1.9	0.8	1.1	1.3	0.9
Floor of Mouth	0.6	0.9	0.3	0.6	0.9	0.4	0.6	1.1	^
Gum and Other Mouth	1.9	2.5	1.4	2.0	2.7	1.4	1.7	2.2	1.3
Nasopharynx	0.6	0.9	0.3	0.5	0.7	0.2	0.7	1.2	^
Tonsil	2.5	4.3	0.7	3.0	5.2	0.9	1.6	3.0	0.4
Oropharynx	0.8	1.3	0.3	0.9	1.4	0.5	0.6	1.2	^
Hypopharynx	0.7	1.2	0.3	0.6	1.0	0.3	0.9	1.7	^
Other Oral Cavity and Pharynx	0.2	0.4	0.1	0.2	0.3	^	0.3	0.5	^
Digestive System	90.4	110.3	73.5	84.8	102.8	69.0	108.3	137.0	86.8
Esophagus	4.4	7.7	1.7	4.9	8.6	1.6	3.7	6.0	1.9
Stomach	6.9	9.2	5.1	5.2	7.0	3.6	11.2	15.1	8.4
Small Intestine	3.3	3.7	3.1	2.8	3.3	2.5	5.0	5.5	4.7
Colon and Rectum	44.5	51.4	38.7	43.0	49.2	37.6	51.0	60.8	43.6
Colon excluding Rectum	30.8	34.3	27.8	29.3	32.5	26.7	36.5	41.8	32.5
Cecum	6.1	6.3	6.0	5.8	6.1	5.6	7.1	7.5	6.8
Appendix	1.9	1.7	2.2	2.4	1.9	2.8	1.4	1.5	1.3
Ascending Colon	6.0	6.1	5.8	5.6	5.7	5.5	7.4	7.9	7.1
Hepatic Flexure	1.4	1.7	1.1	1.2	1.4	1.0	1.8	2.5	1.3
Transverse Colon	2.9	3.3	2.5	2.6	3.1	2.2	3.7	4.0	3.4
Splenic Flexure	1.0	1.2	0.8	0.7	1.0	0.5	1.5	1.6	1.5
Descending Colon	2.1	2.6	1.7	1.9	2.6	1.3	2.7	3.0	2.6
Sigmoid Colon	7.6	9.4	6.2	7.5	9.0	6.2	8.4	10.7	6.6
Large Intestine, NOS	1.8	2.0	1.5	1.6	1.8	1.4	2.4	3.1	1.9
Rectum and Rectosigmoid Junction	13.7	17.1	10.9	13.7	16.8	10.9	14.5	19.0	11.1
Rectosigmoid Junction	2.3	2.8	1.9	2.4	2.9	2.0	2.3	2.9	1.8
Rectum	11.4	14.2	9.0	11.3	13.9	8.9	12.2	16.2	9.3
Anus, Anal Canal and Anorectum	2.0	1.6	2.4	2.2	1.6	2.7	1.8	1.9	1.6
Liver and Intrahepatic Bile Duct	10.6	16.6	5.3	9.4	14.3	5.0	13.0	22.1	5.8
Liver	9.0	14.8	4.0	7.8	12.5	3.6	11.6	20.2	4.7
Intrahepatic Bile Duct	1.5	1.8	1.3	1.6	1.9	1.4	1.4	1.9	1.1
Gallbladder	1.3	1.0	1.5	1.0	0.7	1.2	1.9	1.7	2.1
Other Biliary	1.5	1.9	1.3	1.5	1.8	1.2	1.6	2.1	1.3
Pancreas	14.5	16.3	13.0	13.6	15.3	12.1	17.6	20.2	15.6
Retroperitoneum	0.3	0.2	0.4	0.3	0.2	0.3	0.4	^	0.5
Peritoneum, Omentum and Mesentery	0.4	^	0.6	0.4	^	0.7	0.4	^	0.6
Other Digestive Organs	0.7	0.8	0.6	0.7	0.8	0.6	0.8	1.0	0.6
Respiratory System	66.8	84.1	53.1	68.1	81.4	57.5	69.8	101.2	47.2

Nose, Nasal Cavity and Middle Ear	0.8	1.1	0.5	0.8	1.0	0.6	0.7	1.1	0.5
Larynx	4.8	8.1	2.0	4.6	7.7	1.9	5.7	10.3	2.3
Lung and Bronchus	61.1	74.7	50.5	62.5	72.5	54.9	63.2	89.5	44.4
Pleura	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other	0.1	0.2	^	0.1	^	^	^	^	^
Bones and Joints	1.0	1.1	0.9	1.1	1.2	1.0	0.8	0.9	0.6
Soft Tissue including Heart	3.9	5.0	3.1	4.1	5.4	3.1	3.6	4.0	3.4
Skin excluding Basal and Squamous	20.4	27.6	15.0	29.3	38.4	22.4	2.0	2.2	1.8
Melanoma of the Skin	18.2	24.5	13.4	26.7	34.6	20.6	0.9	1.1	0.8
Other Non-Epithelial Skin	2.2	3.1	1.6	2.6	3.8	1.8	1.1	1.2	1.0
Breast	69.9	1.4	130.4	68.5	1.4	130.2	77.7	1.7	137.3
Female Genital System	23.7	--	44.9	22.7	--	43.9	27.1	--	48.5
Cervix Uteri	4.7	--	9.2	4.1	--	8.2	6.0	--	10.9
Corpus and Uterus, NOS	11.4	--	21.5	10.6	--	20.6	13.9	--	24.6
Corpus Uteri	11.0	--	20.8	10.3	--	20.1	13.2	--	23.4
Uterus, NOS	0.4	--	0.7	0.3	--	0.5	0.6	--	1.2
Ovary	4.6	--	8.7	4.8	--	9.2	4.5	--	8.0
Vagina	0.5	--	0.9	0.4	--	0.8	0.7	--	1.2
Vulva	1.7	--	3.1	1.8	--	3.4	1.4	--	2.6
Other Female Genital Organs	0.8	--	1.5	0.9	--	1.7	0.7	--	1.2
Male Genital System	68.2	147.6	--	62.3	132.3	--	87.0	201.1	--
Prostate	65.3	141.6	--	58.5	124.6	--	85.5	197.8	--
Testis	2.4	4.8	--	3.3	6.6	--	0.8	1.7	--
Penis	0.4	0.9	--	0.4	0.8	--	0.5	1.3	--
Other Male Genital Organs	0.1	0.3	--	0.1	0.3	--	^	^	--
Urinary System	42.2	64.7	24.2	46.8	71.7	26.0	33.3	49.5	21.5
Urinary Bladder	17.9	31.7	7.2	21.1	37.0	8.4	10.9	19.0	5.2
Kidney and Renal Pelvis	23.4	31.7	16.3	24.6	33.3	16.9	21.8	29.8	15.5
Ureter	0.5	0.7	0.4	0.6	0.8	0.4	^	^	^
Other Urinary Organs	0.5	0.6	0.4	0.5	0.7	0.3	0.4	^	0.5
Eye and Orbit	0.8	0.9	0.6	1.0	1.2	0.9	0.2	^	^
Brain and Other Nervous System	5.7	6.7	4.8	6.8	8.0	5.7	3.8	4.8	3.1
Brain	5.4	6.3	4.5	6.4	7.5	5.4	3.6	4.6	2.9
Cranial Nerves Other Nervous System	0.3	0.4	0.3	0.4	0.5	0.3	0.2	^	^
Endocrine System	14.2	8.0	20.2	16.3	9.3	23.3	10.4	5.4	14.7
Thyroid	13.2	6.9	19.4	15.5	8.5	22.6	8.9	3.5	13.5
Other Endocrine including Thymus	0.9	1.0	0.8	0.7	0.8	0.6	1.4	1.8	1.2
Lymphoma	21.7	25.7	18.5	23.6	27.8	20.1	17.3	20.1	15.2
Hodgkin Lymphoma	2.8	3.1	2.4	2.9	3.2	2.6	2.8	3.3	2.4
Hodgkin - Nodal	2.7	3.1	2.4	2.9	3.1	2.6	2.8	3.2	2.4
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	18.9	22.5	16.0	20.8	24.6	17.5	14.5	16.8	12.8
NHL - Nodal	12.8	15.5	10.6	14.3	17.2	11.8	9.3	11.2	7.9
NHL - Extranodal	6.1	7.1	5.4	6.4	7.4	5.6	5.2	5.7	4.8
Myeloma	8.3	10.1	6.9	6.2	8.0	4.6	14.3	16.3	12.9
Leukemia	14.1	17.9	11.0	15.4	19.4	12.2	11.3	14.6	8.8
Lymphocytic Leukemia	6.9	9.2	5.0	7.9	10.5	5.8	4.7	6.1	3.6

Acute Lymphocytic Leukemia	1.4	1.7	1.2	1.6	1.8	1.3	1.1	1.3	0.9
Chronic Lymphocytic Leukemia	5.1	6.9	3.6	5.9	8.0	4.1	3.3	4.6	2.4
Other Lymphocytic Leukemia	0.4	0.5	0.3	0.5	0.7	0.3	0.3	^	^
Myeloid and Monocytic Leukemia	6.6	8.1	5.6	6.9	8.3	5.9	6.1	7.8	4.9
Acute Myeloid Leukemia	4.3	5.2	3.6	4.4	5.3	3.8	3.9	5.0	3.2
Acute Monocytic Leukemia	0.1	0.2	^	0.1	^	^	^	^	^
Chronic Myeloid Leukemia	2.2	2.6	1.8	2.3	2.8	2.0	2.0	2.4	1.6
Other Myeloid/Monocytic Leukemia	0.1	^	^	0.1	^	^	^	^	^
Other Leukemia	0.6	0.7	0.5	0.6	0.6	0.5	0.5	0.7	^
Other Acute Leukemia	0.2	0.2	0.2	0.2	^	^	^	^	^
Aleukemic, Subleukemic and NOS	0.4	0.5	0.3	0.4	0.4	0.4	0.4	0.6	^
Mesothelioma	1.1	1.7	0.6	1.2	1.8	0.6	0.9	1.5	0.5
Kaposi Sarcoma	0.5	1.0	^	0.3	0.5	^	0.9	1.8	^
Miscellaneous	17.8	20.7	15.6	18.2	21.2	15.9	17.7	21.1	15.3
<i>In Situ Cancers (not included above)</i>									
Breast In Situ	13.5	0.2	25.5	12.8	^	24.8	16	^	28.4

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups - Census P25-1130) standard.

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

³Statistic not displayed due to fewer than 16 cases in the five-year period.

--Not applicable

Table C1. Average Annual Cancer Incidence Rates by Race and Sex,¹ 2017-2021: U.S., Louisiana, and 7-Parish Industrial Corridor² (Please review: [Cautions in Interpretation](#))

Primary Site <i>Invasive Cancers</i> ³	NH White Men				NH Black Men				NH White Women				NH Black Women			
	US	LA	Ind. Corr.		US	LA	Ind. Corr.		US	LA	Ind. Corr.		US	LA	Ind. Corr.	
All Sites	509.0	554.8	↑	561.3	530.3	599.5	↑	623.7 #	445.7	444.1		435.6	405.2	423.1	↑	417.6
Oral Cavity and Pharynx	20.1	23.1	↑	27.5 #	13.4	15.9	↑	16.4	7.4	7.5		8.0	4.8	5.3		4.0
Esophagus	8.1	8.6		9.0	5.5	6.0		6.8	1.8	1.6		1.4	1.9	1.9		^
Stomach	7.3	7.0		7.8	12.7	15.1	↑	15.7	3.6	3.6		2.6	8.0	8.4		8.4
Colon excluding Rectum	27.9	32.5	↑	26.7 *	35.5	41.8	↑	36.8	23.9	26.7	↑	21.3 *	28.4	32.5	↑	29.2
Rectum and Rectosigmoid Junction	13.9	16.8	↑	15.9	14.1	19.0	↑	20.9	9.0	10.9	↑	9.9	9.3	11.1	↑	11.5
Liver and Intrahepatic Bile Duct	10.9	14.3	↑	14.0	16.0	22.1	↑	27.0 #	4.2	5.0	↑	5.2	5.1	5.8		6.2
Pancreas	15.5	15.3		13.5	17.8	20.2	↑	19.4	11.8	12.1		11.3	15.1	15.6		14.9
Larynx	4.6	7.7	↑	6.8	6.7	10.3	↑	8.7	1.1	1.9	↑	1.9	1.3	2.3	↑	2.4
Lung and Bronchus	57.6	72.5	↑	57.3 *	66.5	89.5	↑	83.2	49.5	54.9	↑	50.4 *	43.0	44.4		37.8 *
Melanoma of the Skin	43.1	34.6	↓	42.4 #	1.1	1.1		^	28.9	20.6	↓	23.8 #	0.9	0.8		^
Breast	1.3	1.4		^	1.8	1.7		^	138.7	130.2	↓	136.7	131.3	137.3	↑	141.1
Cervix Uteri	--	--		--	--	--		--	6.9	8.2	↑	6.4	8.4	10.9	↑	8.9
Corpus and Uterus, NOS	--	--		--	--	--		--	27.4	20.6	↓	18.8	29.0	24.6	↓	24.4
Ovary	--	--		--	--	--		--	10.2	9.2	↓	12.0 #	8.7	8.0		9.2
Prostate	113.7	124.6	↑	141.9 #	190.6	197.8	↑	216.1 #	--	--		--	--	--		--
Testis	7.2	6.6		7.0	1.5	1.7		^	--	--		--	--	--		--
Urinary Bladder	37.3	36.9		36.2	19.4	19.0		21.9	9.0	8.4		8.2	5.9	5.2		4.9
Kidney and Renal Pelvis	23.4	33.3	↑	33.4	25.3	29.8	↑	34.0	11.4	16.9	↑	14.6	13.2	15.5	↑	14.9
Brain and Other Nervous System	8.7	8.0	↓	6.9	4.7	4.8		5.4	6.2	5.7		5.8	3.5	3.1		2.7
Thyroid	8.1	8.5		10.1	3.5	3.5		3.9	20.5	22.6	↑	25.1	11.9	13.5	↑	15.7
Hodgkin Lymphoma	3.1	3.2		3.1	2.8	3.3		3.0	2.5	2.6		1.7	2.3	2.4		2.9
Non-Hodgkin Lymphoma	24.1	24.6		24.3	17.1	16.8		17.4	16.3	17.5	↑	16.5	11.9	12.8		15.3
Myeloma	8.1	8.0		8.5	17.2	16.3		20.4	4.9	4.6		3.9	13.1	12.9		15.9 #
Leukemia	19.4	19.4		18.8	14.0	14.6		16.3	11.8	12.2		11.5	9.4	8.8		9.1

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Ascension, East Baton Rouge, Iberville, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table C2. Average Annual Cancer Incidence Rates by Race and Sex,¹ 2017-2021: U.S., Louisiana, and 11-Parish Industrial Corridor² (Please review: [Cautions in Interpretation](#))

Primary Site <i>Invasive Cancers</i> ³	NH White Men				NH Black Men				NH White Women				NH Black Women			
	US	LA		Ind. Corr.	US	LA		Ind. Corr.	US	LA		Ind. Corr.	US	LA		Ind. Corr.
All Sites	509.0	554.8	↑	537.1 *	530.3	599.5	↑	577.2 *	445.7	444.1		427.8 *	405.2	423.1	↑	406.8 *
Oral Cavity and Pharynx	20.1	23.1	↑	24.5	13.4	15.9	↑	14.7	7.4	7.5		7.2	4.8	5.3		3.9 *
Esophagus	8.1	8.6		8.5	5.5	6.0		5.6	1.8	1.6		1.6	1.9	1.9		1.7
Stomach	7.3	7.0		6.6	12.7	15.1	↑	15.5	3.6	3.6		2.8 *	8.0	8.4		8.1
Colon excluding Rectum	27.9	32.5	↑	27.7 *	35.5	41.8	↑	36.5 *	23.9	26.7	↑	22.9 *	28.4	32.5	↑	28.4 *
Rectum and Rectosigmoid Junction	13.9	16.8	↑	15.4	14.1	19.0	↑	18.5	9.0	10.9	↑	9.2 *	9.3	11.1	↑	10.9
Liver and Intrahepatic Bile Duct	10.9	14.3	↑	15.5	16.0	22.1	↑	24.2	4.2	5.0	↑	5.3	5.1	5.8		6.1
Pancreas	15.5	15.3		14.3	17.8	20.2	↑	17.5	11.8	12.1		10.8	15.1	15.6		14.4
Larynx	4.6	7.7	↑	7.1	6.7	10.3	↑	8.4	1.1	1.9	↑	1.6	1.3	2.3	↑	2.3
Lung and Bronchus	57.6	72.5	↑	60.6 *	66.5	89.5	↑	82.9 *	49.5	54.9	↑	49.3 *	43.0	44.4		41.3
Melanoma of the Skin	43.1	34.6	↓	37.8 #	1.1	1.1		^	28.9	20.6	↓	22.5	0.9	0.8		^
Breast	1.3	1.4		1.8	1.8	1.7		1.4	138.7	130.2	↓	138.0 #	131.3	137.3	↑	135.9
Cervix Uteri	--	--		--	--	--		--	6.9	8.2	↑	6.2 *	8.4	10.9	↑	9.8
Corpus and Uterus, NOS	--	--		--	--	--		--	27.4	20.6	↓	19.0	29.0	24.6	↓	21.8 *
Ovary	--	--		--	--	--		--	10.2	9.2	↓	11.0 #	8.7	8.0		9.0
Prostate	113.7	124.6	↑	128.5	190.6	197.8	↑	194.7	--	--		--	--	--		--
Testis	7.2	6.6		6.6	1.5	1.7		1.6	--	--		--	--	--		--
Urinary Bladder	37.3	36.9		37.8	19.4	19.0		19.9	9.0	8.4		8.8	5.9	5.2		5.3
Kidney and Renal Pelvis	23.4	33.3	↑	30.7	25.3	29.8	↑	30.1	11.4	16.9	↑	13.8 *	13.2	15.5	↑	15.2
Brain and Other Nervous System	8.7	8.0	↑	6.9	4.7	4.8		5.3	6.2	5.7		5.0	3.5	3.1		3.3
Thyroid	8.1	8.5		7.9	3.5	3.5		3.7	20.5	22.6	↑	22.1	11.9	13.5	↑	13.8
Hodgkin Lymphoma	3.1	3.2		3.5	2.8	3.3		3.4	2.5	2.6		1.9	2.3	2.4		2.5
Non-Hodgkin Lymphoma	24.1	24.6		23.9	17.1	16.8		18.2	16.3	17.5	↑	16.9	11.9	12.8		13.9
Myeloma	8.1	8.0		7.9	17.2	16.3		16.2	4.9	4.6		4.2	13.1	12.9		13.1
Leukemia	19.4	19.4		18.1	14.0	14.6		13.0	11.8	12.2		10.5 *	9.4	8.8		8.0

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Ascension, East Baton Rouge, Iberville, Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table D1. Cancer Incidence Rates¹ among the Hispanic Population, 2017-2021: U.S. and Louisiana

Primary Site	Male			Female		
<i>Invasive Cancers</i> ²	U.S.	LA		U.S.	LA	
All Sites	351.7	298.4	↓	343.5	304.8	↓
Oral Cavity and Pharynx	9.6	8.9		4.4	4.7	
Esophagus	4.5	^		1.1	^	
Stomach	11.8	9.4		8.5	6.6	
Colon and rectum	37.0	30.6	↓	28.4	22.8	↓
Liver and Intrahepatic Bile Duct	19.1	10.6	↓	8.6	8.3	
Pancreas	12.6	9.6		11.1	8.3	
Larynx	3.3	^		0.5	^	
Lung and Bronchus	28.4	21.8	↓	22.0	20.3	
Melanoma of the Skin	4.8	4.9		5.2	4.1	
Breast	0.6	^		100.9	90.9	↓
Cervix Uteri	--	--		9.1	11.9	
Corpus and Uterus, NOS	--	--		26.6	19.5	↓
Ovary	--	--		10.0	6.8	↓
Prostate	86.4	74.0	↓	--	--	
Testis	6.4	5.5		--	--	
Urinary Bladder	16.9	16.7		4.8	^	
Kidney and Renal Pelvis	22.2	22.6		13.0	13.4	
Brain and Other Nervous System	5.7	3.4	↓	4.6	4.5	
Thyroid	5.7	5.9		20.5	19.6	
Hodgkin Lymphoma	2.4	3.4		1.8	^	
Non-Hodgkin Lymphoma	20.0	16.5		15.3	13.3	
Myeloma	7.5	7.3		5.4	^	
Leukemia	12.7	11.2		9.1	8.9	

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases in the five-year period.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table D2. Cancer Incidence Rates¹ among the NH American Indian/Alaska Native and Asian and Pacific Islander Population, 2017-2021: U.S. and Louisiana

Primary Site <i>Invasive Cancers</i> ²	Male		Female		
	U.S.	LA	U.S.	LA	
All Sites	303.7	307.6	321.4	256.3	↓
Oral Cavity and Pharynx	11.8	10.0	5.5	^	
Esophagus	3.9	^	1.0	^	
Stomach	11.4	7.7	6.8	^	
Colon and rectum	35.7	40.6	26.7	26.5	
Liver and Intrahepatic Bile Duct	17.4	24.2	6.6	^	↑
Pancreas	11.4	10.9	9.7	6.4	
Larynx	1.9	^	0.2	^	
Lung and Bronchus	40.5	44.6	28.2	32.6	
Melanoma of the Skin	1.9	^	1.6	^	
Breast	0.6	^	113.2	77.2	↓
Cervix Uteri	--	--	6.3	7.1	
Corpus and Uterus, NOS	--	--	25.0	14.8	↓
Ovary	--	--	9.4	5.5	↓
Prostate	62.7	65.3	--	--	
Testis	2.8	^	--	--	
Urinary Bladder	14.8	12.4	3.6	^	
Kidney and Renal Pelvis	13.6	14.4	6.7	9.9	↑
Brain and Other Nervous System	4.5	^	3.2	^	
Thyroid	6.5	^	20.2	17.1	
Hodgkin Lymphoma	1.5	^	1.2	^	
Non-Hodgkin Lymphoma	16.1	15.0	11.5	8.9	
Myeloma	5.0	6.9	3.5	^	
Leukemia	10.2	11.2	6.7	6.7	

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases in the five-year period.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table E1. Incidence Rates¹ by Louisiana Parish² for the Ten Most Commonly Diagnosed Cancers, 2017-2021:
NH White Males

	All Sites ³	Prostate	Lung and Bronchus	Colon and Rectum	Urinary Bladder	Melanoma of the Skin	Kidney and Renal Pelvis	Non- Hodgkin Lymphoma	Oral Cavity and Pharynx	Leukemia	Pancreas
Louisiana	554.9	124.6	72.5	49.2	37.0	34.6	33.3	24.6	23.1	19.4	15.3
Acadia	627.4	134.2	90.4	59.5	36.0	24.1	46.6	22.5	29.2	20.1	15.0
Allen	625.0	122.9	95.7	68.9	33.3	34.0	40.7	34.4	^	^	^
Ascension	563.0	148.2	57.1	40.4	31.4	40.8	34.2	24.9	28.1	18.8	14.0
Assumption	590.1	146.7	70.2	31.6	49.5	^	40.6	^	^	^	^
Avoyelles	595.2	127.6	85.5	65.7	53.6	28.2	40.5	23.8	19.2	^	17.8
Beauregard	591.4	125.5	69.2	64.8	32.9	29.6	33.9	32.7	18.2	25.0	^
Bienville	592.0	122.3	88.9	78.3	^	^	^	^	^	^	^
Bossier	549.7	109.6	73.9	47.7	42.9	37.5	34.5	23.9	20.9	18.7	16.5
Caddo	517.5	119.1	67.5	43.0	38.0	28.5	27.6	22.3	22.8	20.0	15.5
Calcasieu	542.0	124.5	75.8	51.2	31.5	34.1	30.0	24.1	19.8	20.4	13.2
Caldwell	462.1	110.4	108.1	^	^	^	^	^	^	^	^
Cameron	546.4	113.1	^	^	^	^	^	^	^	^	^
Catahoula	600.4	143.3	59.9	118.2	^	^	^	^	^	^	^
Claiborne	605.8	121.0	60.1	68.1	^	^	^	^	^	^	^
Concordia	498.8	112.1	61.4	48.0	^	^	^	^	^	^	^
De Soto	527.7	104.6	74.2	38.4	32.2	^	35.4	^	^	^	^
East Baton Rouge	552.7	149.0	49.8	37.2	36.6	48.8	32.5	24.0	26.1	16.8	13.7
East Carroll	446.1	^	^	^	^	^	^	^	^	^	^
East Feliciana	527.0	123.1	71.1	48.7	32.5	^	^	^	^	^	^
Evangeline	577.4	80.3	93.4	63.8	51.7	41.1	31.1	40.6	26.0	^	^
Franklin	574.9	93.8	109.8	65.6	51.0	41.5	^	^	^	^	^
Grant	557.9	104.6	73.7	71.7	34.1	^	^	^	30.5	^	^
Iberia	641.8	152.5	82.1	73.1	40.1	29.2	32.7	22.0	23.4	30.4	17.9
Iberville	710.7	141.9	99.4	58.0	50.1	44.8	55.0	^	34.8	^	^
Jackson	573.7	142.4	85.4	48.4	^	^	^	^	^	^	^
Jefferson	522.9	113.7	67.0	43.6	42.5	28.9	32.2	23.0	21.9	18.4	15.3
Jefferson Davis	590.9	151.2	84.1	32.7	35.9	32.7	42.5	20.7	20.5	^	^

Lafayette	554.9	147.4	62.7	44.1	31.7	30.8	39.6	26.7	21.3	19.4	14.9
Lafourche	532.7	112.0	73.7	51.2	35.3	20.5	38.2	29.9	17.1	18.9	16.1
La Salle	551.4	100.1	98.8	74.7	49.9	^	^	^	^	^	^
Lincoln	492.1	118.2	52.3	46.3	23.5	35.1	28.8	21.9	22.2	28.3	^
Livingston	548.1	110.5	85.8	49.9	33.5	41.1	31.2	27.6	27.5	21.7	10.5
Madison	559.8	149.9	106.4	^	^	^	^	^	^	^	^
Morehouse	529.2	120.9	75.5	71.4	^	^	^	^	^	^	^
Natchitoches	580.7	120.8	78.1	67.7	31.1	^	31.8	27.8	29.1	30.3	^
Orleans	496.1	127.0	51.0	41.8	29.9	46.9	18.2	23.2	24.0	17.9	15.1
Ouachita	561.7	127.8	69.4	46.5	32.2	46.2	34.1	23.8	23.8	17.5	16.5
Plaquemines	543.3	138.9	65.8	57.6	43.3	^	36.2	^	^	^	^
Pointe Coupee	581.9	112.8	58.5	62.5	51.8	25.6	40.3	33.0	^	^	^
Rapides	542.3	110.1	70.7	50.2	36.7	29.9	31.0	23.1	23.7	21.8	17.6
Red River	592.7	115.1	91.7	^	^	^	^	^	^	^	^
Richland	521.8	93.6	92.7	59.4	34.1	^	^	^	^	^	^
Sabine	619.6	125.4	98.7	48.8	34.4	30.7	41.0	33.2	^	^	^
St. Bernard	529.3	92.3	75.6	49.4	41.3	^	37.2	28.3	^	^	^
St. Charles	541.8	115.8	55.0	58.2	45.1	24.9	26.4	19.4	34.1	18.9	15.5
St. Helena	494.1	120.6	^	^	^	^	^	^	^	^	^
St. James	594.4	141.1	67.4	92.5	^	^	^	^	^	^	^
St. John the Baptist	573.6	85.8	82.1	44.9	39.9	^	37.7	42.9	^	^	^
St. Landry	584.6	130.6	79.3	62.7	27.8	28.1	34.8	22.0	27.8	25.1	13.5
St. Martin	641.7	143.8	92.5	70.1	42.0	28.0	48.1	29.5	21.2	18.8	22.2
St. Mary	581.6	113.2	105.1	55.7	37.3	22.3	29.1	29.6	21.5	20.4	20.1
St. Tammany	571.9	125.9	69.6	46.4	41.4	49.6	31.9	26.6	21.6	16.3	19.2
Tangipahoa	567.9	141.2	76.1	47.1	31.5	34.9	34.5	25.1	23.8	14.4	16.1
Tensas	398.5	^	^	^	^	^	^	^	^	^	^
Terrebonne	588.9	111.1	98.0	53.2	48.7	24.0	41.5	28.6	24.0	19.7	16.3
Union	490.2	89.1	100.5	33.2	35.4	^	34.9	^	^	^	^
Vermilion	619.1	152.1	67.2	63.1	42.4	32.5	44.9	25.0	17.9	25.4	13.3
Vernon	541.7	98.3	107.9	61.3	41.2	^	22.0	^	^	^	^
Washington	606.7	96.8	98.3	53.2	35.4	46.3	33.6	23.2	20.2	22.3	19.6
Webster	566.8	124.8	88.2	46.8	38.0	21.9	38.8	^	32.4	27.5	^
West Baton Rouge	512.4	139.6	79.1	^	^	36.1	^	^	^	^	^

West Carroll	528.6	129.6	106.4	70.9	^	^	^	^	^	^	^
West Feliciana	500.3	131.0	53.7	^	^	^	^	^	^	^	^
Winn	576.8	87.6	98.8	59.9	^	^	^	^	54.0	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Table E2. Incidence Rates¹ by Louisiana Parish² for the Ten Most Commonly Diagnosed Cancers, 2017-2021:
NH White Females

	All Sites ³	Breast	Lung and Bronchus	Colon and Rectum	Thyroid	Melanoma of the Skin	Corpus and Uterus, NOS	Non-Hodgkin Lymphoma	Kidney and Renal Pelvis	Leukemia	Pancreas
Louisiana	444.1	130.2	54.9	37.6	22.6	20.6	20.6	17.5	16.9	12.2	12.1
Acadia	474.9	129.9	58.4	38.6	27.9	14.3	25.7	15.8	18.5	18.4	14.3
Allen	468.5	96.8	64.5	71.4	^	^	^	^	^	^	^
Ascension	469.7	142.0	66.6	28.9	34.0	24.1	17.2	13.3	17.4	11.0	9.6
Assumption	407.6	95.1	67.6	32.9	^	^	^	^	^	^	^
Avoyelles	369.5	84.2	51.1	38.3	^	^	25.3	19.3	21.4	^	^
Beauregard	497.3	107.5	71.2	48.3	26.0	19.6	30.9	21.6	24.6	16.7	^
Bienville	470.0	83.3	68.1	^	^	^	^	^	^	^	^
Bossier	442.1	121.3	60.5	40.4	25.4	26.6	17.7	15.9	12.8	15.4	12.3
Caddo	468.3	128.8	57.4	38.9	23.7	19.8	26.1	18.6	14.3	15.3	12.7
Calcasieu	408.7	115.3	51.3	32.5	14.4	17.7	18.8	17.3	18.4	14.8	11.2
Caldwell	531.2	82.5	92.6	83.8	^	^	^	^	^	^	^
Cameron	626.6	200.6	88.2	^	^	^	^	^	^	^	^
Catahoula	441.6	127.4	^	^	^	^	^	^	^	^	^
Claiborne	467.0	143.7	^	54.3	^	^	^	^	^	^	^
Concordia	428.0	79.8	55.0	55.8	^	^	^	^	^	^	^
De Soto	464.0	116.5	50.6	42.5	^	^	^	27.4	^	^	^
East Baton Rouge	414.2	134.0	43.0	30.5	21.6	27.4	18.6	15.4	13.1	11.2	11.4
East Carroll	430.1	^	^	^	^	^	^	^	^	^	^
East Feliciana	433.8	128.2	83.7	^	^	^	^	^	^	^	^
Evangeline	474.1	110.9	69.4	45.3	29.0	^	^	20.3	38.0	^	^
Franklin	469.3	107.6	54.5	78.9	^	^	^	^	^	^	^
Grant	451.4	119.2	52.4	53.5	^	^	^	^	^	^	^
Iberia	446.9	135.1	61.4	41.3	15.1	16.3	20.6	15.3	17.2	15.5	15.6
Iberville	476.4	141.9	72.0	36.4	^	^	^	^	^	^	^
Jackson	475.5	119.4	55.0	61.9	^	^	^	^	^	^	^
Jefferson	429.3	140.7	50.0	34.2	23.0	18.3	18.9	19.0	14.7	9.3	12.1
Jefferson Davis	410.7	109.6	55.0	48.7	^	^	22.4	^	23.2	^	^

Lafayette	445.2	148.8	49.1	33.5	23.9	14.1	20.6	18.8	16.8	12.2	12.8
Lafourche	418.8	132.5	52.3	33.3	20.9	15.0	21.3	19.5	20.5	11.6	8.9
La Salle	474.2	125.3	66.8	62.9	^	^	^	^	^	^	^
Lincoln	367.5	114.0	50.4	33.0	^	^	27.0	^	^	^	^
Livingston	454.6	112.1	67.1	35.4	23.8	20.9	20.1	17.5	19.5	12.0	10.9
Madison	488.3	^	^	^	^	^	^	^	^	^	^
Morehouse	469.8	122.0	71.8	43.8	^	^	^	^	^	^	^
Natchitoches	492.1	152.2	42.7	51.8	^	^	29.9	^	^	^	^
Orleans	388.0	140.1	33.9	30.2	13.7	29.7	18.6	13.0	7.5	9.7	6.1
Ouachita	452.2	120.9	53.9	41.6	22.6	31.6	16.7	14.0	16.9	12.2	12.3
Plaquemines	443.3	117.6	86.8	^	^	^	^	^	^	^	^
Pointe Coupee	464.2	132.6	39.6	31.2	^	^	^	^	^	^	^
Rapides	427.0	111.7	53.9	32.4	30.5	20.7	18.7	19.0	14.0	13.4	11.4
Red River	367.0	129.8	^	^	^	^	^	^	^	^	^
Richland	441.6	108.4	68.4	44.8	^	^	^	^	^	^	^
Sabine	486.2	125.3	59.7	54.8	^	^	^	^	^	^	^
St. Bernard	463.9	130.7	67.3	28.3	^	^	30.1	^	20.7	^	^
St. Charles	442.0	126.8	50.5	27.3	26.1	^	20.1	17.2	18.9	^	^
St. Helena	499.4	122.1	83.6	^	^	^	^	^	^	^	^
St. James	518.0	166.5	42.1	58.8	^	^	^	^	^	^	^
St. John the Baptist	469.2	147.6	41.2	44.7	^	^	^	^	^	^	^
St. Landry	496.5	136.5	62.5	42.4	25.9	17.6	25.0	18.6	27.3	^	16.5
St. Martin	455.6	148.1	60.3	45.9	24.0	^	22.4	14.5	^	^	^
St. Mary	411.3	107.8	56.5	32.8	^	^	23.6	24.6	21.0	^	^
St. Tammany	465.8	150.5	54.7	36.5	24.0	24.6	16.9	18.9	16.6	11.8	11.3
Tangipahoa	451.4	131.3	53.3	38.0	20.2	20.4	22.8	16.5	16.4	11.1	15.5
Tensas	583.3	^	^	^	^	^	^	^	^	^	^
Terrebonne	462.7	140.9	58.3	44.4	18.6	17.5	19.1	19.3	16.0	13.7	14.4
Union	520.4	120.2	63.9	50.9	^	32.9	^	^	^	^	^
Vermilion	475.8	135.8	69.6	42.1	19.0	15.9	27.4	19.6	24.6	11.2	14.8
Vernon	487.3	87.4	78.6	52.9	28.9	23.4	40.8	^	17.7	^	^
Washington	457.6	125.8	75.5	33.9	21.2	^	15.7	19.6	22.8	^	^
Webster	460.8	126.8	41.2	48.9	35.9	^	24.9	27.3	^	^	21.3
West Baton Rouge	433.9	132.1	79.6	^	^	^	^	^	^	^	^

West Carroll	524.8	135.3	58.4	61.1	^	^	^	^	^	^	^
West Feliciana	386.7	139.7	^	^	^	^	^	^	^	^	^
Winn	498.2	107.7	66.2	63.0	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period

Table E3. Incidence Rates¹ by Louisiana Parish² for the Ten Most Commonly Diagnosed Cancers, 2017-2021:
NH Black Males

	All Sites ³	Prostate	Lung and Bronchus	Colon and Rectum	Kidney and Renal Pelvis	Liver and Intrahepatic Bile Duct	Pancreas	Urinary Bladder	Non-Hodgkin Lymphoma	Myeloma	Oral Cavity and Pharynx
Louisiana	599.5	197.8	89.5	60.8	29.8	22.1	20.2	19.0	16.8	16.3	15.9
Acadia	608.0	173.7	123.6	82.4	^	^	^	^	^	^	^
Allen	505.0	170.8	^	^	^	^	^	^	^	^	^
Ascension	656.1	226.3	76.6	78.1	41.4	30.6	^	^	^	^	^
Assumption	641.8	177.2	136.3	114.0	^	^	^	^	^	^	^
Avoyelles	771.1	180.6	151.0	80.9	^	^	^	^	^	^	^
Beauregard	580.0	181.6	^	^	^	^	^	^	^	^	^
Bienville	660.4	251.0	100.4	^	^	^	^	^	^	^	^
Bossier	541.9	175.8	79.4	57.9	31.9	^	^	^	^	29.3	^
Caddo	585.6	179.1	98.1	62.9	29.7	25.0	21.9	19.8	17.2	16.7	15.5
Calcasieu	620.2	184.9	92.6	62.9	31.2	21.2	19.8	18.1	16.8	16.7	13.5
Caldwell	^	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	557.6	^	^	^	^	^	^	^	^	^	^
Claiborne	620.5	153.3	119.0	79.9	^	^	^	^	^	^	^
Concordia	534.0	228.4	^	^	^	^	^	^	^	^	^
De Soto	744.5	209.6	110.9	85.1	^	^	^	^	^	^	^
East Baton Rouge	613.8	211.2	82.6	55.1	33.0	28.5	20.3	20.8	18.4	20.3	16.0
East Carroll	629.5	237.3	^	^	^	^	^	^	^	^	^
East Feliciana	655.3	246.3	114.2	^	^	^	^	^	^	^	^
Evangeline	622.6	177.0	133.0	^	^	^	^	^	^	^	^
Franklin	588.3	169.3	^	^	^	^	^	^	^	^	^
Grant	645.3	258.7	^	^	^	^	^	^	^	^	^
Iberia	688.2	207.0	109.3	60.6	41.5	^	43.5	^	^	^	^
Iberville	815.2	256.7	127.8	79.5	^	^	^	^	^	^	^
Jackson	632.3	198.6	138.8	^	^	^	^	^	^	^	^
Jefferson	582.6	197.2	84.9	55.8	30.3	18.7	16.6	21.4	21.3	17.6	12.4

Jefferson Davis	598.8	255.8	^	^	^	^	^	^	^	^	^
Lafayette	609.2	171.0	106.9	61.1	36.8	25.8	28.6	16.8	13.5	20.6	16.0
Lafourche	619.2	204.7	88.0	^	^	^	^	^	^	^	^
La Salle	533.5	^	^	^	^	^	^	^	^	^	^
Lincoln	492.5	211.4	^	^	^	^	^	^	^	^	^
Livingston	780.5	284.8	^	^	^	^	^	^	^	^	^
Madison	588.7	174.1	^	^	^	^	^	^	^	^	^
Morehouse	605.4	239.4	82.1	80.0	^	^	^	^	^	^	^
Natchitoches	614.6	169.3	106.1	86.8	^	^	^	^	^	^	^
Orleans	525.2	170.2	83.2	51.3	26.5	22.9	16.5	17.6	17.9	11.8	13.9
Ouachita	564.4	213.6	76.0	51.0	24.6	^	17.3	19.6	15.6	12.6	18.5
Plaquemines	571.2	173.1	^	^	^	^	^	^	^	^	^
Pointe Coupee	662.8	222.7	78.2	85.6	^	^	^	^	^	^	^
Rapides	632.8	211.5	94.7	68.8	20.7	15.6	^	18.7	19.8	22.8	23.9
Red River	618.4	^	^	^	^	^	^	^	^	^	^
Richland	794.5	282.3	143.5	^	^	^	^	^	^	^	^
Sabine	449.4	198.6	^	^	^	^	^	^	^	^	^
St. Bernard	692.2	196.8	^	^	^	^	^	^	^	^	^
St. Charles	605.4	216.1	70.0	47.2	^	^	^	^	^	^	^
St. Helena	606.8	230.1	^	^	^	^	^	^	^	^	^
St. James	554.4	170.9	100.6	^	^	^	^	^	^	^	^
St. John the Baptist	555.2	223.2	53.3	63.0	31.7	^	^	^	^	^	^
St. Landry	711.6	203.4	98.0	81.4	23.3	25.4	32.6	26.1	26.5	^	21.1
St. Martin	662.9	205.1	75.1	100.2	^	^	^	^	^	^	^
St. Mary	559.7	167.8	67.8	65.7	41.2	^	^	^	^	^	^
St. Tammany	640.8	228.1	63.9	78.2	41.4	^	28.0	^	23.3	^	^
Tangipahoa	679.9	257.2	119.9	66.4	30.0	34.2	^	^	^	^	^
Tensas	587.3	210.3	^	^	^	^	^	^	^	^	^
Terrebonne	640.6	157.5	141.4	64.8	^	^	^	^	^	^	^
Union	615.5	250.8	^	^	^	^	^	^	^	^	^
Vermilion	810.6	235.3	121.1	^	^	^	^	^	^	^	^
Vernon	595.6	196.9	^	^	^	^	^	^	^	^	^
Washington	650.2	209.1	89.7	78.5	^	^	^	^	^	^	^
Webster	623.6	215.6	114.3	61.5	^	^	^	^	^	^	^

West Baton Rouge	715.3	259.6	102.7	^	^	^	^	^	^	^	^
West Carroll	525.2	^	^	^	^	^	^	^	^	^	^
West Feliciana	870.7	317.3	135.0	89.1	^	^	^	^	^	^	^
Winn	407.7	191.4	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Table E4. Incidence Rates¹ by Louisiana Parish² for the Ten Most Commonly Diagnosed Cancers, 2017-2021:
NH Black Females

	All Sites ³	Breast	Lung and Bronchus	Colon and Rectum	Corpus and Uterus, NOS	Pancreas	Kidney and Renal Pelvis	Thyroid	Myeloma	Non- Hodgkin Lymphoma	Cervix Uteri
Louisiana	423.1	137.3	44.4	43.6	24.6	15.6	15.5	13.5	12.9	12.8	10.9
Acadia	496.8	183.0	69.8	49.3	^	^	^	^	^	^	^
Allen	490.3	169.4	^	^	^	^	^	^	^	^	^
Ascension	411.3	143.6	45.3	35.8	^	^	^	^	^	^	^
Assumption	532.1	206.7	^	^	^	^	^	^	^	^	^
Avoyelles	474.8	182.4	44.7	^	^	^	^	^	^	^	^
Beauregard	488.0	^	^	^	^	^	^	^	^	^	^
Bienville	463.2	145.9	^	^	^	^	^	^	^	^	^
Bossier	426.6	129.0	57.6	42.1	38.0	^	24.9	^	^	^	^
Caddo	427.0	127.5	41.3	50.7	27.4	17.9	17.2	10.9	13.3	14.3	12.1
Calcasieu	418.7	119.8	54.7	48.5	17.6	21.1	14.2	^	^	16.5	11.9
Caldwell	513.3	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	403.5	^	^	^	^	^	^	^	^	^	^
Claiborne	416.6	169.6	^	^	^	^	^	^	^	^	^
Concordia	341.3	125.4	^	^	^	^	^	^	^	^	^
De Soto	487.1	191.7	^	^	^	^	^	^	^	^	^
East Baton Rouge	416.4	138.0	37.3	38.6	25.4	14.4	14.8	17.0	16.0	17.2	10.0
East Carroll	570.4	^	121.2	^	^	^	^	^	^	^	^
East Feliciana	397.1	143.7	^	^	^	^	^	^	^	^	^
Evangeline	498.7	120.9	83.6	70.4	^	^	^	^	^	^	^
Franklin	394.0	^	^	^	^	^	^	^	^	^	^
Grant	383.5	^	^	^	^	^	^	^	^	^	^
Iberia	492.7	175.3	58.3	60.3	^	^	^	^	^	^	^
Iberville	447.3	145.9	43.6	46.0	^	^	^	^	^	^	^
Jackson	427.8	139.5	^	^	^	^	^	^	^	^	^
Jefferson	436.7	152.3	40.0	40.8	22.0	13.8	16.8	15.4	12.1	14.1	12.3
Jefferson Davis	430.0	145.6	^	^	^	^	^	^	^	^	^

Lafayette	447.9	154.5	47.6	45.4	28.8	17.3	14.0	15.3	10.9	^	^
Lafourche	491.5	154.1	53.9	^	^	^	^	^	^	^	^
La Salle	445.2	^	^	^	^	^	^	^	^	^	^
Lincoln	404.6	133.0	47.6	^	^	^	^	^	^	^	^
Livingston	433.2	120.9	^	^	^	^	^	^	^	^	^
Madison	318.9	^	^	^	^	^	^	^	^	^	^
Morehouse	454.0	108.2	^	72.3	40.7	^	^	^	^	^	^
Natchitoches	513.5	169.4	56.2	77.4	^	^	^	^	^	^	^
Orleans	378.8	122.4	45.0	37.2	18.8	14.5	14.1	10.6	10.7	12.7	9.3
Ouachita	403.2	127.1	33.4	46.2	32.8	18.1	14.9	^	10.9	12.8	12.2
Plaquemines	499.1	173.8	^	^	^	^	^	^	^	^	^
Pointe Coupee	382.6	107.3	^	^	^	^	^	^	^	^	^
Rapides	442.3	132.5	50.1	52.2	23.3	13.1	18.9	^	13.9	^	15.0
Red River	500.0	^	^	^	^	^	^	^	^	^	^
Richland	504.5	127.0	^	75.2	^	^	^	^	^	^	^
Sabine	473.3	163.2	^	^	^	^	^	^	^	^	^
St. Bernard	463.6	119.2	^	^	^	^	^	^	^	^	^
St. Charles	384.1	145.8	^	45.5	^	^	^	^	^	^	^
St. Helena	303.1	^	^	^	^	^	^	^	^	^	^
St. James	509.8	176.7	41.9	65.7	^	^	^	^	^	^	^
St. John the Baptist	378.7	129.5	35.1	38.4	25.3	^	^	^	^	^	^
St. Landry	484.2	170.7	58.0	39.7	30.4	21.5	^	^	^	^	^
St. Martin	433.7	155.4	48.5	49.4	^	^	^	^	^	^	^
St. Mary	431.6	148.6	44.6	51.8	^	^	^	^	^	^	^
St. Tammany	413.7	160.9	37.1	36.1	22.7	^	^	17.4	^	^	^
Tangipahoa	416.0	135.7	42.5	28.5	26.8	^	18.5	18.9	15.7	^	^
Tensas	415.9	^	^	^	^	^	^	^	^	^	^
Terrebonne	467.3	137.8	72.2	47.6	34.9	^	^	^	^	^	^
Union	531.7	163.4	^	^	^	^	^	^	^	^	^
Vermilion	499.4	142.6	^	^	^	^	^	^	^	^	^
Vernon	372.2	^	^	^	^	^	^	^	^	^	^
Washington	419.7	119.1	37.7	43.0	^	^	^	^	^	^	^
Webster	433.8	129.6	48.7	50.6	^	^	^	^	^	^	^
West Baton Rouge	467.2	166.8	^	55.4	^	^	^	^	^	^	^

West Carroll	387.9	^	^	^	^	^	^	^	^	^	^
West Feliciana	558.5	^	^	^	^	^	^	^	^	^	^
Winn	407.2	^	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases.

Table F1. Incidence Rates¹ by LTR Region² for the Ten Most Commonly Diagnosed Cancers, 2017-2021:
NH White Males

Primary Site				New Orleans Region	Baton Rouge Region	Southwest Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
Invasive cancers ³	U.S. ⁴	LA									
All Sites	509.0	554.8	↑	515.4 *	559.8	567.4	591.1 #	560.4	552.5	545.7	535.8 *
Prostate	113.7	124.6	↑	115.9 *	137.5 #	118.4 *	138.3 #	127.4	109.9 *	116.6 *	118.6
Lung and Bronchus	57.6	72.5	↑	63.3 *	65.0 *	75.7	77.2	76.9	80.5 #	74.6	78.8
Colon and Rectum	41.7	49.2	↑	43.2 *	43.3 *	50.8	56.8 #	51.5	60.2 #	47.4	49.2
Urinary Bladder	37.3	36.9		39.0	35.2	41.0 #	36.2	33.3	39.0	38.1	30.8 *
Melanoma of the Skin	43.1	34.6	↓	34.1	42.0 #	36.5	29.6 *	32.9	26.2 *	29.8 *	37.8
Kidney and Renal Pelvis	23.4	33.3	↑	28.0 *	33.5	34.5	39.0 #	33.5	30.3	33.3	31.7
Non-Hodgkin Lymphoma	24.1	24.6		23.7	24.8	27.0	26.2	25.4	23.3	23.0	21.3
Oral Cavity and Pharynx	20.1	23.1	↑	21.9	26.0 #	22.5	22.8	20.1	22.6	23.5	22.4
Leukemia	19.4	19.4		17.5	19.0	18.2	22.2	21.1	18.9	21.7	19.0
Pancreas	15.5	15.3		15.3	13.3	17.2	15.7	14.4	16.3	15.5	15.4

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table F2. Incidence Rates¹ by LTR Region² for the Ten Most Commonly Diagnosed Cancers, 2017-2021:
NH White Females

Primary Site			New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
Invasive cancers ³	U.S. ⁴	LA								
All Sites	445.7	444.1	420.5 *	439.4	455.0	457.3 #	429.7	435.5	461.3 #	456.4
Breast	138.7	130.2 ↓	139.9 #	129.5	141.9 #	137.9 #	114.2 *	104.4 *	126.8	117.5 *
Lung and Bronchus	49.5	54.9 ↑	46.9 *	55.2	55.8	57.7	56.2	58.1	55.1	57.9
Colon and Rectum	32.9	37.6 ↑	32.9 *	32.1 *	37.2	38.4	39.4	42.4	42.6 #	47.2 #
Thyroid	20.5	22.6 ↑	19.5	24.0	22.2	22.5	15.7 *	27.5 #	26.9 #	23.7
Melanoma of the Skin	28.9	20.6 ↓	21.4	23.8 #	19.7	14.2 *	18.0	19.9	20.9	28.8 #
Corpus and Uterus, NOS	27.4	20.6 ↓	19.2	19.1	18.4	22.6	21.3	24.6	23.6	20.7
Non-Hodgkin Lymphoma	16.3	17.5 ↑	17.2	16.1	19.6	18.3	18.0	17.3	18.4	14.2 *
Kidney and Renal Pelvis	11.4	16.9 ↑	13.1 *	15.9	17.6	19.7 #	20.2	15.8	15.5	19.6
Leukemia	11.8	12.2	9.7 *	11.5	12.2	12.7	15.1 #	11.6	15.0 #	11.5
Pancreas	11.8	12.1	10.6	11.9	11.5	13.8	12.3	12.2	12.5	13.1

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table F3. Incidence Rates¹ by LTR Region² for the Ten Most Commonly Diagnosed Cancers, 2017-2021:
NH Black Males

Primary Site				New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
Invasive cancers ³	U.S. ⁴	LA									
All Sites	530.3	599.5	↑	544.7 *	646.7 #	611.7	646.0 #	606.4	614.1	596.0	574.8
Prostate	190.6	197.8	↑	178.7 *	225.3 #	204.5	189.0	190.7	206.1	184.1	214.6
Lung and Bronchus	66.5	89.5	↑	82.9	91.8	84.0	99.5	88.4	94.9	98.3	80.7
Colon and Rectum	49.6	60.8	↑	53.3 *	61.1	65.8	69.5	60.3	64.4	64.7	59.3
Kidney and Renal Pelvis	25.3	29.8	↑	27.8	34.4	31.4	29.8	30.5	24.0	28.6	30.1
Liver and Intrahepatic Bile Duct	16.0	22.1	↑	22.4	30.1 #	17.5	24.2	22.8	13.6 *	22.9	6.5 *
Pancreas	17.8	20.2	↑	16.4 *	19.0	19.9	29.9 #	17.5	18.3	21.5	23.2
Urinary Bladder	19.4	19.0		18.7	21.2	16.2	19.1	18.1	17.9	21.5	14.4
Non-Hodgkin Lymphoma	17.1	16.8		18.8	17.2	16.9	17.2	16.4	18.8	15.3	12.0
Myeloma	17.2	16.3		13.4	17.9	16.2	16.7	15.8	18.1	19.0	15.5
Oral Cavity and Pharynx	13.4	15.9	↑	13.4	16.5	15.2	17.4	15.7	21.8	15.5	17.7

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table F4. Incidence Rates¹ by LTR Region² for the Ten Most Commonly Diagnosed Cancers, 2017-2021:
NH Black Females

Primary Site				New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
Invasive cancers ³	U.S. ⁴	LA									
All Sites	405.2	423.1	↑	397.7 *	418.0	432.3	464.7 #	429.7	425.5	437.6	420.1
Breast	131.3	137.3	↑	131.2	138.6	147.2	158.7 #	126.2	134.9	136.5	121.0 *
Lung and Bronchus	43.0	44.4		43.6	39.1 *	44.1	54.9 #	53.5	43.5	44.2	43.6
Colon and Rectum	37.8	43.6	↑	38.1 *	39.0	43.7	49.4	45.4	46.8	50.5 #	50.3
Corpus and Uterus, NOS	29.0	24.6	↓	19.8 *	23.8	26.3	23.9	23.1	23.7	29.9 #	33.3 #
Pancreas	15.1	15.6		14.1	14.6	13.3	17.2	21.3	14.4	17.3	18.5
Kidney and Renal Pelvis	13.2	15.5	↑	15.2	15.3	15.4	14.1	12.8	16.0	17.2	17.5
Thyroid	11.9	13.5	↑	12.3	15.9	16.8	15.2	^	14.1	11.3	11.6
Myeloma	13.1	12.9		11.1	16.4 #	14.1	11.0	^	11.5	13.8	12.9
Non-Hodgkin Lymphoma	11.9	12.8		12.9	15.1	10.9	12.1	16.2	8.6	12.5	9.8
Cervix Uteri	8.4	10.9	↑	10.5	10.7	8.8	10.0	10.7	15.6	11.5	12.4

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G1. Incidence Rates¹ by LA OPH Region² for the Ten Most Commonly Diagnosed Cancers, 2017-2021:
NH White Males

Primary Site				New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
Invasive cancers ³	U.S. ⁴	LA										
All Sites	509.0	554.8	↑	516.5 *	560.0	562.4	591.9 #	560.4	552.5	545.7	535.8 *	567.7
Prostate	113.7	124.6	↑	116.8 *	144.7 #	114.5 *	140.3 #	127.4	109.9 *	116.6 *	118.6	123.1
Lung and Bronchus	57.6	72.5	↑	63.4 *	56.5 *	81.9 #	75.0	76.9	80.5 #	74.6	78.8	76.4
Colon and Rectum	41.7	49.2	↑	43.6 *	40.5 *	53.2	56.9 #	51.5	60.2 #	47.4	49.2	48.2
Urinary Bladder	37.3	36.9		39.1	35.9	41.5	36.0	33.3	39.0	38.1	30.8 *	37.2
Melanoma of the Skin	43.1	34.6	↓	33.9	45.0 #	22.8 *	30.2 *	32.9	26.2 *	29.8 *	37.8	43.9 #
Kidney and Renal Pelvis	23.4	33.3	↑	28.4 *	33.5	36.2	39.8 #	33.5	30.3	33.3	31.7	32.3
Non-Hodgkin Lymphoma	24.1	24.6		23.6	23.8	28.8 #	26.0	25.4	23.3	23.0	21.3	26.1
Oral Cavity and Pharynx	20.1	23.1	↑	21.8	26.3 #	23.1	23.0	20.1	22.6	23.5	22.4	23.5
Leukemia	19.4	19.4		17.6	19.0	19.3	22.3	21.1	18.9	21.7	19.0	17.9
Pancreas	15.5	15.3		14.9	13.5	16.1	15.3	14.4	16.3	15.5	15.4	16.5

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G2. Incidence Rates¹ by LA OPH Region² for the Ten Most Commonly Diagnosed Cancers, 2017-2021:
NH White Females

Primary Site			New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region		Northlake Region		
Invasive cancers ³	U.S. ⁴	LA																			
All Sites	445.7	444.1		421.2	*	432.0		438.9		460.8	#	429.7		435.5		461.3	#	456.4		459.7	#
Breast	138.7	130.2	↓	139.1	#	136.1		131.1		140.2	#	114.2	*	104.4	*	126.8		117.5	*	135.4	
Lung and Bronchus	49.5	54.9	↑	48.3	*	51.3		53.8		57.8		56.2		58.1		55.1		57.9		59.0	#
Colon and Rectum	32.9	37.6	↑	32.9	*	29.7	*	37.6		38.8		39.4		42.4		42.6	#	47.2	#	36.2	
Thyroid	20.5	22.6	↑	19.4	*	25.0		20.5		23.3		15.7	*	27.5	#	26.9	#	23.7		22.9	
Melanoma of the Skin	28.9	20.6	↓	21.3		26.0	#	14.8	*	14.6	*	18.0		19.9		20.9		28.8	#	22.1	
Corpus and Uterus, NOS	27.4	20.6	↓	19.1		17.7		20.5		22.5		21.3		24.6		23.6		20.7		18.8	
Non-Hodgkin Lymphoma	16.3	17.5	↑	17.3		15.5		20.6		17.8		18.0		17.3		18.4		14.2	*	18.3	
Kidney and Renal Pelvis	11.4	16.9	↑	13.2	*	14.1	*	18.6		19.6	#	20.2		15.8		15.5		19.6		17.8	
Leukemia	11.8	12.2		9.7	*	11.1		13.1		12.7		15.1	#	11.6		15.0	#	11.5		11.7	
Pancreas	11.8	12.1		10.5		11.4		11.1		14.2		12.3		12.2		12.5		13.1		12.2	

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G3. Incidence Rates¹ by LA OPH Region² for the Ten Most Commonly Diagnosed Cancers, 2017-2021:
NH Black Males

Primary Site				New Orleans		Baton Rouge		Southeast		Acadiana		Southwes		Central		Northwest		Northeast		Northlake	
Invasive cancers ³	U.S. ⁴	LA		Region		Region		Region		Region		t Region		Region		Region		Region		Region	
All Sites	530.3	599.5	↑	545.2	*	641.0	#	589.0		658.6	#	606.4		614.1		596.0		574.8		662.8	#
Prostate	190.6	197.8	↑	178.8	*	221.7	#	189.3		191.8		190.7		206.1		184.1		214.6		238.0	#
Lung and Bronchus	66.5	89.5	↑	83.1		88.3		88.4		103.7	#	88.4		94.9		98.3		80.7		88.1	
Colon and Rectum	49.6	60.8	↑	53.2	*	58.5		63.8		70.2		60.3		64.4		64.7		59.3		73.2	
Kidney and Renal Pelvis	25.3	29.8	↑	27.7		33.6		32.5		28.8		30.5		24.0		28.6		30.1		35.4	
Liver and Intrahepatic Bile Duct	16.0	22.1	↑	22.3		30.2	#	15.1	*	25.6		22.8		13.6	*	22.9		6.5	*	25.9	
Pancreas	17.8	20.2	↑	16.4	*	20.2		15.6		31.4	#	17.5		18.3		21.5		23.2		21.4	
Urinary Bladder	19.4	19.0		18.6		22.2		18.1		18.9		18.1		17.9		21.5		14.4		15.6	
Non-Hodgkin Lymphoma	17.1	16.8		18.9		17.3		12.2		18.9		16.4		18.8		15.3		12.0		18.6	
Myeloma	17.2	16.3		13.2		19.5		18.9		16.6		15.8		18.1		19.0		15.5		11.2	
Oral Cavity and Pharynx	13.4	15.9	↑	13.4		16.8		15.2		18.3		15.7		21.8		15.5		17.7		14.3	

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G4. Incidence Rates¹ by LA OPH Region² for the Ten Most Commonly Diagnosed Cancers, 2017-2021:
NH Black Females

Primary Site				New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
Invasive cancers ³	U.S. ⁴	LA										
All Sites	405.2	423.1	↑	398.9 *	418.2	439.8	469.2 #	429.7	425.5	437.6	420.1	410.3
Breast	131.3	137.3	↑	131.7	139.3	147.4	160.4 #	126.2	134.9	136.5	121.0 *	138.4
Lung and Bronchus	43.0	44.4		44.0	39.6	45.0	56.3 #	53.5	43.5	44.2	43.6	36.8
Colon and Rectum	37.8	43.6	↑	38.1 *	39.7	48.9	49.2	45.4	46.8	50.5 #	50.3	34.7 *
Corpus and Uterus, NOS	29.0	24.6	↓	20.0 *	24.2	27.0	23.9	23.1	23.7	29.9 #	33.3 #	22.2
Pancreas	15.1	15.6		14.2	14.6	15.5	16.8	21.3	14.4	17.3	18.5	12.6
Kidney and Renal Pelvis	13.2	15.5	↑	15.4	14.4	16.8	13.8	12.8	16.0	17.2	17.5	16.0
Thyroid	11.9	13.5	↑	12.4	15.4	14.8	14.5	^	14.1	11.3	11.6	20.9 #
Myeloma	13.1	12.9		11.0	16.2 #	12.6	11.7	^	11.5	13.8	12.9	16.1
Non-Hodgkin Lymphoma	11.9	12.8		12.9	15.5	10.1	12.3	16.2	8.6	12.5	9.8	13.5
Cervix Uteri	8.4	10.9	↑	10.5	9.9	9.7	9.6	10.7	15.6	11.5	12.4	12.4

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table H1. Number of Children and Adolescent Cancer Diagnoses,¹ 2017-2021 Combined, Louisiana

ICCC ² Primary Site	All Races			NH White			NH Black		
	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls
All ICCC Sites including Borderline & Benign Brain/CNS Tumors	1,218	645	573	733	391	342	357	180	177
I Leukemias, myeloproliferative & myelodysplastic diseases ³	263	163	100	148	86	62	79	53	26
II Lymphomas & reticuloendothelial neoplasms	165	111	54	103	75	28	49	26	23
III CNS & miscellaneous intracranial & intraspinal neoplasms ⁴	301	138	163	186	91	95	90	35	55
IV Neuroblastoma & other peripheral nervous cell tumors	42	18	24	28	11	17	11	^	6
V Retinoblastoma	12	6	6	7	^	^	^	^	^
VI Renal tumors	52	24	28	26	12	14	19	9	10
VII Hepatic tumors	16	9	7	12	7	^	^	^	^
VIII Malignant bone tumors	43	32	11	28	22	6	10	7	^
IX Soft tissue & other extraosseous sarcomas	80	46	34	37	23	14	38	20	18
X Germ cell tumors, trophoblastic tumors & neoplasms of gonads ⁵	57	30	27	32	20	12	17	^	13
XI Other malignant epithelial neoplasms & malignant melanomas ⁶	126	40	86	92	29	63	21	9	12
XII Other & unspecified malignant neoplasms	^	^	^	^	^	^	^	^	^
Not classified by SEER or in situ	59	27	32	33	12	21	18	9	9

¹Children and adolescent cancers include patients aged 0-19 years.

²ICCC: International Classification of Childhood Cancer. For more information: <https://seer.cancer.gov/iccc/iccc-iarc-2017.html>

³Group I includes myelodysplastic syndromes.

⁴Group III includes benign and borderline brain/CNS tumors.

⁵Group X includes benign and borderline intracranial and intraspinal germ cell tumors.

⁶Group XI includes in situ urinary bladder tumors.

^ Count is not displayed due to fewer than 6 cases during the five-year period.

Table H2. Percent Distribution of Children and Adolescent Cancers,¹ 2017-2021, Louisiana

ICCC ² Primary Site	All Races			NH White			NH Black		
	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls
All ICCC Sites including Borderline & Benign Brain/CNS Tumors	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
I Leukemias, myeloproliferative & myelodysplastic diseases ³	21.6	25.3	17.5	20.2	22.0	18.1	22.1	29.4	14.7
II Lymphomas & reticuloendothelial neoplasms	13.5	17.2	9.4	14.1	19.2	8.2	13.7	14.4	13.0
III CNS & miscellaneous intracranial & intraspinal neoplasms ⁴	24.7	21.4	28.4	25.4	23.3	27.8	25.2	19.4	31.1
IV Neuroblastoma & other peripheral nervous cell tumors	3.4	2.8	4.2	3.8	2.8	5.0	3.1	2.8	3.4
V Retinoblastoma	1.0	0.9	1.0	1.0	0.8	1.2	0.8	1.1	0.6
VI Renal tumors	4.3	3.7	4.9	3.5	3.1	4.1	5.3	5.0	5.6
VII Hepatic tumors	1.3	1.4	1.2	1.6	1.8	1.5	0.6	0.6	0.6
VIII Malignant bone tumors	3.5	5.0	1.9	3.8	5.6	1.8	2.8	3.9	1.7
IX Soft tissue & other extraosseous sarcomas	6.6	7.1	5.9	5.0	5.9	4.1	10.6	11.1	10.2
X Germ cell tumors, trophoblastic tumors & neoplasms of gonads ⁵	4.7	4.7	4.7	4.4	5.1	3.5	4.8	2.2	7.3
XI Other malignant epithelial neoplasms & malignant melanomas ⁶	10.3	6.2	15.0	12.6	7.4	18.4	5.9	5.0	6.8
XII Other & unspecified malignant neoplasms	0.2	0.2	0.2	0.1	0.0	0.3	0.0	0.0	0.0
Not classified by SEER or in situ	4.8	4.2	5.6	4.5	3.1	6.1	5.0	5.0	5.1

¹Children and adolescent cancers include patients aged 0-19 years.

²ICCC: International Classification of Childhood Cancer. For more information: <https://seer.cancer.gov/iccc/iccc-iarc-2017.html>

³Group I includes myelodysplastic syndromes.

⁴Group III includes benign and borderline brain/CNS tumors.

⁵Group X includes benign and borderline intracranial and intraspinal germ cell tumors.

⁶Group XI includes in situ urinary bladder tumors.

Table H3. Average Annual Cancer Incidence Rates¹ of Children and Adolescent Cancers,² 2017-2021, Louisiana

ICCC ³ Primary Site	All Races			NH White			NH Black		
	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls
All ICCC Sites excluding Borderline & Benign Brain/CNS Tumors	179.7	191.6	167.4	206.8	221.3	191.5	137.7	141.6	133.8
All ICCC Sites including Borderline & Benign Brain/CNS Tumors	199.2	207.0	191.1	229.9	239.5	219.9	153.0	152.5	153.6
I Leukemias, myeloproliferative & myelodysplastic diseases ³	43.0	52.3	33.3	46.7	52.9	40.2	34.0	45.2	22.6
II Lymphomas & reticuloendothelial neoplasms	26.9	35.6	17.9	32.0	45.7	17.6	20.9	21.9	19.8
III CNS & miscellaneous intracranial & intraspinal neoplasms ⁴	49.3	44.4	54.5	58.6	55.9	61.4	38.6	29.6	47.8
IV Neuroblastoma & other peripheral nervous cell tumors	6.9	5.8	8.0	9.0	^	11.1	^	^	^
V Retinoblastoma	^	^	^	^	^	^	^	^	^
VI Renal tumors	8.5	7.7	9.3	8.3	^	^	8.2	^	^
VII Hepatic tumors	2.6	^	^	^	^	^	^	^	^
VIII Malignant bone tumors	7.0	10.3	^	8.7	13.3	^	^	^	^
IX Soft tissue & other extraosseous sarcomas	13.1	14.7	11.4	11.7	14.1	^	16.3	16.9	15.6
X Germ cell tumors, trophoblastic tumors & neoplasms of gonads ⁵	9.3	9.6	9.0	10.0	12.1	^	7.3	^	^
XI Other malignant epithelial neoplasms & malignant melanomas ⁶	20.5	12.8	28.6	28.4	17.5	39.8	8.9	^	^
XII Other & unspecified malignant neoplasms	^	^	^	^	^	^	^	^	^
Not classified by SEER or in situ	9.7	8.7	10.7	10.2	^	13.3	7.7	^	^

¹Rates are per 1,000,000 and age-adjusted to the 2000 US Population (19 age groups - Census P25-1130) standard.

²Children and adolescent cancers include patients aged 0-19 years.

²ICCC: International Classification of Childhood Cancer. For more information: <https://seer.cancer.gov/iccc/iccc-iarc-2017.html>

³Group I includes myelodysplastic syndromes.

⁴Group III includes benign and borderline brain/CNS tumors.

⁵Group X includes benign and borderline intracranial and intraspinal germ cell tumors.

⁶Group XI includes in situ urinary bladder tumors.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Table I1. Age-specific Number of Cancer Cases¹, 2017-2021, Louisiana

Primary Site														
<i>Invasive Cancers</i> ²	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
All Sites	539	876	1,584	2,493	3,477	5,489	9,161	14,780	20,470	22,781	19,727	14,648	9,475	7,711
Oral Cavity and Pharynx	10	11	28	51	88	177	382	564	671	587	463	309	201	155
Lip	^	^	^	^	^	6	14	18	16	19	27	15	12	16
Tongue	^	^	10	12	28	57	111	174	215	207	142	109	55	41
Salivary Gland	^	^	8	10	8	13	11	27	43	44	48	44	38	25
Floor of Mouth	^	^	^	^	^	7	22	25	41	26	14	12	11	10
Gum and Other Mouth	^	^	^	7	16	25	45	67	79	70	76	44	50	41
Nasopharynx	^	^	6	7	10	10	18	21	23	22	12	10	^	^
Tonsil	^	^	^	13	14	35	104	154	146	113	77	34	11	^
Oropharynx	^	^	^	^	^	12	29	39	52	42	31	14	7	^
Hypopharynx	^	^	^	^	^	12	17	29	47	35	25	24	11	7
Other Oral Cavity and Pharynx	^	^	^	^	^	^	11	10	9	9	11	^	^	^
Digestive System	54	85	168	341	544	1,042	1,985	2,932	3,841	4,241	3,572	2,724	1,877	1,723
Esophagus	^	^	^	8	14	45	84	165	232	216	195	149	86	72
Stomach	^	^	21	46	32	74	123	213	280	317	263	219	147	174
Small Intestine	^	^	7	15	34	51	89	102	153	138	146	88	52	39
Colon and Rectum	42	66	109	214	355	646	1,214	1,353	1,612	1,914	1,604	1,209	897	830
Colon excluding Rectum	30	48	73	131	196	383	676	846	1,075	1,372	1,209	940	715	687
Cecum	^	^	12	15	30	66	107	150	178	290	245	210	179	181
Appendix	21	30	32	24	34	43	43	37	59	60	44	23	7	^
Ascending Colon	^	^	^	18	14	57	101	133	195	248	294	248	171	163
Hepatic Flexure	^	^	^	^	^	8	27	29	51	55	78	48	39	32
Transverse Colon	^	^	^	9	20	25	41	88	100	133	118	97	86	68
Splenic Flexure	^	^	^	^	6	7	28	29	36	49	27	39	22	19
Descending Colon	^	^	^	14	15	32	50	79	94	101	78	42	38	41
Sigmoid Colon	^	6	15	34	61	131	258	265	298	359	258	174	123	105
Large Intestine, NOS	^	^	^	8	11	14	21	36	64	77	67	59	50	73
Rectum and Rectosigmoid Junction	12	18	36	83	159	263	538	507	537	542	395	269	182	143
Rectosigmoid Junction	^	^	7	12	26	35	96	80	103	84	72	57	34	26
Rectum	12	17	29	71	133	228	442	427	434	458	323	212	148	117

Anus, Anal Canal and Anorectum	^	^	^	11	19	38	61	70	83	83	65	54	25	31
Liver and Intrahepatic Bile Duct	^	^	9	11	17	57	156	491	755	695	433	304	143	111
Liver	^	^	9	7	14	42	133	433	687	607	356	246	120	85
Intrahepatic Bile Duct	^	^	^	^	^	15	23	58	68	88	77	58	23	26
Gallbladder	^	^	^	6	^	11	16	29	42	55	77	47	33	37
Other Biliary	^	^	^	^	^	8	17	44	59	84	72	58	45	41
Pancreas	^	^	9	26	55	99	204	425	561	683	662	556	415	357
Retroperitoneum	^	^	^	^	^	^	6	9	17	7	9	8	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	8	9	14	21	12	12	8	9
Other Digestive Organs	^	^	^	^	^	^	7	22	33	28	34	20	21	19
Respiratory System	12	8	36	70	134	315	883	2,065	3,199	3,504	3,349	2,793	1,743	1,149
Nose, Nasal Cavity and Middle Ear	^	^	^	^	6	10	9	23	35	26	32	22	20	12
Larynx	^	^	^	11	15	46	115	237	287	270	184	132	65	39
Lung and Bronchus	6	8	24	54	113	258	756	1,800	2,871	3,207	3,128	2,633	1,656	1,095
Pleura	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other	^	^	^	^	^	^	^	^	^	^	^	6	^	^
Bones and Joints	12	20	11	10	12	14	9	20	17	18	18	8	11	13
Soft Tissue including Heart	19	19	31	27	51	52	56	87	108	109	119	88	73	86
Skin excluding Basal and Squamous	40	92	153	189	227	291	380	486	638	725	714	559	431	422
Melanoma of the Skin	36	86	142	174	205	269	364	453	568	650	645	482	359	336
Other Non-Epithelial Skin	^	6	11	15	22	22	16	33	70	75	69	77	72	86
Breast	19	87	256	559	931	1,354	1,658	2,140	2,645	2,890	2,498	1,712	1,042	925
Female Genital System	19	65	193	273	342	397	553	764	985	974	737	459	319	247
Cervix Uteri	^	34	104	135	145	112	128	130	102	78	43	44	22	25
Corpus and Uterus, NOS	^	9	40	84	111	165	270	431	610	607	449	221	125	89
Corpus Uteri	^	9	40	81	109	162	261	418	593	583	433	213	120	80
Uterus, NOS	^	^	^	^	^	^	9	13	17	24	16	8	^	9
Ovary	10	20	27	38	56	80	87	128	180	172	142	114	92	72
Vagina	^	^	^	^	^	^	9	18	15	25	13	15	14	14
Vulva	^	^	13	13	24	31	39	35	49	54	58	39	42	37
Other Female Genital Organs	^	^	^	^	^	7	20	22	29	38	32	26	24	10
Male Genital System	65	91	97	100	135	372	1,216	2,532	4,039	4,868	3,543	1,986	932	505
Prostate	^	^	^	14	81	329	1,174	2,491	4,010	4,840	3,523	1,962	913	494
Testis	65	91	95	84	50	36	32	24	13	7	8	^	^	^

Penis	^	^	^	^	^	^	7	13	11	16	12	18	14	8
Other Male Genital Organs	^	^	^	^	^	^	^	^	^	^	^	6	^	^
Urinary System	10	22	74	164	264	465	707	1,192	1,709	1,880	1,815	1,472	991	859
Urinary Bladder	^	^	8	24	39	71	180	403	661	786	847	808	579	586
Kidney and Renal Pelvis	7	19	66	137	225	390	515	774	1,026	1,059	925	614	373	240
Ureter	^	^	^	^	^	^	^	8	15	15	27	28	19	15
Other Urinary Organs	^	^	^	^	^	^	7	7	7	20	16	22	20	18
Eye and Orbit	^	^	^	^	7	9	11	30	23	27	24	25	10	9
Brain and Other Nervous System	34	40	46	53	49	82	88	127	177	156	184	119	82	51
Brain	31	37	42	51	45	76	83	121	168	151	177	114	79	47
Cranial Nerves Other Nervous System	^	^	^	^	^	6	^	6	9	^	7	^	^	^
Endocrine System	87	126	220	296	314	331	326	384	418	354	278	162	76	37
Thyroid	82	125	214	290	304	321	311	363	383	316	250	142	66	33
Other Endocrine including Thymus	^	^	6	6	10	10	15	21	35	38	28	20	10	^
Lymphoma	100	139	160	160	169	254	333	519	638	761	794	707	491	386
Hodgkin Lymphoma	66	80	68	42	44	37	37	48	31	38	41	22	22	9
Hodgkin - Nodal	66	80	67	42	44	36	37	47	31	36	40	22	21	9
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	34	59	92	118	125	217	296	471	607	723	753	685	469	377
NHL - Nodal	23	34	57	66	74	142	217	318	402	485	537	474	323	254
NHL - Extranodal	11	25	35	52	51	75	79	153	205	238	216	211	146	123
Myeloma	^	^	8	19	37	89	155	213	337	411	357	315	204	174
Leukemia	39	34	47	82	80	108	201	317	406	499	483	465	407	311
Lymphocytic Leukemia	12	8	13	23	26	40	95	162	222	253	247	232	187	146
Acute Lymphocytic Leukemia	11	^	11	7	8	9	11	20	15	19	10	10	12	^
Chronic Lymphocytic Leukemia	^	^	^	10	12	25	77	131	201	219	225	212	163	137
Other Lymphocytic Leukemia	^	^	^	6	6	6	7	11	6	15	12	10	12	^
Myeloid and Monocytic Leukemia	25	25	34	58	50	63	97	150	171	230	212	214	204	139
Acute Myeloid Leukemia	15	14	15	30	23	36	62	86	111	158	138	155	132	92
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	6	6
Chronic Myeloid Leukemia	10	10	19	28	27	24	34	61	58	63	69	53	64	37
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Other Leukemia	^	^	^	^	^	^	9	^	13	16	24	19	16	26
Other Acute Leukemia	^	^	^	^	^	^	^	^	^	^	7	^	^	10

Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	7	^	11	14	17	14	11	16
Mesothelioma	^	^	^	^	7	^	8	11	21	50	64	58	29	31
Kaposi Sarcoma	^	11	22	14	8	11	7	^	^	^	7	^	^	8
Miscellaneous	11	23	31	78	78	121	203	392	595	723	708	683	551	620

In Situ Cancers (not included above)

Breast In Situ	^	7	20	74	191	302	385	466	583	632	502	299	133	71
----------------	---	---	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----

[^]Statistic not displayed due to fewer than 6 cases.

¹Number of cases is the total for the 5-year time period.

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

Table I2. Age-Specific Average Annual Cancer Incidence Rates,¹ 2017-2021, Louisiana

Primary Site														
<i>Invasive Cancers³</i>	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
All Sites	34.3	54.0	98.5	158.4	249.3	404.9	645.3	958.8	1,388.3	1,835.3	2,063.4	2,328.0	2,304.1	1,959.4
Oral Cavity and Pharynx	^	^	1.7	3.2	6.3	13.1	26.9	36.6	45.5	47.3	48.4	49.1	48.9	39.4
Lip	^	^	^	^	^	^	^	1.2	1.1	1.5	2.8	^	^	4.1
Tongue	^	^	^	^	2.0	4.2	7.8	11.3	14.6	16.7	14.9	17.3	13.4	10.4
Salivary Gland	^	^	^	^	^	^	^	1.8	2.9	3.5	5.0	7.0	9.2	6.4
Floor of Mouth	^	^	^	^	^	^	1.5	1.6	2.8	2.1	^	^	^	^
Gum and Other Mouth	^	^	^	^	1.1	1.8	3.2	4.3	5.4	5.6	7.9	7.0	12.2	10.4
Nasopharynx	^	^	^	^	^	^	1.3	1.4	1.6	1.8	^	^	^	^
Tonsil	^	^	^	^	^	2.6	7.3	10.0	9.9	9.1	8.1	5.4	^	^
Oropharynx	^	^	^	^	^	^	2.0	2.5	3.5	3.4	3.2	^	^	^
Hypopharynx	^	^	^	^	^	^	1.2	1.9	3.2	2.8	2.6	3.8	^	^
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Digestive System	3.4	5.2	10.4	21.7	39.0	76.9	139.8	190.2	260.5	341.7	373.6	432.9	456.5	437.8
Esophagus	^	^	^	^	^	3.3	5.9	10.7	15.7	17.4	20.4	23.7	20.9	18.3
Stomach	^	^	1.3	2.9	2.3	5.5	8.7	13.8	19.0	25.5	27.5	34.8	35.7	44.2
Small Intestine	^	^	^	^	2.4	3.8	6.3	6.6	10.4	11.1	15.3	14.0	12.6	9.9
Colon and Rectum	2.7	4.1	6.8	13.6	25.5	47.6	85.5	87.8	109.3	154.2	167.8	192.1	218.1	210.9
Colon excluding Rectum	1.9	3.0	4.5	8.3	14.1	28.2	47.6	54.9	72.9	110.5	126.5	149.4	173.9	174.6
Cecum	^	^	^	^	2.2	4.9	7.5	9.7	12.1	23.4	25.6	33.4	43.5	46.0
Appendix	1.3	1.8	2.0	1.5	2.4	3.2	3.0	2.4	4.0	4.8	4.6	3.7	^	^
Ascending Colon	^	^	^	1.1	^	4.2	7.1	8.6	13.2	20.0	30.8	39.4	41.6	41.4
Hepatic Flexure	^	^	^	^	^	^	1.9	1.9	3.5	4.4	8.2	7.6	9.5	8.1
Transverse Colon	^	^	^	^	1.4	1.8	2.9	5.7	6.8	10.7	12.3	15.4	20.9	17.3
Splenic Flexure	^	^	^	^	^	^	2.0	1.9	2.4	3.9	2.8	6.2	5.3	4.8
Descending Colon	^	^	^	^	^	2.4	3.5	5.1	6.4	8.1	8.2	6.7	9.2	10.4
Sigmoid Colon	^	^	^	2.2	4.4	9.7	18.2	17.2	20.2	28.9	27.0	27.7	29.9	26.7
Large Intestine, NOS	^	^	^	^	^	^	1.5	2.3	4.3	6.2	7.0	9.4	12.2	18.5
Rectum and Rectosigmoid Junction	^	1.1	2.2	5.3	11.4	19.4	37.9	32.9	36.4	43.7	41.3	42.8	44.3	36.3
Rectosigmoid Junction	^	^	^	^	1.9	2.6	6.8	5.2	7.0	6.8	7.5	9.1	8.3	6.6
Rectum	^	1.0	1.8	4.5	9.5	16.8	31.1	27.7	29.4	36.9	33.8	33.7	36.0	29.7

Anus, Anal Canal and Anorectum	^	^	^	^	1.4	2.8	4.3	4.5	5.6	6.7	6.8	8.6	6.1	7.9
Liver and Intrahepatic Bile Duct	^	^	^	^	1.2	4.2	11.0	31.9	51.2	56.0	45.3	48.3	34.8	28.2
Liver	^	^	^	^	^	3.1	9.4	28.1	46.6	48.9	37.2	39.1	29.2	21.6
Intrahepatic Bile Duct	^	^	^	^	^	^	1.6	3.8	4.6	7.1	8.1	9.2	5.6	6.6
Gallbladder	^	^	^	^	^	^	1.1	1.9	2.8	4.4	8.1	7.5	8.0	9.4
Other Biliary	^	^	^	^	^	^	1.2	2.9	4.0	6.8	7.5	9.2	10.9	10.4
Pancreas	^	^	^	1.7	3.9	7.3	14.4	27.6	38.0	55.0	69.2	88.4	100.9	90.7
Retroperitoneum	^	^	^	^	^	^	^	^	1.2	^	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	^	^	^	1.7	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	1.4	2.2	2.3	3.6	3.2	5.1	4.8
Respiratory System	^	^	2.2	4.4	9.6	23.2	62.2	134.0	217.0	282.3	350.3	443.9	423.9	292.0
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	1.5	2.4	2.1	3.3	3.5	4.9	^
Larynx	^	^	^	^	^	3.4	8.1	15.4	19.5	21.8	19.2	21.0	15.8	9.9
Lung and Bronchus	^	^	1.5	3.4	8.1	19.0	53.2	116.8	194.7	258.4	327.2	418.5	402.7	278.2
Pleura	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Bones and Joints	^	1.2	^	^	^	^	^	1.3	1.2	1.5	1.9	^	^	^
Soft Tissue including Heart	1.2	1.2	1.9	1.7	3.7	3.8	3.9	5.6	7.3	8.8	12.4	14.0	17.8	21.9
Skin excluding Basal and Squamous	2.5	5.7	9.5	12.0	16.3	21.5	26.8	31.5	43.3	58.4	74.7	88.8	104.8	107.2
Melanoma of the Skin	2.3	5.3	8.8	11.1	14.7	19.8	25.6	29.4	38.5	52.4	67.5	76.6	87.3	85.4
Other Non-Epithelial Skin	^	^	^	^	1.6	1.6	1.1	2.1	4.7	6.0	7.2	12.2	17.5	21.9
Breast	1.2	5.4	15.9	35.5	66.8	99.9	116.8	138.8	179.4	232.8	261.3	272.1	253.4	235.1
Female Genital System	1.2	4.0	12.0	17.3	24.5	29.3	39.0	49.6	66.8	78.5	77.1	72.9	77.6	62.8
Cervix Uteri	^	2.1	6.5	8.6	10.4	8.3	9.0	8.4	6.9	6.3	4.5	7.0	5.3	6.4
Corpus and Uterus, NOS	^	^	2.5	5.3	8.0	12.2	19.0	28.0	41.4	48.9	47.0	35.1	30.4	22.6
Corpus Uteri	^	^	2.5	5.1	7.8	11.9	18.4	27.1	40.2	47.0	45.3	33.9	29.2	20.3
Uterus, NOS	^	^	^	^	^	^	^	^	1.2	1.9	1.7	^	^	^
Ovary	^	1.2	1.7	2.4	4.0	5.9	6.1	8.3	12.2	13.9	14.9	18.1	22.4	18.3
Vagina	^	^	^	^	^	^	^	1.2	^	2.0	^	^	^	^
Vulva	^	^	^	^	1.7	2.3	2.7	2.3	3.3	4.4	6.1	6.2	10.2	9.4
Other Female Genital Organs	^	^	^	^	^	^	1.4	1.4	2.0	3.1	3.3	4.1	5.8	^
Male Genital System	4.1	5.6	6.0	6.4	9.7	27.4	85.6	164.3	273.9	392.2	370.6	315.6	226.6	128.3
Prostate	^	^	^	^	5.8	24.3	82.7	161.6	272.0	389.9	368.5	311.8	222.0	125.5

Testis	4.1	5.6	5.9	5.3	3.6	2.7	2.3	1.6	^	^	^	^	^	^
Penis	^	^	^	^	^	^	^	^	^	1.3	^	2.9	^	^
Other Male Genital Organs	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Urinary System	^	1.4	4.6	10.4	18.9	34.3	49.8	77.3	115.9	151.5	189.8	233.9	241.0	218.3
Urinary Bladder	^	^	^	1.5	2.8	5.2	12.7	26.1	44.8	63.3	88.6	128.4	140.8	148.9
Kidney and Renal Pelvis	^	1.2	4.1	8.7	16.1	28.8	36.3	50.2	69.6	85.3	96.8	97.6	90.7	61.0
Ureter	^	^	^	^	^	^	^	^	^	^	2.8	4.4	4.6	^
Other Urinary Organs	^	^	^	^	^	^	^	^	^	1.6	1.7	3.5	4.9	4.6
Eye and Orbit	^	^	^	^	^	^	^	1.9	1.6	2.2	2.5	4.0	^	^
Brain and Other Nervous System	2.2	2.5	2.9	3.4	3.5	6.0	6.2	8.2	12.0	12.6	19.2	18.9	19.9	13.0
Brain	2.0	2.3	2.6	3.2	3.2	5.6	5.8	7.8	11.4	12.2	18.5	18.1	19.2	11.9
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Endocrine System	5.5	7.8	13.7	18.8	22.5	24.4	23.0	24.9	28.3	28.5	29.1	25.7	18.5	9.4
Thyroid	5.2	7.7	13.3	18.4	21.8	23.7	21.9	23.5	26.0	25.5	26.1	22.6	16.0	8.4
Other Endocrine including Thymus	^	^	^	^	^	^	^	1.4	2.4	3.1	2.9	3.2	^	^
Lymphoma	6.4	8.6	9.9	10.2	12.1	18.7	23.5	33.7	43.3	61.3	83.0	112.4	119.4	98.1
Hodgkin Lymphoma	4.2	4.9	4.2	2.7	3.2	2.7	2.6	3.1	2.1	3.1	4.3	3.5	5.3	^
Hodgkin - Nodal	4.2	4.9	4.2	2.7	3.2	2.7	2.6	3.0	2.1	2.9	4.2	3.5	5.1	^
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	2.2	3.6	5.7	7.5	9.0	16.0	20.8	30.6	41.2	58.2	78.8	108.9	114.1	95.8
NHL - Nodal	1.5	2.1	3.5	4.2	5.3	10.5	15.3	20.6	27.3	39.1	56.2	75.3	78.5	64.5
NHL - Extranodal	^	1.5	2.2	3.3	3.7	5.5	5.6	9.9	13.9	19.2	22.6	33.5	35.5	31.3
Myeloma	^	^	^	1.2	2.7	6.6	10.9	13.8	22.9	33.1	37.3	50.1	49.6	44.2
Leukemia	2.5	2.1	2.9	5.2	5.7	8.0	14.2	20.6	27.5	40.2	50.5	73.9	99.0	79.0
Lymphocytic Leukemia	^	^	^	1.5	1.9	3.0	6.7	10.5	15.1	20.4	25.8	36.9	45.5	37.1
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	1.3	^	1.5	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	^	1.8	5.4	8.5	13.6	17.6	23.5	33.7	39.6	34.8
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	1.6	1.5	2.1	3.7	3.6	4.6	6.8	9.7	11.6	18.5	22.2	34.0	49.6	35.3
Acute Myeloid Leukemia	^	^	^	1.9	1.6	2.7	4.4	5.6	7.5	12.7	14.4	24.6	32.1	23.4
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	^	^	1.2	1.8	1.9	1.8	2.4	4.0	3.9	5.1	7.2	8.4	15.6	9.4
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Other Leukemia	^	^	^	^	^	^	^	^	^	1.3	2.5	3.0	3.9	6.6

Other Acute Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^	^	^	1.8	^	^	4.1
Mesothelioma	^	^	^	^	^	^	^	^	1.4	4.0	6.7	9.2	7.1	7.9
Kaposi Sarcoma	^	^	1.4	^	^	^	^	^	^	^	^	^	^	^
Miscellaneous	^	1.4	1.9	5.0	5.6	8.9	14.3	25.4	40.4	58.2	74.1	108.5	134.0	157.5
<i>In Situ Cancers (not included above)</i>														
Breast In Situ	^	^	1.2	4.7	13.7	22.3	27.1	30.2	39.5	50.9	52.5	47.5	32.3	18.0

¹Rates are per 100,000 and age-adjusted to the 2000 US Population

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases.