

Mortality Tables

Table J1. Average Annual Number of Cancer Deaths by Site, Race, and Sex, 2018-2022, Louisiana

Primary Site	All Races			NH White			NH Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	9,300	5,038	4,262	6,194	3,370	2,824	2,840	1,525	1,315
Oral Cavity and Pharynx	193	144	49	132	97	35	56	43	13
Lip	^	^	^	^	^	^	^	^	^
Tongue	44	30	14	35	24	10	9	6	^
Salivary Gland	14	10	4	10	8	^	3	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	24	16	9	17	10	7	6	4	^
Nasopharynx	11	8	^	6	5	^	5	3	^
Tonsil	18	15	^	14	12	^	4	4	^
Oropharynx	23	19	4	13	11	^	9	7	^
Hypopharynx	8	7	^	4	4	^	^	^	^
Other Oral Cavity and Pharynx	48	37	11	31	23	8	17	13	3
Digestive System	2,610	1,527	1,082	1,653	972	680	867	505	362
Esophagus	210	169	42	157	129	28	49	36	13
Stomach	179	105	73	86	52	34	81	47	34
Small Intestine	23	12	11	14	8	6	9	4	5
Colon and Rectum	842	460	381	527	290	237	286	155	131
Colon excluding Rectum	664	356	309	409	221	187	233	122	110
Rectum and Rectosigmoid Junction	177	105	73	118	69	49	53	33	21
Anus, Anal Canal and Anorectum	20	8	12	16	6	10	4	^	^
Liver and Intrahepatic Bile Duct	519	364	155	319	217	102	178	133	45
Liver	433	320	112	258	186	72	156	121	35
Intrahepatic Bile Duct	86	44	42	61	31	30	22	12	11
Gallbladder	35	13	22	20	7	12	14	5	9
Other Biliary	33	18	15	22	12	10	8	5	4
Pancreas	702	357	345	464	240	224	220	109	111
Retroperitoneum	5	^	^	3	^	^	^	^	^
Peritoneum, Omentum and Mesentery	17	4	13	12	^	10	4	^	^
Other Digestive Organs	25	15	10	13	8	6	11	7	4
Respiratory System	2,446	1,419	1,027	1,692	945	747	705	444	261
Nose, Nasal Cavity and Middle Ear	12	6	6	8	4	4	3	^	^
Larynx	76	60	16	47	37	10	29	23	6
Lung and Bronchus	2,344	1,343	1,001	1,626	896	729	670	417	253
Pleura	7	5	^	6	4	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	7	4	^	5	^	^	^	^	^
Bones and Joints	37	19	18	27	14	13	9	4	4
Soft Tissue including Heart	61	34	27	38	21	17	21	11	10
Skin	145	101	43	128	91	37	15	8	6
Melanoma of the Skin	85	58	27	79	55	24	6	^	^

Non-Melanoma Skin	60	44	16	50	37	13	9	6	3
Breast	669	7	662	409	4	405	241	3	238
Female Genital System	432	--	432	259	--	259	157	--	157
Cervix Uteri	72	--	72	36	--	36	33	--	33
Corpus and Uterus, NOS	147	--	147	73	--	73	68	--	68
Corpus Uteri	91	--	91	45	--	45	42	--	42
Uterus, NOS	56	--	56	28	--	28	26	--	26
Ovary	178	--	178	125	--	125	46	--	46
Vagina	10	--	10	6	--	6	4	--	4
Vulva	17	--	17	13	--	13	4	--	4
Other Female Genital Organs	8	--	8	5	--	5	^	--	^
Male Genital System	454	454	--	262	262	--	181	181	--
Prostate	442	442	--	255	255	--	177	177	--
Testis	5	5	--	4	4	--	^	^	--
Penis	5	5	--	^	^	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	490	333	157	369	256	113	109	68	40
Urinary Bladder	219	157	62	171	127	44	43	27	17
Kidney and Renal Pelvis	255	169	87	187	124	64	62	40	22
Ureter	3	^	^	^	^	^	^	^	^
Other Urinary Organs	12	5	7	9	4	5	^	^	^
Eye and Orbit	4	^	^	4	^	^	^	^	^
Brain and Other Nervous System	228	130	98	178	102	76	41	23	17
Endocrine System	39	17	21	24	12	12	13	5	8
Thyroid	25	10	15	16	7	9	7	^	5
Other Endocrine including Thymus	14	8	6	7	5	^	6	^	3
Lymphoma	301	173	128	228	129	98	61	35	26
Hodgkin Lymphoma	17	9	8	11	6	5	4	^	^
Non-Hodgkin Lymphoma	285	165	120	216	123	93	57	34	23
Myeloma	191	104	87	105	60	44	81	40	42
Leukemia	327	192	135	243	143	100	71	41	30
Lymphocytic Leukemia	82	49	33	61	36	25	18	12	7
Acute Lymphocytic Leukemia	19	12	7	13	8	5	5	3	^
Chronic Lymphocytic Leukemia	54	31	23	41	23	18	12	8	4
Other Lymphocytic Leukemia	9	5	4	7	4	^	^	^	^
Myeloid and Monocytic Leukemia	157	87	69	117	67	50	35	17	18
Acute Myeloid Leukemia	128	69	59	96	54	43	28	13	15
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	15	9	6	11	7	4	3	^	^
Other Myeloid/Monocytic Leukemia	13	9	4	9	6	^	4	^	^
Other Leukemia	88	56	32	66	41	25	18	12	6
Other Acute Leukemia	15	9	6	11	6	5	3	^	^
Aleukemic, Subleukemic and NOS	73	47	26	55	35	20	15	10	5
Miscellaneous Malignant Cancer	673	379	294	445	259	186	211	111	99

^The NCI does not present counts for cells smaller than 10 for the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

-- Not Applicable

Table J2. Percent Distribution of Cancer Deaths by Site, Race, and Sex, 2018-2022, Louisiana

Primary Site	All Races			NH White			NH Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Oral Cavity and Pharynx	2.1	2.9	1.1	2.1	2.9	1.2	2.0	2.8	1.0
Lip	^	^	^	^	^	^	^	^	^
Tongue	0.5	0.6	0.3	0.6	0.7	0.4	0.3	0.4	^
Salivary Gland	0.2	0.2	0.1	0.2	0.2	^	0.1	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.3	^
Nasopharynx	0.1	0.2	^	0.1	0.1	^	0.2	0.2	^
Tonsil	0.2	0.3	^	0.2	0.3	^	0.1	0.2	^
Oropharynx	0.2	0.4	0.1	0.2	0.3	^	0.3	0.5	^
Hypopharynx	0.1	0.1	^	0.1	0.1	^	^	^	^
Other Oral Cavity and Pharynx	0.5	0.7	0.3	0.5	0.7	0.3	0.6	0.9	0.2
Digestive System	28.1	30.3	25.4	26.7	28.9	24.1	30.5	33.1	27.6
Esophagus	2.3	3.3	1.0	2.5	3.8	1.0	1.7	2.4	1.0
Stomach	1.9	2.1	1.7	1.4	1.5	1.2	2.9	3.1	2.6
Small Intestine	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
Colon and Rectum	9.0	9.1	8.9	8.5	8.6	8.4	10.1	10.2	10.0
Colon excluding Rectum	7.1	7.1	7.2	6.6	6.6	6.6	8.2	8.0	8.4
Rectum and Rectosigmoid Junction	1.9	2.1	1.7	1.9	2.0	1.7	1.9	2.2	1.6
Anus, Anal Canal and Anorectum	0.2	0.2	0.3	0.3	0.2	0.4	0.1	^	^
Liver and Intrahepatic Bile Duct	5.6	7.2	3.6	5.2	6.4	3.6	6.3	8.7	3.5
Liver	4.7	6.4	2.6	4.2	5.5	2.5	5.5	8.0	2.6
Intrahepatic Bile Duct	0.9	0.9	1.0	1.0	0.9	1.1	0.8	0.8	0.8
Gallbladder	0.4	0.3	0.5	0.3	0.2	0.4	0.5	0.3	0.7
Other Biliary	0.4	0.3	0.4	0.4	0.4	0.4	0.3	0.3	0.3
Pancreas	7.5	7.1	8.1	7.5	7.1	7.9	7.8	7.1	8.5
Retroperitoneum	0.1	^	^	0.1	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.2	0.1	0.3	0.2	^	0.4	0.2	^	^
Other Digestive Organs	0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.4	0.3
Respiratory System	26.3	28.2	24.1	27.3	28.0	26.5	24.8	29.1	19.8
Nose, Nasal Cavity and Middle Ear	0.1	0.1	0.1	0.1	0.1	0.1	0.1	^	^
Larynx	0.8	1.2	0.4	0.8	1.1	0.4	1.0	1.5	0.4
Lung and Bronchus	25.2	26.7	23.5	26.2	26.6	25.8	23.6	27.3	19.2
Pleura	0.1	0.1	^	0.1	0.1	^	^	^	^
Trachea, Mediastinum and Other Respiratory	0.1	0.1	^	0.1	^	^	^	^	^
Bones and Joints	0.4	0.4	0.4	0.4	0.4	0.5	0.3	0.3	0.3
Soft Tissue including Heart	0.7	0.7	0.6	0.6	0.6	0.6	0.7	0.7	0.8
Skin	1.6	2.0	1.0	2.1	2.7	1.3	0.5	0.6	0.5
Melanoma of the Skin	0.9	1.1	0.6	1.3	1.6	0.9	0.2	^	^
Non-Melanoma Skin	0.6	0.9	0.4	0.8	1.1	0.5	0.3	0.4	0.2
Breast	7.2	0.1	15.5	6.6	0.1	14.3	8.5	0.2	18.1

Female Genital System	4.6	--	10.1	4.2	--	9.2	5.5	--	12.0
Cervix Uteri	0.8	--	1.7	0.6	--	1.3	1.2	--	2.5
Corpus and Uterus, NOS	1.6	--	3.5	1.2	--	2.6	2.4	--	5.2
Corpus Uteri	1.0	--	2.1	0.7	--	1.6	1.5	--	3.2
Uterus, NOS	0.6	--	1.3	0.5	--	1.0	0.9	--	2.0
Ovary	1.9	--	4.2	2.0	--	4.4	1.6	--	3.5
Vagina	0.1	--	0.2	0.1	--	0.2	0.1	--	0.3
Vulva	0.2	--	0.4	0.2	--	0.5	0.1	--	0.3
Other Female Genital Organs	0.1	--	0.2	0.1	--	0.2	^	--	^
Male Genital System	4.9	9.0	--	4.2	7.8	--	6.4	11.9	--
Prostate	4.8	8.8	--	4.1	7.6	--	6.2	11.6	--
Testis	0.1	0.1	--	0.1	0.1	--	^	^	--
Penis	0.1	0.1	--	^	^	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	5.3	6.6	3.7	6.0	7.6	4.0	3.8	4.5	3.1
Urinary Bladder	2.4	3.1	1.4	2.8	3.8	1.5	1.5	1.7	1.3
Kidney and Renal Pelvis	2.7	3.3	2.0	3.0	3.7	2.3	2.2	2.6	1.6
Ureter	0.0	^	^	^	^	^	^	^	^
Other Urinary Organs	0.1	0.1	0.2	0.1	0.1	0.2	^	^	^
Eye and Orbit	0.0	^	^	0.1	^	^	^	^	^
Brain and Other Nervous System	2.5	2.6	2.3	2.9	3.0	2.7	1.4	1.5	1.3
Endocrine System	0.4	0.3	0.5	0.4	0.4	0.4	0.5	0.3	0.6
Thyroid	0.3	0.2	0.4	0.3	0.2	0.3	0.3	^	0.4
Other Endocrine including Thymus	0.1	0.2	0.1	0.1	0.1	^	0.2	^	0.2
Lymphoma	3.2	3.4	3.0	3.7	3.8	3.5	2.2	2.3	2.0
Hodgkin Lymphoma	0.2	0.2	0.2	0.2	0.2	0.2	0.1	^	^
Non-Hodgkin Lymphoma	3.1	3.3	2.8	3.5	3.6	3.3	2.0	2.2	1.8
Myeloma	2.1	2.1	2.0	1.7	1.8	1.6	2.9	2.6	3.2
Leukemia	3.5	3.8	3.2	3.9	4.3	3.5	2.5	2.7	2.3
Lymphocytic Leukemia	0.9	1.0	0.8	1.0	1.1	0.9	0.6	0.8	0.5
Acute Lymphocytic Leukemia	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	^
Chronic Lymphocytic Leukemia	0.6	0.6	0.5	0.7	0.7	0.6	0.4	0.5	0.3
Other Lymphocytic Leukemia	0.1	0.1	0.1	0.1	0.1	^	^	^	^
Myeloid and Monocytic Leukemia	1.7	1.7	1.6	1.9	2.0	1.8	1.2	1.1	1.3
Acute Myeloid Leukemia	1.4	1.4	1.4	1.6	1.6	1.5	1.0	0.8	1.2
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	0.2	0.2	0.1	0.2	0.2	0.2	0.1	^	^
Other Myeloid/Monocytic Leukemia	0.1	0.2	0.1	0.1	0.2	^	0.1	^	^
Other Leukemia	0.9	1.1	0.8	1.1	1.2	0.9	0.6	0.8	0.5
Other Acute Leukemia	0.2	0.2	0.2	0.2	0.2	0.2	0.1	^	^
Aleukemic, Subleukemic and NOS	0.8	0.9	0.6	0.9	1.0	0.7	0.5	0.6	0.4
Miscellaneous Malignant Cancer	7.2	7.5	6.9	7.2	7.7	6.6	7.4	7.3	7.6

^The NCI does not present counts for cells smaller than 10 for the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

-- Not Applicable

Table K. Average Annual Death Rate¹ by Site, Race, and Sex,
2018-2022, Louisiana

Primary Site	All Races			NH White			NH Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	165.2	202.3	138.2	160.6	194.6	135.5	190.8	245.9	154.2
Oral Cavity and Pharynx	3.4	5.5	1.6	3.4	5.4	1.8	3.5	6.2	1.5
Lip	^	^	^	^	^	^	^	^	^
Tongue	0.8	1.2	0.5	0.9	1.4	0.5	0.6	0.8	^
Salivary Gland	0.3	0.4	0.1	0.3	0.5	^	0.2	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.4	0.6	0.3	0.5	0.6	0.3	0.4	0.6	^
Nasopharynx	0.2	0.3	^	0.2	0.3	^	0.3	0.5	^
Tonsil	0.3	0.5	^	0.3	0.6	^	0.2	0.4	^
Oropharynx	0.4	0.7	0.1	0.3	0.6	^	0.6	1.1	^
Hypopharynx	0.1	0.3	^	0.1	0.2	^	^	^	^
Other Oral Cavity and Pharynx	0.8	1.4	0.3	0.8	1.2	0.4	1.1	2.0	0.4
Digestive System	45.8	59.0	34.8	42.4	54.5	32.2	57.2	76.4	42.7
Esophagus	3.6	6.4	1.3	4.0	7.1	1.3	3.0	5.1	1.4
Stomach	3.2	4.2	2.4	2.3	3.1	1.6	5.6	7.3	4.3
Small Intestine	0.4	0.5	0.3	0.4	0.4	0.3	0.6	0.7	0.5
Colon and Rectum	15.2	18.5	12.5	13.9	16.9	11.5	19.5	25.0	15.6
Colon excluding Rectum	12.0	14.3	10.1	10.7	12.9	9.0	15.9	19.9	13.2
Rectum and Rectosigmoid Junction	3.2	4.1	2.4	3.2	4.0	2.5	3.6	5.1	2.5
Anus, Anal Canal and Anorectum	0.4	0.4	0.4	0.4	0.3	0.5	0.3	^	^
Liver and Intrahepatic Bile Duct	8.6	13.1	4.8	7.9	11.5	4.8	10.6	17.7	5.1
Liver	7.1	11.4	3.5	6.3	9.8	3.3	9.2	15.9	3.9
Intrahepatic Bile Duct	1.5	1.7	1.4	1.6	1.7	1.5	1.5	1.8	1.2
Gallbladder	0.6	0.5	0.7	0.5	0.4	0.6	0.9	0.8	1.0
Other Biliary	0.6	0.7	0.5	0.6	0.7	0.5	0.6	0.8	0.4
Pancreas	12.3	13.9	11.0	11.8	13.4	10.4	14.8	17.1	13.1
Retroperitoneum	0.1	^	^	0.1	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.3	0.2	0.4	0.3	^	0.5	0.3	^	^
Other Digestive Organs	0.4	0.6	0.3	0.4	0.5	0.3	0.8	1.2	0.5
Respiratory System	42.3	55.4	32.3	42.7	52.9	34.9	46.3	70.1	29.7
Nose, Nasal Cavity and Middle Ear	0.2	0.2	0.2	0.2	0.2	0.2	0.2	^	^
Larynx	1.3	2.3	0.5	1.2	2.0	0.5	1.9	3.7	0.6
Lung and Bronchus	40.5	52.4	31.5	41.0	50.2	34.1	44.0	65.7	28.8
Pleura	0.1	0.2	^	0.2	0.3	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.1	0.2	^	0.1	^	^	^	^	^
Bones and Joints	0.7	0.8	0.6	0.8	0.9	0.7	0.6	0.8	0.5
Soft Tissue including Heart	1.2	1.4	1.0	1.1	1.3	0.9	1.4	1.6	1.2
Skin	2.7	4.4	1.5	3.5	5.6	1.9	1.0	1.4	0.7
Melanoma of the Skin	1.6	2.5	0.9	2.1	3.3	1.3	0.4	^	^
Non-Melanoma Skin	1.1	1.9	0.5	1.3	2.3	0.6	0.6	0.9	0.4
Breast	12.3	0.3	22.1	11.0	0.2	20.0	16.4	0.5	28.1

Female Genital System	7.8	--	14.3	7.0	--	13.0	10.4	--	18.2
Cervix Uteri	1.5	--	2.8	1.2	--	2.3	2.3	--	4.1
Corpus and Uterus, NOS	2.5	--	4.6	1.9	--	3.5	4.3	--	7.5
Corpus Uteri	1.6	--	2.9	1.2	--	2.2	2.7	--	4.6
Uterus, NOS	0.9	--	1.7	0.7	--	1.3	1.6	--	2.9
Ovary	3.2	--	5.8	3.3	--	6.0	3.2	--	5.4
Vagina	0.2	--	0.3	0.2	--	0.3	0.2	--	0.4
Vulva	0.3	--	0.6	0.3	--	0.6	0.3	--	0.5
Other Female Genital Organs	0.1	--	0.2	0.1	--	0.2	^	--	^
Male Genital System	8.3	20.3	--	6.8	16.5	--	13.3	35.1	--
Prostate	8.1	19.8	--	6.6	16.0	--	13.0	34.5	--
Testis	0.1	0.2	--	0.1	0.2	--	^	^	--
Penis	0.1	0.2	--	^	^	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	8.9	14.1	5.0	9.6	15.4	5.3	7.6	11.5	4.8
Urinary Bladder	4.0	7.0	2.0	4.5	7.9	2.0	3.1	4.8	2.0
Kidney and Renal Pelvis	4.6	6.9	2.8	4.9	7.2	3.0	4.2	6.5	2.6
Ureter	0.1	^	^	^	^	^	^	^	^
Other Urinary Organs	0.2	0.2	0.2	0.2	0.2	0.2	^	^	^
Eye and Orbit	0.1	^	^	0.1	^	^	^	^	^
Brain and Other Nervous System	4.2	5.1	3.3	4.9	5.9	3.9	2.7	3.5	2.1
Endocrine System	0.7	0.7	0.7	0.6	0.7	0.6	0.9	0.7	1.0
Thyroid	0.4	0.4	0.5	0.4	0.4	0.4	0.5	^	0.6
Other Endocrine including Thymus	0.3	0.3	0.2	0.2	0.3	^	0.4	^	0.4
Lymphoma	5.6	7.4	4.2	6.0	7.8	4.6	4.3	5.9	3.2
Hodgkin Lymphoma	0.3	0.4	0.3	0.3	0.4	0.2	0.3	^	^
Non-Hodgkin Lymphoma	5.2	7.0	3.9	5.7	7.4	4.3	4.0	5.6	2.9
Myeloma	3.4	4.3	2.8	2.7	3.6	2.1	5.8	6.8	5.0
Leukemia	6.1	8.4	4.4	6.5	8.9	4.7	5.2	7.2	3.8
Lymphocytic Leukemia	1.6	2.2	1.1	1.6	2.3	1.2	1.4	2.1	0.9
Acute Lymphocytic Leukemia	0.4	0.5	0.2	0.4	0.5	0.3	0.3	0.5	^
Chronic Lymphocytic Leukemia	1.0	1.4	0.7	1.1	1.5	0.8	1.0	1.5	0.6
Other Lymphocytic Leukemia	0.2	0.2	0.1	0.2	0.3	^	^	^	^
Myeloid and Monocytic Leukemia	2.9	3.7	2.3	3.1	4.0	2.5	2.5	2.9	2.2
Acute Myeloid Leukemia	2.4	2.8	2.0	2.6	3.1	2.1	2.0	2.1	1.9
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	0.3	0.4	0.2	0.3	0.5	0.2	0.3	^	^
Other Myeloid/Monocytic Leukemia	0.2	0.4	0.1	0.2	0.4	^	0.2	^	^
Other Leukemia	1.6	2.5	1.0	1.7	2.5	1.1	1.3	2.2	0.8
Other Acute Leukemia	0.3	0.4	0.2	0.3	0.4	0.2	0.3	^	^
Aleukemic, Subleukemic and NOS	1.3	2.1	0.8	1.5	2.2	0.9	1.0	1.7	0.6
Miscellaneous Malignant Cancer	12.0	15.2	9.6	11.5	14.9	8.9	14.2	18.1	11.7
In situ, benign or unknown behavior neoplasm	4.0	5.2	3.2	4.0	5.2	3.1	4.3	5.8	3.5

¹Rates are per 100,000 and age-adjusted to the 2000 Population (19 age groups – Census P25-1130) standard.

[^]Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

--Not Applicable

Table L1. Average Annual Death Rates¹ for Selected Cancers by Race and Sex, 2018-2022:
U.S., Louisiana, and 7-Parish Industrial Corridor² (Please review: [Cautions in Interpretation](#))

Primary Site	NH White Males			NH White Females			NH Black Males			NH Black Females		
	US	Louisiana	Ind. Corr.	US	Louisiana	Ind. Corr.	US	Louisiana	Ind. Corr.	US	Louisiana	Ind. Corr.
All Malignant Cancers	179.0	194.6	↑ 169.5 *	131.0	135.5	↑ 120.6 *	208.3	245.9	↑ 234.8	144.7	154.2	↑ 139.7 *
Oral Cavity and Pharynx	4.3	5.4	↑ 5.1	1.5	1.8	1.8	4.3	6.2	↑ 6.1	1.2	1.5	^
Esophagus	7.5	7.1	7.5	1.5	1.3	^	4.5	5.1	5.6	1.5	1.4	^
Stomach	2.8	3.1	2.9	1.4	1.6	^	6.6	7.3	7.0	3.3	4.3	↑ 3.7
Small Intestine	0.5	0.4	^	0.3	0.3	^	0.9	0.7	^	0.6	0.5	^
Colon and Rectum	15.2	16.9	↑ 13.8 *	10.9	11.5	9.6	21.3	25.0	↑ 20.0 ↓	13.5	15.6	↑ 14.0
Liver and Intrahepatic Bile Duct	8.4	11.5	↑ 10.9	3.8	4.8	↑ 4.2	12.3	17.7	↑ 20.4	4.6	5.1	5.5
Pancreas	13.2	13.4	12.0	9.8	10.4	9.4	15.3	17.1	↑ 17.9	12.3	13.1	11.8
Larynx	1.6	2.0	↑ ^	0.4	0.5	^	2.7	3.7	↑ 3.8	0.5	0.6	^
Lung and Bronchus	41.2	50.2	↑ 41.0 *	31.0	34.1	↑ 29.5 *	46.7	65.7	↑ 57.9 ↓	25.9	28.8	↑ 23.1 *
Breast	0.3	0.2	^	19.4	20.0	17.7	0.5	0.5	^	26.8	28.1	27.8
Cervix Uteri	--	--	--	2.1	2.3	1.4	--	--	--	3.2	4.1	↑ 3.8
Corpus and Uterus, NOS	--	--	--	4.7	3.5	↓ 2.3 *	--	--	--	9.5	7.5	↓ 6.7
Ovary	--	--	--	6.3	6.0	6.6	--	--	--	5.5	5.4	5.2
Prostate	18.1	16.0	↓ 13.5	--	--	--	37.2	34.5	↓ 33.2	--	--	--
Urinary Bladder	8.0	7.9	6.0 *	2.2	2.0	1.5	5.3	4.8	5.9	2.1	2.0	^
Kidney and Renal Pelvis	5.3	7.2	↑ 6.5	2.2	3.0	↑ 2.6	4.9	6.5	↑ 7.2	2.1	2.6	↑ 2.6
Brain and Other Nervous System	6.2	5.9	5.4	4.1	3.9	4.0	3.4	3.5	3.2	2.3	2.1	^
Hodgkin Lymphoma	0.3	0.4	^	0.2	0.2	^	0.3	^	^	0.2	^	^
Non-Hodgkin Lymphoma	6.9	7.4	6.5	3.9	4.3	↑ 3.8	4.9	5.6	5.9	2.8	2.9	2.6
Myeloma	3.6	3.6	3.2	2.1	2.1	1.6	7.2	6.8	7.3	4.9	5.0	5.9
Leukemia	8.4	8.9	7.8	4.6	4.7	5.0	6.6	7.2	6.1	4.1	3.8	4.1

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Ascension, East Baton Rouge, Iberville, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

-- Not applicable

Table L2. Average Annual Death Rates¹ for Selected Cancers by Race and Sex, 2018-2022:
U.S., Louisiana, and 11-Parish Industrial Corridor² (Please review: [Cautions in Interpretation](#))

Primary Site	NH White Males				NH White Females				NH Black Males				NH Black Females			
	US	Louisiana	Ind. Corr.		US	Louisiana	Ind. Corr.		US	Louisiana	Ind. Corr.		US	Louisiana	Ind. Corr.	
All Malignant Cancers	179.0	194.6	↑	173.4 *	131.0	135.5	↑	123.0 *	208.3	245.9	↑	225.3 *	144.7	154.2	↑	142.8 *
Oral Cavity and Pharynx	4.3	5.4	↑	5.7	1.5	1.8		1.7	4.3	6.2	↑	5.2	1.2	1.5		1.3
Esophagus	7.5	7.1		6.9	1.5	1.3		1.1	4.5	5.1		4.4	1.5	1.4		1.1
Stomach	2.8	3.1		2.6	1.4	1.6		0.8 *	6.6	7.3		6.7	3.3	4.3	↑	4.0
Small Intestine	0.5	0.4		^	0.3	0.3		^	0.9	0.7		^	0.6	0.5		^
Colon and Rectum	15.2	16.9	↑	13.0 *	10.9	11.5		9.8 *	21.3	25.0	↑	21.0 *	13.5	15.6	↑	13.8
Liver and Intrahepatic Bile Duct	8.4	11.5	↑	10.5	3.8	4.8	↑	4.0	12.3	17.7	↑	17.7	4.6	5.1		4.9
Pancreas	13.2	13.4		12.1 *	9.8	10.4	↑	9.3	15.3	17.1	↑	14.9	12.3	13.1		11.2
Larynx	1.6	2.0	↑	1.8	0.4	0.5		^	2.7	3.7	↑	3.0	0.5	0.6		^
Lung and Bronchus	41.2	50.2	↑	42.4 *	31.0	34.1	↑	29.0 *	46.7	65.7	↑	57.4 *	25.9	28.8	↑	26.6
Breast	0.3	0.2		^	19.4	20.0		20.0	0.5	0.5		^	26.8	28.1		27.5
Cervix Uteri	--	--		--	2.1	2.3		1.6	--	--		--	3.2	4.1	↑	3.9
Corpus and Uterus, NOS	--	--		--	4.7	3.5	↓	2.9	--	--		--	9.5	7.5	↓	6.6
Ovary	--	--		--	6.3	6.0		6.3	--	--		--	5.5	5.4		5.3
Prostate	18.1	16.0	↓	14.9	--	--		--	37.2	34.5	↓	33.8	--	--		--
Urinary Bladder	8.0	7.9		7.0	2.2	2.0		2.1	5.3	4.8		5.1	2.1	2.0		2.2
Kidney and Renal Pelvis	5.3	7.2	↑	6.7	2.2	3.0	↑	2.3 *	4.9	6.5	↑	6.6	2.1	2.6	↑	2.4
Brain and Other Nervous System	6.2	5.9		5.5	4.1	3.9		3.6	3.4	3.5		3.1	2.3	2.1		1.9
Hodgkin Lymphoma	0.3	0.4		^	0.2	0.2		^	0.3	^		^	0.2	^		^
Non-Hodgkin Lymphoma	6.9	7.4		6.8	3.9	4.3	↑	3.9	4.9	5.6		5.8	2.8	2.9		2.2
Myeloma	3.6	3.6		3.3	2.1	2.1		1.6	7.2	6.8		7.7	4.9	5.0		4.7
Leukemia	8.4	8.9		7.6 *	4.6	4.7		4.6	6.6	7.2		6.0	4.1	3.8		3.2

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Ascension, East Baton Rouge, Iberville, Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate. -- Not applicable

Table M1. Death Rates¹ by Louisiana Parish² for the Ten Most Common Cancer Deaths, 2018-2022:
NH White Males

	All Malignant Cancers	Lung and Bronchus	Colon and Rectum	Prostate	Pancreas	Liver and Intrahepatic Bile Duct	Leukemia	Urinary Bladder	Non-Hodgkin Lymphoma	Kidney and Renal Pelvis	Esophagus
Louisiana	194.6	50.2	16.9	16.0	13.4	11.5	8.9	7.9	7.4	7.2	7.1
Acadia Parish	235.6	63.1	24.9	18.6	15.6	13.4	^	^	^	^	^
Allen Parish	271.4	69.8	^	^	^	^	^	^	^	^	^
Ascension Parish	159.4	42.0	11.8	10.8	12.0	9.0	^	^	^	^	7.2
Assumption Parish	177.2	48.0	^	^	^	^	^	^	^	^	^
Avoyelles Parish	220.7	67.8	20.9	21.1	18.6	^	^	^	^	^	^
Beauregard Parish	216.9	61.9	25.1	^	^	^	^	^	^	^	^
Bienville Parish	230.5	^	^	^	^	^	^	^	^	^	^
Bossier Parish	197.0	54.4	14.3	12.2	14.5	13.3	7.1	14.0	6.1	8.3	^
Caddo Parish	191.0	48.8	13.8	17.6	15.3	11.4	8.3	9.7	6.3	4.8	6.0
Calcasieu Parish	188.4	53.3	15.1	11.7	13.6	13.3	9.6	5.5	6.4	7.7	6.9
Caldwell Parish	182.9	80.6	^	^	^	^	^	^	^	^	^
Cameron Parish	131.7	^	^	^	^	^	^	^	^	^	^
Catahoula Parish	272.3	^	^	^	^	^	^	^	^	^	^
Claiborne Parish	205.9	51.0	^	^	^	^	^	^	^	^	^
Concordia Parish	211.2	^	^	^	^	^	^	^	^	^	^
De Soto Parish	171.1	40.8	^	^	^	^	^	^	^	^	^
East Baton Rouge Parish	160.1	34.6	13.4	14.1	12.0	10.7	8.3	6.4	7.0	5.1	7.1
East Carroll Parish	202.3	^	^	^	^	^	^	^	^	^	^
East Feliciana Parish	179.6	50.1	^	^	^	^	^	^	^	^	^
Evangeline Parish	213.1	61.2	23.2	^	^	^	^	^	^	^	^
Franklin Parish	219.4	93.9	^	^	^	^	^	^	^	^	^
Grant Parish	234.6	56.3	^	^	^	^	^	^	^	^	^
Iberia Parish	219.0	53.9	21.5	20.3	14.2	14.9	^	^	^	^	^
Iberville Parish	218.7	80.7	^	^	^	^	^	^	^	^	^
Jackson Parish	265.5	71.8	^	46.2	^	^	^	^	^	^	^
Jefferson Parish	185.4	47.3	11.4	15.8	12.6	11.5	8.8	8.7	7.7	7.8	6.7

Jefferson Davis Parish	227.4	63.4	21.0	29.1	^	^	^	^	^	^	^
Lafayette Parish	186.4	44.6	17.5	15.8	12.5	11.2	9.8	9.1	7.1	8.2	6.4
Lafourche Parish	211.9	54.1	22.0	15.8	11.8	13.8	12.8	8.3	10.3	8.4	7.8
La Salle Parish	209.5	57.2	^	^	^	^	^	^	^	^	^
Lincoln Parish	177.7	37.1	23.0	23.2	^	^	^	^	^	^	^
Livingston Parish	185.1	55.5	16.7	13.4	10.5	13.9	8.4	8.0	7.6	5.6	5.1
Madison Parish	198.9	^	^	^	^	^	^	^	^	^	^
Morehouse Parish	207.8	46.0	^	^	^	^	^	^	^	^	^
Natchitoches Parish	222.0	50.0	25.8	^	^	^	^	^	^	^	^
Orleans Parish	143.8	27.6	12.6	18.4	11.4	5.8	^	^	^	4.0	6.9
Ouachita Parish	203.7	47.3	18.7	17.9	13.4	7.2	10.3	9.0	8.5	8.1	6.3
Plaquemines Parish	196.4	46.5	^	^	^	^	^	^	^	^	^
Pointe Coupee Parish	193.3	51.6	^	^	^	^	^	^	^	^	^
Rapides Parish	187.7	46.0	21.9	11.7	16.0	11.4	9.8	7.8	6.9	6.4	7.1
Red River Parish	290.3	97.7	^	^	^	^	^	^	^	^	^
Richland Parish	204.1	65.1	^	^	^	^	^	^	^	^	^
Sabine Parish	243.1	73.6	^	^	^	^	^	^	^	^	^
St. Bernard Parish	221.3	73.4	^	^	^	^	^	^	^	^	^
St. Charles Parish	210.5	44.0	18.4	^	17.1	15.1	^	^	^	^	^
St. Helena Parish	226.8	^	^	^	^	^	^	^	^	^	^
St. James Parish	159.6	44.1	^	^	^	^	^	^	^	^	^
St. John the Baptist Parish	211.7	59.2	^	^	^	^	^	^	^	^	^
St. Landry Parish	216.7	60.1	21.2	15.5	12.1	^	^	^	^	11.3	^
St. Martin Parish	210.2	56.6	26.6	^	^	14.6	^	^	^	^	^
St. Mary Parish	222.2	66.2	19.3	^	20.9	15.5	^	^	^	^	^
St. Tammany Parish	179.0	38.9	12.8	17.5	13.0	11.0	7.2	9.7	6.6	5.6	6.8
Tangipahoa Parish	220.8	57.9	21.6	25.1	17.6	10.2	11.9	8.1	7.8	6.1	6.0
Tensas Parish	222.3	^	^	^	^	^	^	^	^	^	^
Terrebonne Parish	232.7	67.9	20.7	13.7	17.1	11.7	8.6	7.0	11.3	9.6	6.6
Union Parish	208.5	49.1	^	^	^	^	^	^	^	^	^
Vermilion Parish	208.5	48.5	17.5	16.4	^	13.6	^	^	^	^	^
Vernon Parish	232.6	80.0	26.4	^	^	^	^	^	^	^	^
Washington Parish	223.5	57.3	15.7	^	21.9	24.1	^	^	^	^	^
Webster Parish	249.0	67.0	29.8	^	^	^	^	^	^	^	^

West Baton Rouge Parish	174.6	50.0	^	^	^	^	^	^	^	^	^
West Carroll Parish	271.5	100.6	^	^	^	^	^	^	^	^	^
West Feliciana Parish	172.1	49.6	^	^	^	^	^	^	^	^	^
Winn Parish	254.1	81.7	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M2. Death Rates¹ by Louisiana Parish² for the Ten Most Common Cancer Deaths, 2018-2022:
NH White Females

	All Malignant Cancers	Lung and Bronchus	Breast	Colon and Rectum	Pancreas	Ovary	Liver and Intrahepatic Bile Duct	Leukemia	Non-Hodgkin Lymphoma	Brain and Other Nervous System	Corpus and Uterus, NOS
Louisiana	135.5	34.1	20.0	11.5	10.4	6.0	4.8	4.7	4.3	3.9	3.5
Acadia	153.3	47.0	17.0	17.0	14.0	^	^	^	^	^	^
Allen	167.6	41.3	^	^	^	^	^	^	^	^	^
Ascension	123.9	31.0	20.7	7.6	11.0	^	^	^	^	^	^
Assumption	125.1	42.0	^	^	^	^	^	^	^	^	^
Avoyelles	148.5	45.1	15.4	^	^	^	^	^	^	^	^
Beauregard	179.1	50.0	22.0	^	17.3	^	^	^	^	^	^
Bienville	134.3	^	^	^	^	^	^	^	^	^	^
Bossier	132.7	38.6	18.3	7.5	10.2	8.3	6.4	^	^	^	^
Caddo	150.5	37.3	21.8	15.5	10.8	6.7	4.8	5.2	5.1	3.9	3.6
Calcasieu	134.1	32.5	17.8	11.8	11.5	5.1	4.9	7.1	3.5	3.8	3.3
Caldwell	122.9	^	^	^	^	^	^	^	^	^	^
Cameron	166.2	^	^	^	^	^	^	^	^	^	^
Catahoula	163.1	^	^	^	^	^	^	^	^	^	^
Claiborne	161.0	^	^	^	^	^	^	^	^	^	^
Concordia	163.9	^	^	^	^	^	^	^	^	^	^
De Soto	137.5	34.1	^	^	^	^	^	^	^	^	^
East Baton Rouge	115.0	27.0	17.3	9.4	9.2	8.8	3.6	4.8	3.6	3.6	2.7
East Carroll	^	^	^	^	^	^	^	^	^	^	^
East Feliciana	131.0	52.0	^	^	^	^	^	^	^	^	^
Evangeline	145.1	36.7	^	^	^	^	^	^	^	^	^
Franklin	153.7	37.3	^	^	^	^	^	^	^	^	^
Grant	156.8	52.6	^	^	^	^	^	^	^	^	^
Iberia	146.8	42.6	17.2	15.0	12.8	^	^	^	^	^	^
Iberville	140.0	40.9	^	^	^	^	^	^	^	^	^
Jackson	158.2	42.1	^	^	^	^	^	^	^	^	^
Jefferson	129.6	29.0	22.9	10.9	10.6	5.8	4.1	4.5	4.2	2.8	3.0
Jefferson Davis	155.5	44.3	21.0	^	^	^	^	^	^	^	^

Lafayette	129.4	29.9	21.7	10.5	11.0	6.5	4.1	3.4	4.2	3.0	^
Lafourche	124.1	34.0	17.8	12.4	6.2	^	5.8	^	^	^	^
La Salle	148.6	^	^	^	^	^	^	^	^	^	^
Lincoln	130.7	31.5	20.2	^	^	^	^	^	^	^	^
Livingston	140.7	40.1	18.4	10.3	9.8	6.7	6.6	5.2	5.4	^	4.4
Madison	150.0	^	^	^	^	^	^	^	^	^	^
Morehouse	139.0	50.4	^	^	^	^	^	^	^	^	^
Natchitoches	153.5	25.0	26.5	^	^	^	^	^	^	^	^
Orleans	100.5	20.9	19.2	7.4	4.5	6.0	^	^	^	4.7	4.1
Ouachita	151.1	36.5	25.6	11.5	12.0	5.4	5.1	5.3	^	^	^
Plaquemines	158.8	45.2	^	^	^	^	^	^	^	^	^
Pointe Coupee	131.2	30.3	^	^	^	^	^	^	^	^	^
Rapides	118.5	30.6	16.8	11.7	11.2	^	6.8	^	4.9	^	^
Red River	98.9	^	^	^	^	^	^	^	^	^	^
Richland	135.8	39.6	^	^	^	^	^	^	^	^	^
Sabine	159.9	54.3	31.2	^	^	^	^	^	^	^	^
St. Bernard	161.4	48.2	23.6	^	^	^	^	^	^	^	^
St. Charles	143.6	34.6	19.7	^	^	^	^	^	^	^	^
St. Helena	139.3	64.3	^	^	^	^	^	^	^	^	^
St. James	124.2	^	^	^	^	^	^	^	^	^	^
St. John the Baptist	146.1	35.6	^	^	^	^	^	^	^	^	^
St. Landry	168.2	40.0	23.0	17.1	12.4	^	^	^	^	^	^
St. Martin	145.3	37.3	21.1	18.3	^	^	^	^	^	^	^
St. Mary	133.1	37.9	18.5	^	^	^	^	^	^	^	^
St. Tammany	124.4	30.2	18.3	9.9	8.8	5.3	3.1	5.0	5.0	4.1	3.2
Tangipahoa	144.2	32.7	23.6	10.8	7.8	9.1	5.4	^	^	^	^
Tensas	197.1	^	^	^	^	^	^	^	^	^	^
Terrebonne	140.9	33.9	19.7	9.0	9.8	^	^	6.5	6.1	^	^
Union	177.7	48.4	^	^	^	^	^	^	^	^	^
Vermilion	146.8	32.8	22.0	17.2	15.9	^	^	^	^	^	^
Vernon	176.4	49.0	22.5	^	18.9	^	^	^	^	^	^
Washington	148.8	42.9	28.8	^	15.5	^	^	^	^	^	^
Webster	170.8	34.1	25.2	17.7	17.3	^	^	^	^	^	^
West Baton Rouge	113.3	34.4	^	^	^	^	^	^	^	^	^

West Carroll	133.4	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	114.2	^	^	^	^	^	^	^	^	^	^	^
Winn	152.9	^	^	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M3. Death Rates¹ by Louisiana Parish² for the Ten Most Common Cancer Deaths, 2018-2022:
NH Black Males

	All Malignant Cancers	Lung and Bronchus	Prostate	Colon and Rectum	Liver and Intrahepatic Bile Duct	Pancreas	Stomach	Leukemia	Myeloma	Kidney and Renal Pelvis	Oral Cavity and Pharynx
Louisiana	245.9	65.7	34.5	25.0	17.7	17.1	7.3	7.2	6.8	6.5	6.2
Acadia	378.0	127.6	^	^	^	^	^	^	^	^	^
Allen	237.4	^	^	^	^	^	^	^	^	^	^
Ascension	218.6	52.8	^	^	19.9	^	^	^	^	^	^
Assumption	314.1	^	^	^	^	^	^	^	^	^	^
Avoyelles	353.8	92.8	^	^	^	^	^	^	^	^	^
Beauregard	294.8	^	^	^	^	^	^	^	^	^	^
Bienville	280.8	^	^	^	^	^	^	^	^	^	^
Bossier	212.0	57.6	^	^	^	^	^	^	^	^	^
Caddo	256.1	70.8	39.7	30.5	20.8	17.8	7.1	10.0	7.6	5.5	5.9
Calcasieu	255.5	79.9	33.9	27.6	21.9	17.4	^	^	^	^	^
Caldwell	^	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	^	^	^	^	^	^	^	^	^	^	^
Claiborne	287.3	^	^	^	^	^	^	^	^	^	^
Concordia	308.1	^	^	^	^	^	^	^	^	^	^
De Soto	321.6	72.5	^	^	^	^	^	^	^	^	^
East Baton Rouge	227.2	57.4	27.9	20.7	23.2	17.9	7.2	6.2	7.7	7.0	4.1
East Carroll	377.6	^	^	^	^	^	^	^	^	^	^
East Feliciana	238.5	^	^	^	^	^	^	^	^	^	^
Evangeline	291.3	86.8	^	^	^	^	^	^	^	^	^
Franklin	274.7	^	^	^	^	^	^	^	^	^	^
Grant	^	^	^	^	^	^	^	^	^	^	^
Iberia	312.1	65.9	^	^	^	40.8	^	^	^	^	^
Iberville	336.5	93.9	^	^	^	^	^	^	^	^	^
Jackson	334.6	^	^	^	^	^	^	^	^	^	^
Jefferson	228.1	64.6	34.3	17.9	12.9	14.7	7.5	9.0	11.5	^	^

Jefferson Davis	309.6	^	^	^	^	^	^	^	^	^	^
Lafayette	242.3	73.0	21.7	22.6	21.4	23.3	^	^	^	^	^
Lafourche	311.1	102.0	^	^	^	^	^	^	^	^	^
La Salle	^	^	^	^	^	^	^	^	^	^	^
Lincoln	196.6	^	^	^	^	^	^	^	^	^	^
Livingston	264.6	^	^	^	^	^	^	^	^	^	^
Madison	254.5	^	^	^	^	^	^	^	^	^	^
Morehouse	230.8	76.3	^	^	^	^	^	^	^	^	^
Natchitoches	281.1	97.7	^	^	^	^	^	^	^	^	^
Orleans	213.5	53.3	34.0	23.5	16.7	11.8	5.8	4.8	6.9	5.6	4.5
Ouachita	252.4	62.1	45.9	26.8	^	14.6	^	^	^	^	^
Plaquemines	311.4	^	^	^	^	^	^	^	^	^	^
Pointe Coupee	270.6	^	^	^	^	^	^	^	^	^	^
Rapides	273.0	78.6	40.0	33.6	23.0	^	^	^	^	^	^
Red River	347.6	^	^	^	^	^	^	^	^	^	^
Richland	278.6	^	^	^	^	^	^	^	^	^	^
Sabine	186.1	^	^	^	^	^	^	^	^	^	^
St. Bernard	225.4	^	^	^	^	^	^	^	^	^	^
St. Charles	246.7	^	^	^	^	^	^	^	^	^	^
St. Helena	219.0	^	^	^	^	^	^	^	^	^	^
St. James	246.6	66.2	^	^	^	^	^	^	^	^	^
St. John the Baptist	204.1	45.4	^	^	^	^	^	^	^	^	^
St. Landry	330.4	74.1	^	41.7	21.8	32.1	^	^	^	^	^
St. Martin	240.4	51.9	^	^	^	^	^	^	^	^	^
St. Mary	218.9	51.0	^	^	^	^	^	^	^	^	^
St. Tammany	197.4	30.8	^	^	20.7	25.6	^	^	^	^	^
Tangipahoa	302.6	110.2	40.9	23.0	22.1	^	^	^	^	^	^
Tensas	196.3	^	^	^	^	^	^	^	^	^	^
Terrebonne	254.0	86.8	^	^	^	^	^	^	^	^	^
Union	350.2	^	^	^	^	^	^	^	^	^	^
Vermilion	309.4	^	^	^	^	^	^	^	^	^	^
Vernon	238.7	^	^	^	^	^	^	^	^	^	^
Washington	302.6	77.4	69.3	^	^	^	^	^	^	^	^
Webster	267.2	103.8	^	^	^	^	^	^	^	^	^

West Baton Rouge	292.8	^	^	^	^	^	^	^	^	^	^
West Carroll	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	221.0	^	^	^	^	^	^	^	^	^	^
Winn	211.1	^	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M4. Death Rates¹ by Louisiana Parish² for the Ten Most Common Cancer Deaths, 2018-2022:
NH Black Females

	All Malignant Cancers	Lung and Bronchus	Breast	Colon and Rectum	Pancreas	Corpus and Uterus, NOS	Ovary	Liver and Intrahepatic Bile Duct	Myeloma	Corpus Uteri	Stomach
Louisiana	154.2	28.8	28.1	15.6	13.1	7.5	5.4	5.1	5.0	4.6	4.3
Acadia	207.1	^	^	^	^	^	^	^	^	^	^
Allen	162.8	^	^	^	^	^	^	^	^	^	^
Ascension	139.0	^	33.2	^	^	^	^	^	^	^	^
Assumption	225.7	^	^	^	^	^	^	^	^	^	^
Avoyelles	171.1	^	^	^	^	^	^	^	^	^	^
Beauregard	181.9	^	^	^	^	^	^	^	^	^	^
Bienville	187.3	^	^	^	^	^	^	^	^	^	^
Bossier	145.5	32.1	26.6	^	^	^	^	^	^	^	^
Caddo	152.8	25.4	24.3	20.4	12.3	11.0	5.1	4.5	5.7	7.2	^
Calcasieu	159.6	27.9	28.6	16.3	17.7	^	^	^	^	^	^
Caldwell	^	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	^	^	^	^	^	^	^	^	^	^	^
Claiborne	147.2	^	^	^	^	^	^	^	^	^	^
Concordia	143.4	^	^	^	^	^	^	^	^	^	^
De Soto	162.1	^	^	^	^	^	^	^	^	^	^
East Baton Rouge	135.6	22.0	23.9	14.2	12.1	6.4	4.9	6.2	6.1	3.1	3.8
East Carroll	344.4	^	^	^	^	^	^	^	^	^	^
East Feliciana	143.0	^	^	^	^	^	^	^	^	^	^
Evangeline	211.8	^	^	^	^	^	^	^	^	^	^
Franklin	181.9	^	^	^	^	^	^	^	^	^	^
Grant	^	^	^	^	^	^	^	^	^	^	^
Iberia	180.0	30.5	39.9	^	^	^	^	^	^	^	^
Iberville	162.7	^	47.2	^	^	^	^	^	^	^	^
Jackson	211.9	^	^	^	^	^	^	^	^	^	^
Jefferson	158.6	30.6	25.9	14.2	12.9	7.1	5.3	5.5	^	^	^
Jefferson Davis	140.9	^	^	^	^	^	^	^	^	^	^

Lafayette	160.5	25.1	31.0	14.2	13.8	^	11.3	^	^	^	^
Lafourche	218.5	^	^	^	^	^	^	^	^	^	^
La Salle	^	^	^	^	^	^	^	^	^	^	^
Lincoln	175.1	40.3	^	^	^	^	^	^	^	^	^
Livingston	120.6	^	^	^	^	^	^	^	^	^	^
Madison	197.7	^	^	^	^	^	^	^	^	^	^
Morehouse	196.9	^	^	^	^	^	^	^	^	^	^
Natchitoches	141.7	^	^	^	^	^	^	^	^	^	^
Orleans	138.9	28.7	26.8	13.1	10.1	6.5	5.2	3.9	3.7	4.6	3.1
Ouachita	144.2	27.8	27.6	11.8	17.1	^	^	^	^	^	^
Plaquemines	190.9	^	^	^	^	^	^	^	^	^	^
Pointe Coupee	169.5	^	^	^	^	^	^	^	^	^	^
Rapides	157.5	30.4	34.8	18.8	15.4	^	^	^	^	^	^
Red River	^	^	^	^	^	^	^	^	^	^	^
Richland	154.6	^	^	^	^	^	^	^	^	^	^
Sabine	185.8	^	^	^	^	^	^	^	^	^	^
St. Bernard	251.2	^	^	^	^	^	^	^	^	^	^
St. Charles	140.9	^	^	^	^	^	^	^	^	^	^
St. Helena	71.7	^	^	^	^	^	^	^	^	^	^
St. James	179.6	^	^	^	^	^	^	^	^	^	^
St. John the Baptist	149.5	^	^	^	^	^	^	^	^	^	^
St. Landry	196.0	36.9	29.8	20.4	15.7	^	^	^	^	^	^
St. Martin	153.3	33.1	^	^	^	^	^	^	^	^	^
St. Mary	179.8	31.1	^	^	^	^	^	^	^	^	^
St. Tammany	143.3	23.3	25.2	^	^	^	^	^	^	^	^
Tangipahoa	158.8	32.0	24.4	^	^	^	^	^	^	^	^
Tensas	212.9	^	^	^	^	^	^	^	^	^	^
Terrebonne	179.2	41.6	35.1	^	^	^	^	^	^	^	^
Union	198.3	^	^	^	^	^	^	^	^	^	^
Vermilion	152.1	^	^	^	^	^	^	^	^	^	^
Vernon	192.0	^	^	^	^	^	^	^	^	^	^
Washington	188.1	37.3	^	^	^	^	^	^	^	^	^
Webster	185.0	32.3	^	^	^	^	^	^	^	^	^
West Baton Rouge	135.9	^	51.5	^	^	^	^	^	^	^	^

West Carroll	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	163.8	^	^	^	^	^	^	^	^	^	^
Winn	^	^	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N1. Death Rates¹ by LTR Region² for the Ten Most Common Cancer Deaths, 2018-2022:
NH White Males

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
All Malignant Cancers	179.0	194.6	↑	176.1 *	178.4 *	198.5	205.9 #	200.6	212.0 #	204.6 #	207.5 #
Lung and Bronchus	41.2	50.2	↑	43.4 *	46.0 *	48.4	53.1	56.6 #	57.1 #	53.5	55.6
Colon and Rectum	15.2	16.9	↑	12.1 *	14.5 *	16.7	20.2 #	17.4	24.3 #	17.5	18.4
Prostate	18.1	16.0	↓	16.0	15.2	16.3	15.3	14.1	17.0	15.4	20.8 #
Pancreas	13.2	13.4		12.4	12.6	13.9	13.8	13.8	15.9	14.0	12.9
Liver and Intrahepatic Bile Duct	8.4	11.5	↑	10.2	11.3	12.5	12.5	13.8	10.7	12.3	8.2 *
Leukemia	8.4	8.9		7.1	8.8	8.8	9.3	9.7	9.2	9.3	9.6
Urinary Bladder	8.0	7.9		7.7	7.4	8.3	7.1	7.2	9.1	9.3	7.3
Non-Hodgkin Lymphoma	6.9	7.4		7.0	6.9	7.7	8.2	7.8	7.1	7.2	7.7
Kidney and Renal Pelvis	5.3	7.2	↑	6.6	6.1	7.4	8.5	8.7	6.1	7.0	7.9
Esophagus	7.5	7.1		6.3	6.9	7.7	6.9	7.3	8.4	7.6	6.0

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N2. Death Rates¹ by LTR Region² for the Ten Most Common Cancer Deaths, 2018-2022:
NH White Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
All Malignant Cancers	131.0	135.5	↑	124.0 *	127.2 *	130.9	141.9	145.3 #	141.4	145.6 #	147.9 #
Lung and Bronchus	31.0	34.1	↑	28.0 *	32.9	32.8	36.0	37.2	37.4	36.7	38.1
Breast	19.4	20.0		21.9	18.6	19.4	20.2	19.9	17.5	21.1	21.7
Colon and Rectum	10.9	11.5		9.9	9.7 *	10.7	14.1 #	11.8	12.9	12.5	12.6
Pancreas	9.8	10.4	↑	9.2	8.9	9.1	11.9	12.5	12.7	10.6	12.3
Ovary	6.3	6.0		5.8	7.3 #	4.9	6.4	5.3	5.0	6.9	5.2
Liver and Intrahepatic Bile Duct	3.8	4.8	↑	4.0	5.0	4.2	5.2	5.7	5.1	5.5	4.1
Leukemia	4.6	4.7		4.0	4.6	5.3	4.3	6.4	4.4	5.1	4.4
Non-Hodgkin Lymphoma	3.9	4.3	↑	3.7	4.1	5.3	3.8	4.0	6.1	5.0	3.3
Brain and Other Nervous System	4.1	3.9		3.3	3.7	4.1	3.8	4.1	3.3	4.2	4.8
Corpus and Uterus, NOS	4.7	3.5	↓	3.3	3.2	2.9	3.9	4.2	3.4	3.4	3.8

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N3. Death Rates¹ by LTR Region² for the Ten Most Common Cancer Deaths, 2018-2022:
NH Black Males

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
All Malignant Cancers	208.3	245.9	↑	217.2 *	245.2	242.6	276.5 #	258.9	278.5 #	258.1	251.7
Lung and Bronchus	46.7	65.7	↑	56.3 *	65.5	60.4	71.0	77.8	77.8	75.8 #	63.2
Prostate	37.2	34.5	↓	33.8	32.7	36.9	25.3 *	31.0	41.7	35.6	48.2 #
Colon and Rectum	21.3	25.0	↑	21.8	21.9	19.7	28.2	25.5	33.7	31.1 #	28.1
Liver and Intrahepatic Bile Duct	12.3	17.7	↑	15.8	21.5 #	15.0	21.4 #	21.8	15.7	19.0	8.8 *
Pancreas	15.3	17.1	↑	12.9 *	17.4	17.6	25.7 #	17.6	14.7	17.6	17.9
Stomach	6.6	7.3		6.3	6.7	7.8	9.1	^	^	7.2	7.8
Leukemia	6.6	7.2		5.8	7.3	7.7	11.6 #	^	^	7.3	^
Myeloma	7.2	6.8		7.9	7.3	6.0	7.9	^	^	6.4	^
Kidney and Renal Pelvis	4.9	6.5	↑	5.8	7.2	6.0	7.2	^	^	5.7	7.4
Oral Cavity and Pharynx	4.3	6.2	↑	4.3	5.9	6.8	9.1	^	10.4	5.0	6.6

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N4. Death Rates¹ by LTR Region² for the Ten Most Common Cancer Deaths, 2018-2022:
NH Black Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
All Malignant Cancers	144.7	154.2	↑	144.6 *	140.8 *	166.3	176.3 #	159.3	159.7	154.5	171.9 #
Lung and Bronchus	25.9	28.8	↑	29.0	24.1 *	32.1	33.8	32.0	28.6	26.4	31.9
Breast	26.8	28.1		26.8	27.6	29.3	28.9 #	28.4	34.7	26.8	29.3
Colon and Rectum	13.5	15.6	↑	13.7	13.7	18.1	17.5	15.7	17.6	18.8	15.8
Pancreas	12.3	13.1		10.9	12.8	10.3	15.6	17.1	15.2	13.1	16.9
Corpus and Uterus, NOS	9.5	7.5	↓	6.6	6.8	8.1	7.7	^	^	10.4 #	8.9
Ovary	5.5	5.4		5.3	4.9	5.8	7.5	^	^	4.7	6.5
Liver and Intrahepatic Bile Duct	4.6	5.1		4.4	5.8	5.8	7.9 #	^	^	3.9	4.6
Myeloma	4.9	5		3.8	5.2	7.4	5.4	^	^	4.6	6.3
Corpus Uteri	5.3	4.6	↓	4.5	3.8	5.7	4.4	^	^	6.7 #	5.3
Stomach	3.3	4.3	↑	4.1	3.4	4.5	4.4	^	^	4.3	5.7

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O1. Death Rates¹ by LA OPH Region² for the Ten Most Common Cancer Deaths, 2018-2022:
NH White Males

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
All Malignant Cancers	179.0	194.6	↑	176.7 *	165.8 *	213.4 #	204.9 #	200.6	212.0 #	204.6	207.5 #	191.9
Lung and Bronchus	41.2	50.2	↑	43.5 *	40.8 *	57.6 #	52.1	56.6 #	57.1 #	53.5	55.6	47.3
Colon and Rectum	15.2	16.9	↑	12.3 *	12.3 *	19.7	20.2 #	17.4	24.3 #	17.5	18.4	15.7
Prostate	18.1	16.0	↓	16.1	13.7	13.8	15.9	14.1	17.0	15.4	20.8 #	17.7
Pancreas	13.2	13.4		12.2	12.1	14.5	13.2	13.8	15.9	14.0	12.9	14.0
Liver and Intrahepatic Bile Duct	8.4	11.5	↑	10.2	10.7	12.7	12.3	13.8	10.7	12.3	8.2 *	12.6
Leukemia	8.4	8.9		7.4	8.0	9.6	9.5	9.7	9.2	9.3	9.6	8.6
Urinary Bladder	8.0	7.9		7.8	6.8	6.7	7.2	7.2	9.1	9.3	7.3	9.2
Non-Hodgkin Lymphoma	6.9	7.4		6.9	6.1	9.8 #	7.9	7.8	7.1	7.2	7.7	7.1
Kidney and Renal Pelvis	5.3	7.2	↑	6.8	6.3	8.6	8.9	8.7	6.1	7.0	7.9	5.7
Esophagus	7.5	7.1		6.4	7.5	8.4	6.7	7.3	8.4	7.6	6.0	6.6

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O2. Death Rates¹ by LA OPH Region² for the Ten Most Common Cancer Deaths, 2018-2022:
NH White Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
All Malignant Cancers	131.0	135.5	↑	125.0 *	118.7 *	132.8	142.7 #	145.3 #	141.4	145.6 #	147.9 #	133.7
Lung and Bronchus	31.0	34.1	↑	28.6 *	29.8 *	34.4	35.9	37.2	37.4	36.7	38.1	34.4
Breast	19.4	20.0		22.0	17.4	18.5	20.4	19.9	17.5	21.1	21.7	20.1
Colon and Rectum	10.9	11.5		10.0	9.0 *	11.8	14.3 #	11.8	12.9	12.5	12.6	10.3
Pancreas	9.8	10.4	↑	9.2	9.4	8.1 *	12.2	12.5	12.7	10.6	12.3	9.2
Ovary	6.3	6.0		6.0	7.2	4.9	6.3	5.3	5.0	6.9	5.2	6.1
Liver and Intrahepatic Bile Duct	3.8	4.8	↑	3.9	4.4	5.5	5.2	5.7	5.1	5.5	4.1	4.5
Leukemia	4.6	4.7		4.2	4.5	5.0	4.5	6.4	4.4	5.1	4.4	4.8
Non-Hodgkin Lymphoma	3.9	4.3	↑	3.9	3.9	5.0	3.6	4.0	6.1	5.0	3.3	5.0
Brain and Other Nervous System	4.1	3.9		3.2	3.9	3.9	4.0	4.1	3.3	4.2	4.8	3.7
Corpus and Uterus, NOS	4.7	3.5	↓	3.4	2.3 *	3.4	3.8	4.2	3.4	3.4	3.8	3.7

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O3. Death Rates¹ by LA OPH Region² for the Ten Most Common Cancer Deaths, 2018-2022:
NH Black Males

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
All Malignant Cancers	208.3	245.9	↑	218.6 *	236.7	241.3	284.7 #	258.9	278.5 #	258.1	251.7	257.1
Lung and Bronchus	46.7	65.7	↑	57.1 *	59.0	65.5	73.6	77.8	77.8	75.8 #	63.2	69.9
Prostate	37.2	34.5	↑	34.2	30.5	31.4	25.5 *	31.0	41.7	35.6	48.2 #	42.7
Colon and Rectum	21.3	25.0	↑	21.8 *	22.0	20.0	29.9	25.5	33.7	31.1 #	28.1	18.9
Liver and Intrahepatic Bile Duct	12.3	17.7	↑	15.8	22.5 #	12.3	22.5	21.8	15.7	19.0	8.8 *	18.4
Pancreas	15.3	17.1	↑	13.0 *	18.9	14.4	26.1 #	17.6	14.7	17.6	17.9	18.3
Stomach	6.6	7.3		6.5	6.7	8.4	9.6	^	^	7.2	7.8	^
Leukemia	6.6	7.2		6.0	6.5	^	13.0 #	^	^	7.3	^	10.8
Myeloma	7.2	6.8		7.9	7.8	^	7.7 #	^	^	6.4	^	^
Kidney and Renal Pelvis	4.9	6.5	↑	6.1	7.1	5.7	7.5	^	^	5.7	7.4	^
Oral Cavity and Pharynx	4.3	6.2	↑	4.4	5.0	11.3 #	8.9	^	10.4	5.0	6.6	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O4. Death Rates¹ by LA OPH Region² for the Ten Most Common Cancer Deaths, 2018-2022:
NH Black Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
All Malignant Cancers	144.7	154.2	↑	145.1 *	138.9 *	173.8 #	175.8 #	159.3	159.7	154.5	171.9 #	149.4
Lung and Bronchus	25.9	28.8	↑	29.2	23.2 *	33.0	34.0	32.0	28.6	26.4	31.9	28.2
Breast	26.8	28.1		27.1	28.1	30.5	29.2	28.4	34.7	26.8	29.3	23.9
Colon and Rectum	13.5	15.6	↑	13.6	14.0	19.4	16.9	15.7	17.6	18.8	15.8	14.6
Pancreas	12.3	13.1		10.8	12.2	12.1	15.1	17.1	15.2	13.1	16.9	13.6
Corpus and Uterus, NOS	9.5	7.5	↓	6.6	6.7	8.9	6.9	^	^	10.4 #	8.9	8.1
Ovary	5.5	5.4		5.3	5.3	6.0	8.2 #	^	^	4.7	6.5	^
Liver and Intrahepatic Bile Duct	4.6	5.1		4.4	5.4	5.8	8.4 #	^	^	3.9	4.6	6.4
Myeloma	4.9	5.0		3.9	5.7	5.6	5.7	^	^	4.6	6.3	^
Corpus Uteri	5.3	4.6	↓	4.5	3.7	6.5	4.3	^	^	6.7 #	5.3	^
Stomach	3.3	4.3	↑	4.2	4.0	^	4.9	^	^	4.3	5.7	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).