

Mortality Tables

Table J1. Average Annual Number of Cancer Deaths by Site, Race, and Sex, 2017-2021, Louisiana

Primary Site	All Races			NH White			NH Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	9,364	5,058	4,306	6,249	3,391	2,858	2,855	1,528	1,326
Oral Cavity and Pharynx	182	137	45	126	94	32	53	40	13
Lip	^	^	^	^	^	^	^	^	^
Tongue	40	27	12	31	21	9	8	5	^
Salivary Gland	14	10	4	10	8	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	22	14	9	17	10	7	5	3	^
Nasopharynx	11	9	^	7	6	^	4	^	^
Tonsil	15	13	^	11	9	^	4	4	^
Oropharynx	21	17	4	12	10	^	9	7	^
Hypopharynx	8	6	^	5	4	^	^	^	^
Other Oral Cavity and Pharynx	49	40	9	32	25	6	16	13	^
Digestive System	2,606	1,537	1,069	1,651	978	673	867	509	358
Esophagus	212	172	40	157	131	26	51	38	14
Stomach	176	107	68	85	53	32	79	47	32
Small Intestine	21	12	9	13	8	5	8	4	4
Colon and Rectum	861	473	388	539	296	242	295	163	132
Colon excluding Rectum	683	369	314	423	229	194	238	128	110
Rectum and Rectosigmoid Junction	178	104	74	116	67	48	57	34	22
Anus, Anal Canal and Anorectum	16	7	9	12	5	7	4	^	^
Liver and Intrahepatic Bile Duct	524	366	158	317	215	102	183	135	48
Liver	443	326	118	263	190	74	159	122	38
Intrahepatic Bile Duct	81	40	41	53	25	28	24	13	11
Gallbladder	33	13	20	20	8	12	12	4	8
Other Biliary	30	16	14	22	12	10	7	4	^
Pancreas	689	352	337	459	240	220	213	105	108
Retroperitoneum	5	^	^	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	18	4	13	13	^	10	5	^	^
Other Digestive Organs	21	11	9	12	6	6	9	5	4
Respiratory System	2,513	1,462	1,051	1,744	978	766	719	453	266
Nose, Nasal Cavity and Middle Ear	11	5	6	7	3	4	3	^	^
Larynx	76	61	15	46	37	9	30	24	6
Lung and Bronchus	2,414	1,387	1,027	1,681	931	750	682	425	258
Pleura	6	5	^	5	4	^	^	^	^
Trachea, Mediastinum and Other Respiratory	6	4	^	4	^	^	^	^	^
Bones and Joints	38	20	19	27	14	13	10	5	5
Soft Tissue including Heart	64	34	30	40	21	19	22	11	11
Skin	142	101	41	126	90	36	14	9	5
Melanoma of the Skin	83	58	25	77	54	23	5	3	^

Non-Melanoma Skin	58	43	16	49	36	13	8	6	^
Breast	678	6	672	414	3	410	245	^	242
Female Genital System	442	--	442	265	--	265	163	--	163
Cervix Uteri	79	--	79	39	--	39	37	--	37
Corpus and Uterus, NOS	149	--	149	74	--	74	70	--	70
Corpus Uteri	90	--	90	45	--	45	42	--	42
Uterus, NOS	59	--	59	29	--	29	29	--	29
Ovary	181	--	181	127	--	127	48	--	48
Vagina	10	--	10	7	--	7	^	--	^
Vulva	16	--	16	12	--	12	3	--	3
Other Female Genital Organs	8	--	8	6	--	6	^	--	^
Male Genital System	455	455	--	263	263	--	180	180	--
Prostate	445	445	--	257	257	--	176	176	--
Testis	5	5	--	3	3	--	^	^	--
Penis	4	4	--	^	^	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	482	324	159	362	249	113	109	66	43
Urinary Bladder	214	151	63	165	122	43	44	26	18
Kidney and Renal Pelvis	253	166	88	186	122	64	61	39	22
Ureter	3	^	^	^	^	^	^	^	^
Other Urinary Organs	12	6	6	9	4	4	^	^	^
Eye and Orbit	4	^	^	3	^	^	^	^	^
Brain and Other Nervous System	231	126	105	183	102	81	40	21	19
Endocrine System	41	17	24	26	12	14	13	4	8
Thyroid	26	9	17	18	7	11	7	^	5
Other Endocrine including Thymus	15	8	6	9	5	3	6	^	^
Lymphoma	304	172	132	230	128	101	63	36	27
Hodgkin Lymphoma	16	7	8	10	5	5	4	^	^
Non-Hodgkin Lymphoma	288	164	124	219	123	96	59	34	25
Myeloma	198	108	91	110	62	48	84	43	41
Leukemia	331	194	137	246	145	102	71	42	30
Lymphocytic Leukemia	81	49	32	60	36	24	19	12	7
Acute Lymphocytic Leukemia	19	12	8	13	8	5	5	3	^
Chronic Lymphocytic Leukemia	53	32	21	40	24	16	12	7	5
Other Lymphocytic Leukemia	10	6	4	8	5	^	^	^	^
Myeloid and Monocytic Leukemia	158	87	70	117	66	51	35	18	17
Acute Myeloid Leukemia	128	68	60	95	52	43	28	14	15
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	15	9	6	13	8	5	^	^	^
Other Myeloid/Monocytic Leukemia	13	9	4	8	5	^	4	3	^
Other Leukemia	92	57	34	69	43	27	18	12	6
Other Acute Leukemia	16	9	7	11	6	5	3	^	^
Aleukemic, Subleukemic and NOS	76	48	28	58	37	22	14	10	5
Miscellaneous Malignant Cancer	651	363	288	433	249	184	202	105	96

^The NCI does not present counts for cells smaller than 10 for the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

-- Not Applicable

Table J2. Percent Distribution of Cancer Deaths by Site, Race, and Sex,
2017-2021, Louisiana

Primary Site	All Races			NH White			NH Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Oral Cavity and Pharynx	1.9	2.7	1.0	2.0	2.8	1.1	1.8	2.6	1.0
Lip	^	^	^	^	^	^	^	^	^
Tongue	0.4	0.5	0.3	0.5	0.6	0.3	0.3	0.3	^
Salivary Gland	0.1	0.2	0.1	0.2	0.2	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.2	0.3	0.2	0.3	0.3	0.2	0.2	0.2	^
Nasopharynx	0.1	0.2	^	0.1	0.2	^	0.1	^	^
Tonsil	0.2	0.2	^	0.2	0.3	^	0.1	0.2	^
Oropharynx	0.2	0.3	0.1	0.2	0.3	^	0.3	0.5	^
Hypopharynx	0.1	0.1	^	0.1	0.1	^	^	^	^
Other Oral Cavity and Pharynx	0.5	0.8	0.2	0.5	0.7	0.2	0.6	0.9	^
Digestive System	27.8	30.4	24.8	26.4	28.8	23.6	30.4	33.3	27.0
Esophagus	2.3	3.4	0.9	2.5	3.9	0.9	1.8	2.5	1.0
Stomach	1.9	2.1	1.6	1.4	1.6	1.1	2.8	3.1	2.4
Small Intestine	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
Colon and Rectum	9.2	9.4	9.0	8.6	8.7	8.5	10.3	10.6	10.0
Colon excluding Rectum	7.3	7.3	7.3	6.8	6.8	6.8	8.3	8.4	8.3
Rectum and Rectosigmoid Junction	1.9	2.1	1.7	1.8	2.0	1.7	2.0	2.2	1.7
Anus, Anal Canal and Anorectum	0.2	0.1	0.2	0.2	0.1	0.3	0.1	^	^
Liver and Intrahepatic Bile Duct	5.6	7.2	3.7	5.1	6.3	3.6	6.4	8.8	3.6
Liver	4.7	6.4	2.7	4.2	5.6	2.6	5.6	8.0	2.9
Intrahepatic Bile Duct	0.9	0.8	0.9	0.9	0.7	1.0	0.8	0.9	0.8
Gallbladder	0.4	0.3	0.5	0.3	0.2	0.4	0.4	0.3	0.6
Other Biliary	0.3	0.3	0.3	0.4	0.3	0.4	0.2	0.3	^
Pancreas	7.4	7.0	7.8	7.3	7.1	7.7	7.5	6.9	8.1
Retroperitoneum	0.1	^	^	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.2	0.1	0.3	0.2	^	0.4	0.2	^	^
Other Digestive Organs	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
Respiratory System	26.8	28.9	24.4	27.9	28.8	26.8	25.2	29.7	20.0
Nose, Nasal Cavity and Middle Ear	0.1	0.1	0.1	0.1	0.1	0.1	0.1	^	^
Larynx	0.8	1.2	0.4	0.7	1.1	0.3	1.1	1.6	0.4
Lung and Bronchus	25.8	27.4	23.8	26.9	27.5	26.2	23.9	27.8	19.4
Pleura	0.1	0.1	^	0.1	0.1	^	^	^	^
Trachea, Mediastinum and Other Respiratory	0.1	0.1	^	0.1	^	^	^	^	^
Bones and Joints	0.4	0.4	0.4	0.4	0.4	0.5	0.3	0.3	0.4
Soft Tissue including Heart	0.7	0.7	0.7	0.6	0.6	0.7	0.8	0.7	0.8
Skin	1.5	2.0	1.0	2.0	2.7	1.3	0.5	0.6	0.4
Melanoma of the Skin	0.9	1.1	0.6	1.2	1.6	0.8	0.2	0.2	^
Non-Melanoma Skin	0.6	0.8	0.4	0.8	1.1	0.4	0.3	0.4	^
Breast	7.2	0.1	15.6	6.6	0.1	14.4	8.6	^	18.2

Female Genital System	4.7	--	10.3	4.2	--	9.3	5.7	--	12.3
Cervix Uteri	0.8	--	1.8	0.6	--	1.4	1.3	--	2.8
Corpus and Uterus, NOS	1.6	--	3.5	1.2	--	2.6	2.5	--	5.3
Corpus Uteri	1.0	--	2.1	0.7	--	1.6	1.5	--	3.2
Uterus, NOS	0.6	--	1.4	0.5	--	1.0	1.0	--	2.2
Ovary	1.9	--	4.2	2.0	--	4.4	1.7	--	3.6
Vagina	0.1	--	0.2	0.1	--	0.2	^	--	^
Vulva	0.2	--	0.4	0.2	--	0.4	0.1	--	0.2
Other Female Genital Organs	0.1	--	0.2	0.1	--	0.2	^	--	^
Male Genital System	4.9	9.0	--	4.2	7.7	--	6.3	11.8	--
Prostate	4.7	8.8	--	4.1	7.6	--	6.2	11.5	--
Testis	0.1	0.1	--	0.1	0.1	--	^	^	--
Penis	0.0	0.1	--	^	^	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	5.2	6.4	3.7	5.8	7.4	3.9	3.8	4.3	3.2
Urinary Bladder	2.3	3.0	1.5	2.6	3.6	1.5	1.5	1.7	1.4
Kidney and Renal Pelvis	2.7	3.3	2.0	3.0	3.6	2.2	2.2	2.6	1.7
Ureter	0.0	^	^	^	^	^	^	^	^
Other Urinary Organs	0.1	0.1	0.1	0.1	0.1	0.2	^	^	^
Eye and Orbit	0.0	^	^	0.1	^	^	^	^	^
Brain and Other Nervous System	2.5	2.5	2.4	2.9	3.0	2.8	1.4	1.3	1.4
Endocrine System	0.4	0.3	0.6	0.4	0.4	0.5	0.4	0.3	0.6
Thyroid	0.3	0.2	0.4	0.3	0.2	0.4	0.2	^	0.4
Other Endocrine including Thymus	0.2	0.2	0.1	0.1	0.2	0.1	0.2	^	^
Lymphoma	3.2	3.4	3.1	3.7	3.8	3.5	2.2	2.4	2.1
Hodgkin Lymphoma	0.2	0.1	0.2	0.2	0.1	0.2	0.2	^	^
Non-Hodgkin Lymphoma	3.1	3.3	2.9	3.5	3.6	3.4	2.1	2.2	1.9
Myeloma	2.1	2.1	2.1	1.8	1.8	1.7	2.9	2.8	3.1
Leukemia	3.5	3.8	3.2	3.9	4.3	3.6	2.5	2.7	2.2
Lymphocytic Leukemia	0.9	1.0	0.7	1.0	1.1	0.8	0.7	0.8	0.5
Acute Lymphocytic Leukemia	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	^
Chronic Lymphocytic Leukemia	0.6	0.6	0.5	0.6	0.7	0.6	0.4	0.5	0.3
Other Lymphocytic Leukemia	0.1	0.1	0.1	0.1	0.1	^	^	^	^
Myeloid and Monocytic Leukemia	1.7	1.7	1.6	1.9	1.9	1.8	1.2	1.2	1.3
Acute Myeloid Leukemia	1.4	1.4	1.4	1.5	1.5	1.5	1.0	0.9	1.1
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	0.2	0.2	0.1	0.2	0.2	0.2	^	^	^
Other Myeloid/Monocytic Leukemia	0.1	0.2	0.1	0.1	0.2	^	0.1	0.2	^
Other Leukemia	1.0	1.1	0.8	1.1	1.3	0.9	0.6	0.8	0.4
Other Acute Leukemia	0.2	0.2	0.2	0.2	0.2	0.2	0.1	^	^
Aleukemic, Subleukemic and NOS	0.8	0.9	0.6	0.9	1.1	0.8	0.5	0.6	0.3
Miscellaneous Malignant Cancer	7.0	7.2	6.7	6.9	7.3	6.4	7.1	6.9	7.3

^The NCI does not present counts for cells smaller than 10 for the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

-- Not Applicable

Table K. Average Annual Death Rate¹ by Site, Race, and Sex,
2017-2021, Louisiana

Primary Site	All Races			NH White			NH Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	168.6	206.2	141.3	163.8	198.4	138.2	194.9	250.2	158.3
Oral Cavity and Pharynx	3.2	5.2	1.5	3.3	5.3	1.6	3.3	5.8	1.5
Lip	^	^	^	^	^	^	^	^	^
Tongue	0.7	1.1	0.4	0.8	1.2	0.5	0.5	0.8	^
Salivary Gland	0.3	0.4	0.1	0.3	0.5	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.4	0.5	0.3	0.5	0.6	0.3	0.3	0.4	^
Nasopharynx	0.2	0.3	^	0.2	0.3	^	0.3	^	^
Tonsil	0.3	0.5	^	0.3	0.5	^	0.2	0.5	^
Oropharynx	0.4	0.6	0.1	0.3	0.5	^	0.5	1.0	^
Hypopharynx	0.1	0.2	^	0.1	0.2	^	^	^	^
Other Oral Cavity and Pharynx	0.8	1.5	0.3	0.8	1.4	0.3	1.0	2.0	^
Digestive System	46.3	60.2	34.9	42.8	55.6	32.1	58.1	78.1	43.1
Esophagus	3.7	6.6	1.3	4.0	7.3	1.2	3.3	5.6	1.6
Stomach	3.2	4.4	2.3	2.3	3.2	1.5	5.6	7.5	4.1
Small Intestine	0.4	0.5	0.3	0.3	0.5	0.2	0.6	0.7	0.5
Colon and Rectum	15.7	19.3	12.9	14.3	17.5	11.8	20.3	26.1	16.1
Colon excluding Rectum	12.5	15.1	10.4	11.2	13.6	9.4	16.5	20.8	13.5
Rectum and Rectosigmoid Junction	3.2	4.2	2.5	3.1	3.9	2.4	3.8	5.3	2.7
Anus, Anal Canal and Anorectum	0.3	0.3	0.3	0.3	0.3	0.3	0.3	^	^
Liver and Intrahepatic Bile Duct	8.8	13.3	5.0	7.9	11.5	4.8	11.1	18.3	5.5
Liver	7.4	11.7	3.7	6.5	10.1	3.4	9.5	16.3	4.3
Intrahepatic Bile Duct	1.4	1.6	1.3	1.4	1.4	1.4	1.6	2.0	1.3
Gallbladder	0.6	0.5	0.6	0.5	0.4	0.6	0.8	0.7	0.9
Other Biliary	0.5	0.7	0.5	0.6	0.7	0.5	0.5	0.7	^
Pancreas	12.3	14.0	10.9	11.9	13.6	10.4	14.6	16.8	12.9
Retroperitoneum	0.1	^	^	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.3	0.2	0.4	0.3	^	0.5	0.3	^	^
Other Digestive Organs	0.4	0.5	0.3	0.3	0.4	0.3	0.6	0.8	0.4
Respiratory System	44.2	57.9	33.6	44.5	55.4	36.2	48.2	72.5	31.0
Nose, Nasal Cavity and Middle Ear	0.2	0.2	0.2	0.2	0.2	0.2	0.2	^	^
Larynx	1.3	2.4	0.5	1.2	2.0	0.4	2.0	3.8	0.7
Lung and Bronchus	42.4	54.9	32.9	42.9	52.8	35.4	45.8	67.9	30.1
Pleura	0.1	0.2	^	0.1	0.2	^	^	^	^
Trachea, Mediastinum and Other Respiratory	0.1	0.2	^	0.1	^	^	^	^	^
Bones and Joints	0.7	0.8	0.6	0.8	0.9	0.7	0.6	0.8	0.6
Soft Tissue including Heart	1.2	1.4	1.1	1.2	1.3	1.0	1.4	1.6	1.3
Skin	2.7	4.4	1.4	3.5	5.6	1.8	0.9	1.4	0.6
Melanoma of the Skin	1.6	2.5	0.9	2.1	3.3	1.2	0.4	0.6	^
Non-Melanoma Skin	1.1	1.9	0.5	1.3	2.3	0.6	0.5	0.8	^
Breast	12.5	0.2	22.6	11.2	0.2	20.4	16.8	^	28.7

Female Genital System	8.1	--	14.8	7.1	--	13.3	10.9	--	19.0
Cervix Uteri	1.6	--	3.0	1.3	--	2.5	2.6	--	4.6
Corpus and Uterus, NOS	2.6	--	4.7	1.9	--	3.5	4.5	--	7.9
Corpus Uteri	1.6	--	2.9	1.2	--	2.1	2.7	--	4.7
Uterus, NOS	1.0	--	1.8	0.7	--	1.3	1.8	--	3.2
Ovary	3.3	--	6.0	3.4	--	6.2	3.3	--	5.6
Vagina	0.2	--	0.3	0.2	--	0.3	^	--	^
Vulva	0.3	--	0.5	0.3	--	0.6	0.2	--	0.4
Other Female Genital Organs	0.1	--	0.3	0.1	--	0.3	^	--	^
Male Genital System	8.4	20.7	--	6.9	16.8	--	13.5	35.7	--
Prostate	8.2	20.3	--	6.7	16.4	--	13.2	35.0	--
Testis	0.1	0.2	--	0.1	0.2	--	^	^	--
Penis	0.1	0.2	--	^	^	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	8.9	13.9	5.1	9.5	15.1	5.3	7.7	11.3	5.1
Urinary Bladder	4.0	6.8	2.0	4.4	7.7	2.0	3.2	4.5	2.2
Kidney and Renal Pelvis	4.6	6.8	2.8	4.9	7.1	3.1	4.2	6.5	2.6
Ureter	0.1	^	^	^	^	^	^	^	^
Other Urinary Organs	0.2	0.2	0.2	0.2	0.3	0.2	^	^	^
Eye and Orbit	0.1	^	^	0.1	^	^	^	^	^
Brain and Other Nervous System	4.3	5.0	3.6	5.0	6.0	4.2	2.7	3.1	2.3
Endocrine System	0.8	0.7	0.8	0.7	0.7	0.7	0.9	0.7	1.1
Thyroid	0.5	0.4	0.6	0.5	0.4	0.5	0.5	^	0.7
Other Endocrine including Thymus	0.3	0.4	0.2	0.2	0.3	0.2	0.4	^	^
Lymphoma	5.7	7.5	4.3	6.1	7.9	4.7	4.5	6.1	3.4
Hodgkin Lymphoma	0.3	0.3	0.3	0.3	0.3	0.3	0.3	^	^
Non-Hodgkin Lymphoma	5.4	7.2	4.0	5.8	7.6	4.4	4.2	5.8	3.1
Myeloma	3.6	4.6	2.9	2.9	3.8	2.3	6.1	7.7	5.1
Leukemia	6.3	8.6	4.6	6.7	9.1	5.0	5.2	7.3	3.8
Lymphocytic Leukemia	1.6	2.3	1.1	1.6	2.4	1.1	1.4	2.1	0.9
Acute Lymphocytic Leukemia	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	^
Chronic Lymphocytic Leukemia	1.0	1.5	0.7	1.1	1.5	0.7	1.0	1.5	0.6
Other Lymphocytic Leukemia	0.2	0.3	0.1	0.2	0.4	^	^	^	^
Myeloid and Monocytic Leukemia	3.0	3.7	2.4	3.2	4.0	2.6	2.5	2.9	2.1
Acute Myeloid Leukemia	2.4	2.9	2.0	2.6	3.1	2.1	2.0	2.2	1.9
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	0.3	0.4	0.2	0.4	0.5	0.3	^	^	^
Other Myeloid/Monocytic Leukemia	0.3	0.4	0.2	0.2	0.3	^	0.3	0.4	^
Other Leukemia	1.8	2.6	1.1	1.9	2.7	1.3	1.3	2.2	0.7
Other Acute Leukemia	0.3	0.4	0.2	0.3	0.4	0.2	0.3	^	^
Aleukemic, Subleukemic and NOS	1.5	2.2	0.9	1.6	2.4	1.1	1.1	1.8	0.6
Miscellaneous Malignant Cancer	11.8	14.8	9.5	11.3	14.6	8.9	13.9	17.5	11.7
In situ, benign or unknown behavior neoplasm	4.1	5.3	3.3	4.1	5.3	3.3	4.3	5.8	3.4

¹Rates are per 100,000 and age-adjusted to the 2000 Population (19 age groups – Census P25-1130) standard.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

--Not Applicable

Table L1. Average Annual Death Rates¹ for Selected Cancers by Race and Sex, 2017-2021:
U.S., Louisiana, and 7-Parish Industrial Corridor² (Please review: [Cautions in Interpretation](#))

Primary Site	NH White Males				NH White Females				NH Black Males				NH Black Females			
	US	Louisiana	Ind. Corr.		US	Louisiana	Ind. Corr.		US	Louisiana	Ind. Corr.		US	Louisiana	Ind. Corr.	
All Malignant Cancers	182.0	198.4	↑	171.0 *	132.7	138.2	↑	124.0 *	212.7	250.2	↑	239.0	147.5	158.3	↑	144.2 *
Oral Cavity and Pharynx	4.2	5.3	↑	4.4	1.5	1.6		1.5	4.3	5.8	↑	5.9	1.2	1.5		^
Esophagus	7.6	7.3		7.7	1.5	1.2	↓	^	4.6	5.6	↑	5.9	1.5	1.6		^
Stomach	2.9	3.2		2.8	1.5	1.5		^	6.9	7.5		7.5	3.4	4.1	↑	3.4
Small Intestine	0.5	0.5		^	0.3	0.2		^	0.9	0.7		^	0.6	0.5		^
Colon and Rectum	15.4	17.5	↑	14.3 *	11.0	11.8	↑	9.3 *	21.9	26.1	↑	22.6	13.9	16.1	↑	14.1
Liver and Intrahepatic Bile Duct	8.5	11.5	↑	10.3	3.7	4.8	↑	4.0	12.6	18.3	↑	19.2	4.7	5.5	↑	6.3
Pancreas	13.3	13.6		11.2 *	9.8	10.4		9.2	15.4	16.8		16.4	12.4	12.9		11.4
Larynx	1.6	2.0	↑	^	0.4	0.4		^	2.8	3.8	↑	3.6	0.5	0.7		^
Lung and Bronchus	43.2	52.8	↑	41.9 *	32.1	35.4	↑	31.8 *	48.9	67.9	↑	62.7	26.9	30.1	↑	24.0 *
Breast	0.3	0.2		^	19.7	20.4		18.4	0.5	^		^	27.2	28.7		30.4
Cervix Uteri	--	--		--	2.1	2.5	↑	1.7	--	--		--	3.3	4.6	↑	4.3
Corpus and Uterus, NOS	--	--		--	4.7	3.5	↓	2.3 *	--	--		--	9.3	7.9	↓	6.9
Ovary	--	--		--	6.5	6.2		6.8	--	--		--	5.7	5.6		5.1
Prostate	18.2	16.4	↓	15.1	--	--		--	37.5	35.0		31.9	--	--		--
Urinary Bladder	8.0	7.7		6.0	2.2	2.0		1.3	5.3	4.5		5.7	2.2	2.2		^
Kidney and Renal Pelvis	5.3	7.1	↑	6.8	2.2	3.1	↑	2.5	5.0	6.5	↑	6.8	2.1	2.6	↑	2.7
Brain and Other Nervous System	6.2	6.0		5.4	4.1	4.2		4.7	3.3	3.1		3.1	2.3	2.3		^
Hodgkin Lymphoma	0.3	0.3		^	0.2	0.3		^	0.3	^		^	0.2	^		^
Non-Hodgkin Lymphoma	7.1	7.6		6.4	4.0	4.4		3.9	5.1	5.8		5.9	2.9	3.1		2.8
Myeloma	3.7	3.8		3.2	2.2	2.3		2.0	7.4	7.7		8.3	5.0	5.1		6.1
Leukemia	8.6	9.1		7.5	4.7	5.0		5.4	6.6	7.3		5.5	4.2	3.8		4.1

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Ascension, East Baton Rouge, Iberville, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate. -- Not applicable

Table L2. Average Annual Death Rates¹ for Selected Cancers by Race and Sex, 2017-2021:
U.S., Louisiana, and 11-Parish Industrial Corridor² (Please review: [Cautions in Interpretation](#))

Primary Site	NH White Males				NH White Females				NH Black Males				NH Black Females			
	US	Louisiana	Ind. Corr.		US	Louisiana	Ind. Corr.		US	Louisiana	Ind. Corr.		US	Louisiana	Ind. Corr.	
All Malignant Cancers	182.0	198.4	↑	177.4 *	132.7	138.2	↑	127.1 *	212.7	250.2	↑	231.2 *	147.5	158.3	↑	147.3 *
Oral Cavity and Pharynx	4.2	5.3	↑	5.3	1.5	1.6		1.4	4.3	5.8	↑	4.4	1.2	1.5		1.3
Esophagus	7.6	7.3		6.9	1.5	1.2	↓	0.9	4.6	5.6	↑	4.8	1.5	1.6		1.3
Stomach	2.9	3.2		2.6	1.5	1.5		0.7 *	6.9	7.5		6.7	3.4	4.1	↑	3.5
Small Intestine	0.5	0.5		^	0.3	0.2		^	0.9	0.7		^	0.6	0.5		^
Colon and Rectum	15.4	17.5	↑	14.0 *	11.0	11.8	↑	9.6 *	21.9	26.1	↑	22.0 *	13.9	16.1	↑	14.3
Liver and Intrahepatic Bile Duct	8.5	11.5	↑	10.7	3.7	4.8	↑	4.2	12.6	18.3	↑	17.7	4.7	5.5	↑	5.2
Pancreas	13.3	13.6		11.9 *	9.8	10.4		9.2	15.4	16.8		14.3	12.4	12.9		11.3
Larynx	1.6	2.0	↑	1.8	0.4	0.4		^	2.8	3.8	↑	3.6	0.5	0.7		^
Lung and Bronchus	43.2	52.8	↑	44.3 *	32.1	35.4	↑	31.0 *	48.9	67.9	↑	62.1 *	26.9	30.1	↑	27.2
Breast	0.3	0.2		^	19.7	20.4		20.5	0.5	^		^	27.2	28.7		28.3
Cervix Uteri	--	--		--	2.1	2.5	↑	1.9	--	--		--	3.3	4.6	↑	4.4
Corpus and Uterus, NOS	--	--		--	4.7	3.5	↓	3.0	--	--		--	9.3	7.9	↓	7.2
Ovary	--	--		--	6.5	6.2		6.6	--	--		--	5.7	5.6		5.7
Prostate	18.2	16.4	↓	15.9	--	--		--	37.5	35.0		33.9	--	--		--
Urinary Bladder	8.0	7.7		6.8	2.2	2.0		2.0	5.3	4.5		5.1	2.2	2.2		2.1
Kidney and Renal Pelvis	5.3	7.1	↑	6.7	2.2	3.1	↑	2.2 *	5.0	6.5	↑	6.3	2.1	2.6	↑	2.7
Brain and Other Nervous System	6.2	6.0		5.5	4.1	4.2		3.9	3.3	3.1		3.0	2.3	2.3		2.1
Hodgkin Lymphoma	0.3	0.3		^	0.2	0.3		^	0.3	^		^	0.2	^		^
Non-Hodgkin Lymphoma	7.1	7.6		6.9	4.0	4.4		3.9	5.1	5.8		6.6	2.9	3.1		2.5
Myeloma	3.7	3.8		3.2	2.2	2.3		2.1	7.4	7.7		8.2	5.0	5.1		4.7
Leukemia	8.6	9.1		7.6 *	4.7	5.0		4.8	6.6	7.3		6.2	4.2	3.8		3.3

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Ascension, East Baton Rouge, Iberville, Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

-- Not applicable

Table M1. Death Rates¹ by Louisiana Parish² for the Ten Most Common Cancer Deaths, 2017-2021:
NH White Males

	All Malignant Cancers	Lung and Bronchus	Colon and Rectum	Prostate	Pancreas	Liver and Intrahepatic Bile Duct	Leukemia	Urinary Bladder	Non- Hodgkin Lymphoma	Esophagus	Kidney and Renal Pelvis
Louisiana	198.4	52.8	17.5	16.4	13.6	11.5	9.1	7.7	7.6	7.3	7.1
Acadia Parish	250.8	72.6	27.4	18.0	14.2	14.2	^	^	^	^	^
Allen Parish	278.7	90.1	^	^	^	^	^	^	^	^	^
Ascension Parish	163.2	44.8	12.6	11.8	12.6	11.5	^	^	^	^	^
Assumption Parish	183.9	51.0	^	^	^	^	^	^	^	^	^
Avoyelles Parish	238.7	78.9	28.2	22.1	20.7	^	^	^	^	^	^
Beauregard Parish	228.0	71.0	21.7	^	^	^	^	^	^	^	^
Bienville Parish	238.5	^	^	^	^	^	^	^	^	^	^
Bossier Parish	192.3	49.5	14.4	13.0	14.8	10.1	10.9	12.6	6.4	6.0	9.5
Caddo Parish	189.1	45.6	16.1	17.5	13.2	11.4	9.4	8.5	7.4	7.4	5.5
Calcasieu Parish	192.7	56.4	12.8	12.4	14.2	14.3	11.0	5.5	6.4	6.8	7.0
Caldwell Parish	204.7	80.3	^	^	^	^	^	^	^	^	^
Cameron Parish	121.2	^	^	^	^	^	^	^	^	^	^
Catahoula Parish	263.5	^	^	^	^	^	^	^	^	^	^
Claiborne Parish	194.8	56.4	^	^	^	^	^	^	^	^	^
Concordia Parish	221.6	61.7	^	^	^	^	^	^	^	^	^
De Soto Parish	183.4	44.7	^	^	^	^	^	^	^	^	^
East Baton Rouge Parish	162.1	36.8	13.2	15.8	11.1	9.3	8.3	7.2	6.5	7.2	5.8
East Carroll Parish	231.6	^	^	^	^	^	^	^	^	^	^
East Feliciana Parish	194.5	54.0	^	^	^	^	^	^	^	^	^
Evangeline Parish	204.9	61.7	25.5	^	^	^	^	^	^	^	^
Franklin Parish	235.0	91.4	^	^	^	^	^	^	^	^	^
Grant Parish	235.0	61.1	32.9	^	^	^	^	^	^	^	^
Iberia Parish	223.4	56.8	20.6	19.0	16.5	13.9	^	^	^	^	^
Iberville Parish	256.6	86.2	^	^	^	^	^	^	^	^	^
Jackson Parish	245.7	72.7	^	43.8	^	^	^	^	^	^	^
Jefferson Parish	188.3	49.7	12.2	15.4	12.5	11.8	8.5	8.8	7.8	6.6	7.4
Jefferson Davis Parish	243.3	77.7	24.3	27.8	^	^	^	^	^	^	^

Lafayette Parish	179.2	44.4	16.6	15.2	14.9	10.3	9.1	8.6	7.3	5.8	6.2
Lafourche Parish	213.8	58.0	25.5	14.2	11.8	13.6	10.7	8.8	10.2	10.6	7.7
La Salle Parish	220.7	62.9	^	^	^	^	^	^	^	^	^
Lincoln Parish	183.4	41.6	^	^	^	^	^	^	^	^	^
Livingston Parish	190.3	55.7	18.5	13.9	10.0	14.6	8.0	5.4	7.2	4.7	7.1
Madison Parish	204.6	^	^	^	^	^	^	^	^	^	^
Morehouse Parish	212.5	54.4	^	^	^	^	^	^	^	^	^
Natchitoches Parish	224.4	55.5	24.3	^	^	^	^	^	^	^	^
Orleans Parish	153.5	30.9	16.0	20.1	12.2	7.4	5.1	^	4.9	6.1	^
Ouachita Parish	217.8	51.4	21.0	18.8	16.1	6.7	10.9	10.3	10.1	6.6	8.2
Plaquemines Parish	214.1	50.0	^	^	^	^	^	^	^	^	^
Pointe Coupee Parish	199.4	49.4	^	^	^	^	^	^	^	^	^
Rapides Parish	196.2	48.6	24.4	14.1	14.7	11.8	9.1	^	9.0	8.2	6.4
Red River Parish	282.0	^	^	^	^	^	^	^	^	^	^
Richland Parish	207.9	83.3	^	^	^	^	^	^	^	^	^
Sabine Parish	275.8	84.6	^	^	^	^	^	^	^	^	^
St. Bernard Parish	235.4	74.2	^	^	^	19.6	^	^	^	^	^
St. Charles Parish	198.1	38.5	21.5	20.4	^	^	^	^	^	^	^
St. Helena Parish	223.6	^	^	^	^	^	^	^	^	^	^
St. James Parish	146.9	44.4	^	^	^	^	^	^	^	^	^
St. John the Baptist Parish	203.3	48.8	^	^	^	^	^	^	^	^	^
St. Landry Parish	221.1	61.0	20.0	14.0	13.7	^	^	^	^	^	^
St. Martin Parish	208.0	64.8	24.9	^	17.9	^	^	^	^	^	^
St. Mary Parish	224.4	68.6	22.7	^	15.0	^	^	^	^	^	^
St. Tammany Parish	185.1	43.8	13.1	18.7	13.7	10.6	7.8	9.3	6.1	6.3	5.7
Tangipahoa Parish	227.0	61.8	21.5	27.3	17.1	12.0	12.2	7.7	8.1	6.6	6.4
Tensas Parish	201.2	^	^	^	^	^	^	^	^	^	^
Terrebonne Parish	228.9	71.5	20.2	13.4	15.5	11.6	9.2	^	10.5	8.3	8.3
Union Parish	201.3	52.5	^	^	^	^	^	^	^	^	^
Vermilion Parish	208.5	50.2	19.5	19.1	11.4	11.4	^	^	^	^	^
Vernon Parish	240.4	82.8	27.1	20.4	^	^	^	^	^	^	^
Washington Parish	228.2	57.1	16.0	^	19.1	27.0	^	^	^	^	^
Webster Parish	254.4	71.3	28.0	^	19.2	^	^	^	^	^	^
West Baton Rouge Parish	161.9	43.0	^	^	^	^	^	^	^	^	^

West Carroll Parish	242.6	83.9	^	^	^	^	^	^	^	^	^
West Feliciana Parish	157.5	^	^	^	^	^	^	^	^	^	^
Winn Parish	252.2	85.9	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M2. Death Rates¹ by Louisiana Parish² for the Ten Most Common Cancer Deaths, 2017-2021:
NH White Females

	All Malignant Cancers	Lung and Bronchus	Breast	Colon and Rectum	Pancreas	Ovary	Leukemia	Liver and Intrahepatic Bile Duct	Non- Hodgkin Lymphoma	Brain and Other Nervous System	Corpus and Uterus, NOS
Louisiana	138.2	35.4	20.4	11.8	10.4	6.2	5.0	4.8	4.4	4.2	3.5
Acadia	157.8	44.6	20.5	18.5	13.0	^	^	^	^	^	^
Allen	164.1	45.2	^	^	^	^	^	^	^	^	^
Ascension	124.6	33.7	22.0	6.7	10.3	^	^	^	^	^	^
Assumption	130.9	41.7	^	^	^	^	^	^	^	^	^
Avoyelles	152.1	44.4	16.8	18.1	^	^	^	^	^	^	^
Beauregard	182.1	57.0	22.0	18.8	15.5	^	^	^	^	^	^
Bienville	140.4	^	^	^	^	^	^	^	^	^	^
Bossier	142.0	40.6	21.1	9.4	9.8	7.4	^	5.2	^	^	^
Caddo	148.1	37.3	20.0	15.1	11.8	7.0	5.5	5.7	4.0	4.7	3.2
Calcasieu	147.7	37.3	20.8	13.4	12.9	5.7	7.0	5.4	3.8	4.5	3.6
Caldwell	118.5	^	^	^	^	^	^	^	^	^	^
Cameron	145.7	^	^	^	^	^	^	^	^	^	^
Catahoula	124.7	^	^	^	^	^	^	^	^	^	^
Claiborne	145.2	^	^	^	^	^	^	^	^	^	^
Concordia	163.6	^	^	^	^	^	^	^	^	^	^
De Soto	138.2	32.3	^	^	^	^	^	^	^	^	^
East Baton Rouge	118.9	28.1	17.4	8.5	9.0	8.8	5.7	3.8	3.8	5.1	2.6
East Carroll	^	^	^	^	^	^	^	^	^	^	^
East Feliciana	131.6	46.9	^	^	^	^	^	^	^	^	^
Evangeline	140.8	45.0	^	^	^	^	^	^	^	^	^
Franklin	153.5	31.6	^	^	^	^	^	^	^	^	^
Grant	148.2	54.3	^	^	^	^	^	^	^	^	^
Iberia	136.7	40.4	17.4	10.7	11.2	^	^	^	^	^	^
Iberville	141.4	37.6	^	^	^	^	^	^	^	^	^
Jackson	127.9	37.9	^	^	^	^	^	^	^	^	^
Jefferson	132.3	29.7	22.8	10.0	10.6	6.3	4.6	4.5	4.4	3.1	3.4
Jefferson Davis	159.8	39.4	20.5	^	^	^	^	^	^	^	^

Lafayette	137.5	32.3	21.9	11.4	11.3	7.1	3.8	4.0	4.6	2.9	3.1
Lafourche	139.7	36.6	20.5	16.6	^	^	^	^	6.5	^	^
La Salle	154.6	48.8	^	^	^	^	^	^	^	^	^
Lincoln	134.5	33.9	21.1	^	^	^	^	^	^	^	^
Livingston	136.6	38.9	16.9	9.3	10.5	5.5	5.8	5.8	4.9	^	3.9
Madison	176.3	^	^	^	^	^	^	^	^	^	^
Morehouse	142.0	55.3	^	^	^	^	^	^	^	^	^
Natchitoches	165.7	33.2	24.5	^	^	^	^	^	^	^	^
Orleans	114.2	25.7	20.0	8.5	5.7	6.1	^	^	^	4.0	4.4
Ouachita	148.8	39.3	24.1	11.9	10.6	6.3	6.1	4.6	^	4.5	^
Plaquemines	142.6	38.0	^	^	^	^	^	^	^	^	^
Pointe Coupee	117.3	^	^	^	^	^	^	^	^	^	^
Rapides	131.2	36.2	20.6	13.0	11.1	^	^	6.4	5.7	^	^
Red River	129.2	^	^	^	^	^	^	^	^	^	^
Richland	109.9	32.6	^	^	^	^	^	^	^	^	^
Sabine	152.5	57.0	^	^	^	^	^	^	^	^	^
St. Bernard	162.7	50.3	24.7	^	^	^	^	^	^	^	^
St. Charles	155.0	42.6	20.3	^	^	^	^	^	^	^	^
St. Helena	150.6	^	^	^	^	^	^	^	^	^	^
St. James	103.9	^	^	^	^	^	^	^	^	^	^
St. John the Baptist	157.6	35.2	27.7	^	^	^	^	^	^	^	^
St. Landry	165.5	39.3	24.1	19.8	12.5	^	^	^	^	^	^
St. Martin	134.4	35.3	21.3	16.7	^	^	^	^	^	^	^
St. Mary	131.1	38.7	15.8	^	^	^	^	^	^	^	^
St. Tammany	126.9	32.1	19.1	10.5	9.3	5.4	4.9	3.5	4.8	4.2	3.2
Tangipahoa	142.7	33.1	22.2	10.7	7.3	9.9	^	6.2	6.0	^	^
Tensas	210.7	^	^	^	^	^	^	^	^	^	^
Terrebonne	149.5	33.9	21.4	10.0	12.3	^	6.5	^	8.8	^	^
Union	184.6	39.8	^	^	^	^	^	^	^	^	^
Vermilion	143.5	36.8	21.7	18.9	11.2	^	^	^	^	^	^
Vernon	181.6	43.5	29.8	^	15.7	^	^	^	^	^	^
Washington	146.1	39.2	30.4	^	14.8	^	^	^	^	^	^
Webster	152.1	30.7	24.2	^	17.3	^	^	^	^	^	^
West Baton Rouge	115.6	45.0	^	^	^	^	^	^	^	^	^

West Carroll	114.6	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	116.2	^	^	^	^	^	^	^	^	^	^	^
Winn	158.4	^	^	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M3. Death Rates¹ by Louisiana Parish² for the Ten Most Common Cancer Deaths, 2017-2021:
NH Black Males

	All Malignant Cancers	Lung and Bronchus	Prostate	Colon and Rectum	Liver and Intrahepatic Bile Duct	Pancreas	Myeloma	Stomach	Leukemia	Kidney and Renal Pelvis	Oral Cavity and Pharynx
Louisiana	250.2	67.9	35.0	26.1	18.3	16.8	7.7	7.5	7.3	6.5	5.8
Acadia	335.3	98.7	^	^	^	^	^	^	^	^	^
Allen	288.4	^	^	^	^	^	^	^	^	^	^
Ascension	228.0	65.9	^	^	^	^	^	^	^	^	^
Assumption	316.5	113.9	^	^	^	^	^	^	^	^	^
Avoyelles	378.0	116.0	^	^	^	^	^	^	^	^	^
Beauregard	250.0	^	^	^	^	^	^	^	^	^	^
Bienville	250.0	^	^	^	^	^	^	^	^	^	^
Bossier	198.2	48.6	^	^	^	^	^	^	^	^	^
Caddo	255.8	68.9	37.5	31.9	24.5	19.2	7.6	7.3	8.8	5.8	6.2
Calcasieu	245.2	77.7	27.2	30.2	25.0	16.4	^	^	^	^	^
Caldwell	^	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	661.3	^	^	^	^	^	^	^	^	^	^
Claiborne	272.4	93.3	^	^	^	^	^	^	^	^	^
Concordia	290.7	^	^	^	^	^	^	^	^	^	^
De Soto	298.6	60.6	^	^	^	^	^	^	^	^	^
East Baton Rouge	228.7	60.8	25.5	23.1	22.3	17.5	8.5	7.2	4.5	6.5	4.9
East Carroll	411.6	^	^	^	^	^	^	^	^	^	^
East Feliciana	248.8	^	^	^	^	^	^	^	^	^	^
Evangeline	305.5	97.7	^	^	^	^	^	^	^	^	^
Franklin	287.5	^	^	^	^	^	^	^	^	^	^
Grant	^	^	^	^	^	^	^	^	^	^	^
Iberia	296.6	70.3	^	^	^	39.3	^	^	^	^	^
Iberville	342.5	105.6	^	^	^	^	^	^	^	^	^
Jackson	336.7	^	^	^	^	^	^	^	^	^	^
Jefferson	248.2	76.3	37.8	20.3	14.7	13.5	11.5	^	8.6	^	^

Jefferson Davis	324.0	^	^	^	^	^	^	^	^	^	^
Lafayette	254.9	75.3	18.6	26.6	23.1	22.4	^	^	^	^	^
Lafourche	307.6	98.8	^	^	^	^	^	^	^	^	^
La Salle	^	^	^	^	^	^	^	^	^	^	^
Lincoln	192.4	^	^	^	^	^	^	^	^	^	^
Livingston	311.2	^	^	^	^	^	^	^	^	^	^
Madison	296.1	^	^	^	^	^	^	^	^	^	^
Morehouse	294.5	100.6	^	^	^	^	^	^	^	^	^
Natchitoches	273.6	92.2	^	^	^	^	^	^	^	^	^
Orleans	214.5	54.9	34.3	22.7	17.3	12.0	7.1	6.0	5.9	5.5	2.5
Ouachita	253.4	67.3	55.8	21.4	^	15.7	^	^	^	^	^
Plaquemines	291.6	^	^	^	^	^	^	^	^	^	^
Pointe Coupee	271.6	^	^	^	^	^	^	^	^	^	^
Rapides	270.6	80.2	44.6	34.1	20.4	^	^	^	^	^	^
Red River	304.8	^	^	^	^	^	^	^	^	^	^
Richland	326.2	^	^	^	^	^	^	^	^	^	^
Sabine	189.0	^	^	^	^	^	^	^	^	^	^
St. Bernard	263.5	^	^	^	^	^	^	^	^	^	^
St. Charles	269.9	54.6	^	^	^	^	^	^	^	^	^
St. Helena	217.1	^	^	^	^	^	^	^	^	^	^
St. James	252.9	78.3	^	^	^	^	^	^	^	^	^
St. John the Baptist	221.8	42.9	50.7	^	^	^	^	^	^	^	^
St. Landry	325.8	73.9	31.3	41.2	28.8	28.2	^	^	^	^	^
St. Martin	270.8	53.2	^	58.9	^	^	^	^	^	^	^
St. Mary	240.8	53.7	^	^	^	^	^	^	^	^	^
St. Tammany	212.9	38.0	39.2	^	^	^	^	^	^	^	^
Tangipahoa	304.4	108.4	45.3	^	27.5	^	^	^	^	^	^
Tensas	^	^	^	^	^	^	^	^	^	^	^
Terrebonne	277.9	81.3	^	^	^	^	^	^	^	^	^
Union	330.3	^	^	^	^	^	^	^	^	^	^
Vermilion	315.0	^	^	^	^	^	^	^	^	^	^
Vernon	234.2	^	^	^	^	^	^	^	^	^	^
Washington	321.6	91.9	^	^	^	^	^	^	^	^	^
Webster	258.2	96.0	^	^	^	^	^	^	^	^	^

West Baton Rouge	269.2	^	^	^	^	^	^	^	^	^	^
West Carroll	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	232.6	^	^	^	^	^	^	^	^	^	^
Winn	199.1	^	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M4. Death Rates¹ by Louisiana Parish² for the Ten Most Common Cancer Deaths, 2017-2021:
NH Black Females

	All Malignant Cancers	Lung and Bronchus	Breast	Colon and Rectum	Pancreas	Corpus and Uterus, NOS	Ovary	Liver and Intrahepatic Bile Duct	Myeloma	Corpus Uteri	Cervix Uteri
Louisiana	158.3	30.1	28.7	16.1	12.9	7.9	5.6	5.5	5.1	4.7	4.6
Acadia	208.3	^	^	^	^	^	^	^	^	^	^
Allen	177.0	^	^	^	^	^	^	^	^	^	^
Ascension	141.9	^	44.5	^	^	^	^	^	^	^	^
Assumption	222.0	^	^	^	^	^	^	^	^	^	^
Avoyelles	174.3	^	^	^	^	^	^	^	^	^	^
Beauregard	167.9	^	^	^	^	^	^	^	^	^	^
Bienville	148.5	^	^	^	^	^	^	^	^	^	^
Bossier	139.7	28.9	^	^	^	^	^	^	^	^	^
Caddo	166.0	28.3	27.3	20.3	16.0	11.0	4.7	4.5	5.3	7.1	4.8
Calcasieu	163.9	29.7	26.4	16.6	15.7	^	^	^	^	^	^
Caldwell	^	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	^	^	^	^	^	^	^	^	^	^	^
Claiborne	143.8	^	^	^	^	^	^	^	^	^	^
Concordia	146.6	^	^	^	^	^	^	^	^	^	^
De Soto	185.5	^	^	^	^	^	^	^	^	^	^
East Baton Rouge	141.9	23.6	26.6	15.1	12.3	7.2	4.6	7.0	6.5	^	4.5
East Carroll	343.0	^	^	^	^	^	^	^	^	^	^
East Feliciana	106.9	^	^	^	^	^	^	^	^	^	^
Evangeline	200.5	74.5	^	^	^	^	^	^	^	^	^
Franklin	136.4	^	^	^	^	^	^	^	^	^	^
Grant	^	^	^	^	^	^	^	^	^	^	^
Iberia	170.7	29.8	37.6	^	^	^	^	^	^	^	^
Iberville	169.8	^	52.5	^	^	^	^	^	^	^	^
Jackson	203.3	^	^	^	^	^	^	^	^	^	^
Jefferson	166.4	31.8	25.7	14.8	13.3	7.9	^	^	^	^	5.7
Jefferson Davis	162.1	^	^	^	^	^	^	^	^	^	^

Lafayette	161.5	28.7	33.3	11.4	14.4	^	^	^	^	^	^
Lafourche	209.2	54.1	^	^	^	^	^	^	^	^	^
La Salle	^	^	^	^	^	^	^	^	^	^	^
Lincoln	176.2	36.7	35.6	^	^	^	^	^	^	^	^
Livingston	127.4	^	^	^	^	^	^	^	^	^	^
Madison	209.0	^	^	^	^	^	^	^	^	^	^
Morehouse	206.4	^	^	^	^	^	^	^	^	^	^
Natchitoches	156.2	38.4	^	^	^	^	^	^	^	^	^
Orleans	142.3	28.2	26.9	13.3	10.8	7.7	6.5	4.4	3.5	5.3	4.1
Ouachita	153.2	30.6	27.2	13.9	16.7	^	^	^	^	^	^
Plaquemines	176.3	^	^	^	^	^	^	^	^	^	^
Pointe Coupee	169.8	^	^	^	^	^	^	^	^	^	^
Rapides	166.9	34.4	34.6	22.3	16.4	^	^	^	^	^	^
Red River	^	^	^	^	^	^	^	^	^	^	^
Richland	203.1	^	^	^	^	^	^	^	^	^	^
Sabine	197.8	^	^	^	^	^	^	^	^	^	^
St. Bernard	258.5	^	^	^	^	^	^	^	^	^	^
St. Charles	137.0	^	^	^	^	^	^	^	^	^	^
St. Helena	73.9	^	^	^	^	^	^	^	^	^	^
St. James	189.4	^	^	^	^	^	^	^	^	^	^
St. John the Baptist	152.4	^	^	^	^	^	^	^	^	^	^
St. Landry	186.4	37.9	26.0	21.0	^	^	^	^	^	^	^
St. Martin	157.1	35.2	^	^	^	^	^	^	^	^	^
St. Mary	173.1	34.8	^	^	^	^	^	^	^	^	^
St. Tammany	140.7	24.2	23.2	^	^	^	^	^	^	^	^
Tangipahoa	162.5	34.9	24.8	^	^	^	^	^	^	^	^
Tensas	219.6	^	^	^	^	^	^	^	^	^	^
Terrebonne	177.4	39.2	38.2	^	^	^	^	^	^	^	^
Union	181.8	^	^	^	^	^	^	^	^	^	^
Vermilion	155.5	^	^	^	^	^	^	^	^	^	^
Vernon	195.4	^	^	^	^	^	^	^	^	^	^
Washington	196.2	35.9	^	^	^	^	^	^	^	^	^
Webster	199.9	34.4	^	^	^	^	^	^	^	^	^
West Baton Rouge	122.0	^	^	^	^	^	^	^	^	^	^

West Carroll	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	157.0	^	^	^	^	^	^	^	^	^	^
Winn	161.8	^	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N1. Death Rates¹ by LTR Region² for the Ten Most Common Cancer Deaths, 2017-2021:
NH White Males

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
All Malignant Cancers	182.0	198.4	↑	181.7 *	182.9 *	200.4	205.7	207.4	219.8 #	205.6	213.9 #
Lung and Bronchus	43.2	52.8	↑	46.1 *	47.8 *	51.2	55.5	63.0 #	62.4 #	52.7	59.3 #
Colon and Rectum	15.4	17.5	↑	13.6 *	15.5	17.2	20.4 #	15.6	27.3 #	17.9	18.3
Prostate	18.2	16.4	↓	16.3	16.7	16.5	14.9	13.7	17.5	16.2	20.0 #
Pancreas	13.3	13.6		12.6	11.8	13.6	14.8	15.3	15.4	14.1	14.6
Liver and Intrahepatic Bile Duct	8.5	11.5	↑	11.2	12.1	11.9	11.5	14.5 #	10.7	11.4	7.4 *
Leukemia	8.6	9.1		7.3	8.4	8.9	9.4	10.6	9.2	11.1	9.5
Urinary Bladder	8.0	7.7		7.4	6.8	8.1	7.2	7.5	8.0	9.0	7.8
Non-Hodgkin Lymphoma	7.1	7.6		7.3	6.9	7.4	8.5	7.8	8.2	7.4	7.9
Esophagus	7.6	7.3		6.1	6.8	8.5	7.1	8.0	7.8	8.1	6.2
Kidney and Renal Pelvis	5.3	7.1	↑	6.4	6.7	7.2	7.7	7.7	6.1	7.6	7.8

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N2. Death Rates¹ by LTR Region² for the Ten Most Common Cancer Deaths, 2017-2021:
NH White Females

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region
All Malignant Cancers	132.7	138.2	↑	129.4 *		127.7 *		135.9		142.4		154.7 #		147.3		146.5 #		144.4
Lung and Bronchus	32.1	35.4	↑	30.0 *		33.6		34.3		37.0		40.9 #		39.7		37.5		38.5
Breast	19.7	20.4		22.2		18.4		20.7		20.5		21.3		20.6		20.8		19.6
Colon and Rectum	11.0	11.8	↑	9.7 *		9.1 *		12.0		14.5 #		13.9		14.1		12.6		12.2
Pancreas	9.8	10.4		9.2		8.7 *		9.5		11.2		14.1 #		11.4		11.1		11.8
Ovary	6.5	6.2		6.3		7.4		4.9		6.6		5.6		4.8		6.9		5.5
Leukemia	4.7	5.0		4.1		5.3		5.3		4.4		6.1		4.3		5.4		4.8
Liver and Intrahepatic Bile Duct	3.7	4.8	↑	4.4		5.1		4.0		5.0		5.8		5.5		5.4		4.0
Non-Hodgkin Lymphoma	4.0	4.4		4.0		4.2		5.8 #		3.8		3.9		6.5 #		4.2		3.2
Brain and Other Nervous System	4.1	4.2		3.3		4.1		4.3		4.0		4.2		3.1		5.1		5.3
Corpus and Uterus, NOS	4.7	3.5	↓	3.6		3.1		3.1		3.5		4.6		3.3		3.3		4.5

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N3. Death Rates¹ by LTR Region² for the Ten Most Common Cancer Deaths, 2017-2021:
NH Black Males

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
All Malignant Cancers	212.7	250.2	↑	224.5 *	247.9	256.4	282.2 #	254.2	281.6 #	251.8	263.0
Lung and Bronchus	48.9	67.9	↑	61.1	69.7	64.1	70.9	75.4	81.3	71.2	68.2
Prostate	37.5	35.0		34.9	31.5	40.2	25.5 *	27.5	41.4	34.4	55.0 #
Colon and Rectum	21.9	26.1	↑	22.0	22.9	23.6	30.9	30.9	37.5 #	30.7	26.6
Pancreas	15.4	16.8		12.9 *	15.7	16.2	25.6 #	15.4	13.4	17.5	21.5
Liver and Intrahepatic Bile Duct	12.6	18.3	↑	16.7	21.0	15.8	23.7 #	23.0	14.2	20.7	7.5 *
Myeloma	7.4	7.7		8.1	8.3	7.5	9.0	^	^	7.3	^
Stomach	6.9	7.5		5.9	6.6	9.9	9.5	^	8.8	7.8	7.4
Leukemia	6.6	7.3		6.5	6.4	9.6	11.0	^	^	7.1	^
Urinary Bladder	5.3	4.5		4.8	5.6	^	^	^	^	^	^
Non-Hodgkin Lymphoma	5.1	5.8		7.0	6.3	^	5.9	^	^	3.9	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N4. Death Rates¹ by LTR Region² for the Ten Most Common Cancer Deaths, 2017-2021:
NH Black Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
All Malignant Cancers	147.5	158.3	↑	149.4 *	144.0 *	166.5	172.9 #	165.1	167.7	163.6	178.0 #
Breast	27.2	28.7		26.6	30.2	29.3	28.2	27.3	35.1	26.9	31.9
Lung and Bronchus	26.9	30.1	↑	29.3	24.3 *	33.6	36.6 #	33.0	33.5	28.8	33.9
Colon and Rectum	13.9	16.1	↑	14.4	14.1	19.0	16.7	16.8	18.9	19.1	16.5
Pancreas	12.4	12.9		11.4	12.5	9.0 *	14.3	15.3	13.9	15.0	15.7
Corpus and Uterus, NOS	9.4	7.9	↓	7.4	7.3	8.1	7.9	^	^	10.7 #	10.2
Ovary	5.7	5.6		6.0	5.0	6.6	6.7	^	^	4.6	6.5
Corpus Uteri	5.1	4.7		4.9	3.2	5.5	5.1	^	^	7.1 #	6.1
Myeloma	5.0	5.1		3.5	5.6	6.7	5.7	^	^	5.1	5.8
Liver and Intrahepatic Bile Duct	4.7	5.5	↑	4.3	6.2	6.5	8.0	^	6.9	4.5	5.3
Uterus, NOS	4.3	3.2	↓	2.5	4.1	^	^	^	^	3.7	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O1. Death Rates¹ by LA OPH Region² for the Ten Most Common Cancer Deaths, 2017-2021:
NH White Males

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region		Northlake Region
All Malignant Cancers	182.0	198.4	↑	182.7 *		169.6 *		210.8 #		204.4		207.4		219.8 #		205.6		213.9 #		197.8
Lung and Bronchus	43.2	52.8	↑	46.2 *		42.6 *		58.9 #		54.5		63.0 #		62.4 #		52.7		59.3 #		50.4
Colon and Rectum	15.4	17.5	↑	13.7 *		13.4 *		20.9 #		20.2		15.6		27.3 #		17.9		18.3		16.2
Prostate	18.2	16.4	↓	16.5		15.7		12.8 *		15.6		13.7		17.5		16.2		20.0 #		18.8
Pancreas	13.3	13.6		12.4		11.3		13.1		14.8		15.3		15.4		14.1		14.6		13.8
Liver and Intrahepatic Bile Duct	8.5	11.5	↑	11.0		11.2		11.8		11.3		14.5 #		10.7		11.4		7.4 *		13.1
Leukemia	8.6	9.1		7.8		7.6		9.2		9.2		10.6		9.2		11.1		9.5		8.8
Urinary Bladder	8.0	7.7		7.5		6.7		7.3		7.1		7.5		8.0		9.0		7.8		8.2
Non-Hodgkin Lymphoma	7.1	7.6		7.2		6.3		9.2		8.4		7.8		8.2		7.4		7.9		7.0
Esophagus	7.6	7.3		6.3		7.1		10.0 #		7.0		8.0		7.8		8.1		6.2		6.3
Kidney and Renal Pelvis	5.3	7.1	↑	6.5		6.6		8.1		7.9		7.7		6.1		7.6		7.8		6.4

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O2. Death Rates¹ by LA OPH Region² for the Ten Most Common Cancer Deaths, 2017-2021:
NH White Females

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region		Northlake Region
All Malignant Cancers	132.7	138.2	↑	129.8	*	120.8	*	141.1		143.4		154.7	#	147.3		146.5	#	144.4		133.5
Lung and Bronchus	32.1	35.4	↑	30.2	*	31.1	*	36.3		36.9		40.9	#	39.7		37.5		38.5		34.9
Breast	19.7	20.4		22.3		18.0		19.7		20.9		21.3		20.6		20.8		19.6		19.9
Colon and Rectum	11.0	11.8	↑	9.8	*	8.3	*	13.4		14.6	#	13.9		14.1		12.6		12.2		10.4
Pancreas	9.8	10.4		9.1		9.0		8.6		11.5		14.1	#	11.4		11.1		11.8		9.4
Ovary	6.5	6.2		6.5		7.4		5.0		6.4		5.6		4.8		6.9		5.5		6.1
Leukemia	4.7	5.0		4.2		5.2		5.3		4.4		6.1		4.3		5.4		4.8		5.2
Liver and Intrahepatic Bile Duct	3.7	4.8	↑	4.3		4.6		4.7		5.0		5.8		5.5		5.4		4.0		4.7
Non-Hodgkin Lymphoma	4.0	4.4		4.0		3.7		6.6	#	3.6		3.9		6.5	#	4.2		3.2		5.0
Brain and Other Nervous System	4.1	4.2		3.2		4.6		4.0		4.3		4.2		3.1		5.1		5.3		3.8
Corpus and Uterus, NOS	4.7	3.5	↓	3.6		2.4		3.2		3.6		4.6		3.3		3.3		4.5		3.5

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O3. Death Rates¹ by LA OPH Region² for the Ten Most Common Cancer Deaths, 2017-2021:
NH Black Males

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
All Malignant Cancers	212.7	250.2	↑	225.7 *	239.1	256.7	288.0 #	254.2	281.6 #	251.8	263.0	268.9
Lung and Bronchus	48.9	67.9	↑	61.7	62.9	67.5	73.1	75.4	81.3	71.2	68.2	77.3
Prostate	37.5	35.0		35.1	29.0	34.4	25.0 *	27.5	41.4	34.4	55.0 #	45.6
Colon and Rectum	21.9	26.1	↑	21.9 *	23.2	26.1	31.8	30.9	37.5 #	30.7	26.6	19.8
Liver and Intrahepatic Bile Duct	12.6	18.3	↑	16.7	21.3	14.1	24.9 #	23.0	14.2	20.7	7.5 *	19.9
Pancreas	15.4	16.8		12.9 *	16.9	13.7	26.4 #	15.4	13.4	17.5	21.5	16.9
Myeloma	7.4	7.7		8.0	8.9	^	9.0	^	^	7.3	^	^
Stomach	6.9	7.5		6.1	6.6	10.8	9.8	^	8.8	7.8	7.4	^
Leukemia	6.6	7.3		6.8	5.2	6.5	12.3 #	^	^	7.1	^	11.5
Kidney and Renal Pelvis	5.0	6.5	↑	6.0	6.9	^	7.8	^	^	6.9	7.0	^
Oral Cavity and Pharynx	4.3	5.8	↑	3.3 *	5.3	10.9 #	8.4	^	10.3	5.4	6.3	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O4. Death Rates¹ by LA OPH Region² for the Ten Most Common Cancer Deaths, 2017-2021:
NH Black Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
All Malignant Cancers	147.5	158.3	↑	149.7 *	142.0 *	172.1	172.7 #	165.1	167.7	163.6	178.0 #	152.5
Lung and Bronchus	26.9	30.1	↑	29.5	23.3 *	34.5	36.7 #	33.0	33.5	28.8	33.9	29.1
Breast	27.2	28.7		26.7	31.2	30.2	28.7	27.3	35.1	26.9	31.9	24.5
Colon and Rectum	13.9	16.1	↑	14.3	14.0	18.8	16.8	16.8	18.9	19.1	16.5	16.5
Pancreas	12.4	12.9		11.2	11.9	12.2	13.8	15.3	13.9	15.0	15.7	11.4
Corpus and Uterus, NOS	9.4	7.9	↓	7.4	7.0	8.6	7.3	^	^	10.7 #	10.2	8.9
Ovary	5.7	5.6		6.0	5.0	7.0	7.3	^	^	4.6	6.5	^
Liver and Intrahepatic Bile Duct	4.7	5.5	↑	4.4	6.0	6.3	8.6 #	^	6.9	4.5	5.3	6.0
Myeloma	5.0	5.1		3.7	6.2	^	6.0	^	^	5.1	5.8	^
Corpus Uteri	5.1	4.7		4.8	2.9 *	6.2	5.0	^	^	7.1 #	6.1	^
Cervix Uteri	3.3	4.6	↑	4.4	4.2	^	3.9	^	^	4.8	^	6.4

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).