

Reporting Cervical Intraepithelial Neoplasia III (CIN III) Cases

Effective **January 1, 2009**, CIN III data are reportable to the Louisiana Tumor Registry.

Facilities are **ONLY** required to submit **pathology report data and basic demographic data for cases meeting the LTR's reportability criteria for CIN III case reporting.**

These data will provide an estimate of the incidence of precancerous cervical neoplasia in Louisiana in order to enhance our understanding of the efficacy of population-based HPV vaccination programs to reduce the incidence of cervical cancer in our state.

REPORTABILITY CRITERIA FOR CIN III CASES	
SITE (ICD-O-3)	<ul style="list-style-type: none"> ✓ C53.0 (endocervix); ✓ C53.1 (exocervix); ✓ C53.8 (overlapping lesions of cervix uteri) ✓ C53.9 (cervix uteri)
BEHAVIOR	2 (in situ or noninvasive)
Cases diagnosed 2009-2018 REPORTABLE Pathologic Classifications <i>Based on histological diagnosis in pathology report. Exclude diagnoses based on cytology only.</i>	<ul style="list-style-type: none"> ▪ Adenocarcinoma in situ (AIS) of cervix ▪ Carcinoma in situ (CIS) ▪ Cervical intraepithelial neoplasia III (CIN III) ▪ Cervical intraepithelial neoplasia 3 (CIN 3) ▪ Severe dysplasia of cervix <ul style="list-style-type: none"> ▪ Moderate AND severe dysplasia ▪ Squamous cell carcinoma in situ (SCCIS)
Cases diagnosed 2019 Forward REPORTABLE Pathologic Classifications <i>Based on histological diagnosis in pathology report. Exclude diagnoses based on cytology only.</i>	<ul style="list-style-type: none"> ▪ Adenocarcinoma in situ (AIS) of cervix ▪ Carcinoma in situ (CIS) ▪ Cervical intraepithelial neoplasia III (CIN III) ▪ Cervical intraepithelial neoplasia 3 (CIN 3) ▪ CIN II OR CIN 2 with positive for p16 ▪ CIN II/III (CIN II-III) OR CIN 2/3 (CIN 2-3) with positive for p16 ▪ High grade dysplasia ▪ High grade squamous dysplasia ▪ High grade squamous Intraepithelial Lesion/Neoplasm (HGSIL OR HSIL) ▪ HGSIL OR HSIL OR High grade NOS with: <ul style="list-style-type: none"> ▪ CIN II; CIN 2 OR ▪ CIN II/II (CIN II-III); CIN 2/3 (CIN 2-3) OR ▪ CIN III; CIN 3 OR ▪ CIS OR ▪ Severe dysplasia ▪ Severe dysplasia of cervix ▪ Squamous cell carcinoma in situ (SCCIS)

HISTOLOGY	<ul style="list-style-type: none"> ✓ 8010/2 Carcinoma in situ NOS ✓ 8050/2 Papillary carcinoma in situ ✓ 8052/2 Papillary squamous cell carcinoma, noninvasive ✓ 8070/2 Squamous cell carcinoma in situ, NOS ✓ 8071/2 Squamous cell carcinoma, keratinizing, NOS, in situ ✓ 8072/2 Squamous cell carcinoma, large cell, non-keratinizing, in situ ✓ 8076/2 Squamous cell carcinoma in situ w/questionable stromal invasion ✓ 8077/2 Squamous intraepithelial neoplasia grade III ✓ 8140/2 Adenocarcinoma in situ ✓ 8560/2 Adenosquamous in situ <p><i>Other histologies may be reportable. When in doubt, send all potential cases to LTR central office for review.</i></p>
REPORTING PERIOD	January 1, 2009 forward
CATCHMENT AREA	Residents of Louisiana at time of diagnosis, including cases diagnosed out of state.