Incidence Tables

Table A1. Average Annual Number of Cancer Cases by Site, Race, and Sex, 2019-2023, Louisiana

Primary Site	All Races & Ethnicities			White			Black			Hispanic			AI/AN[1] & APIs[2]		
Invasive Cancers[3]	Total[4]	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Sites	27,756	14,972	12,784	18,624	10,090	8,534	8,020	4,306	3,714	648	331	317	365	185	180
Oral Cavity and Pharynx	773	571	202	590	442	149	157	111	46	14	10	4	10	7	3
Lip	29	24	5	27	22	4	1	^	^	^	^	^	^	^	^
Tongue	244	179	64	202	150	52	33	24	10	4	3	1	3	2	1
Salivary Gland	69	43	26	47	32	15	19	10	9	2	^	2	2	^	^
Floor of Mouth	35	25	10	24	16	8	10	8	2	^	^	^	^	^	^
Gum and Other Mouth	115	69	46	87	53	34	25	14	11	^	^	^	2	1	^
Nasopharynx	28	20	8	17	12	5	10	8	2	^	^	^	^	^	^
Tonsil	149	126	23	119	102	16	27	21	6	3	3	^	^	^	^
Oropharynx	50	40	10	38	29	8	11	9	2	^	^	^	^	^	^
Hypopharynx	43	35	8	25	20	5	16	14	3	^	^	^	1	1	^
Other Oral Cavity and Pharynx	10	8	2	6	5	^	4	3	^	^	^	^	^	^	^
Digestive System	5,241	2,956	2,285	3,282	1,875	1,407	1,719	943	775	136	75	60	92	54	38
Esophagus	272	216	56	203	165	38	61	44	17	6	5	^	2	2	^
Stomach	431	248	183	220	136	84	184	98	86	16	7	9	9	7	2
Small Intestine	201	100	101	115	62	53	80	36	44	5	2	3	^	^	^
Colon and Rectum	2,453	1,328	1,124	1,564	847	717	782	421	362	57	34	22	44	23	22
Colon excluding Rectum	1,697	885	812	1,085	568	517	547	282	265	36	20	15	26	13	13
Cecum	328	154	174	215	104	111	103	47	56	5	2	3	3	^	3
Appendix	104	45	60	74	31	43	25	12	13	3	^	2	2	^	1
Ascending Colon	328	153	175	212	96	115	107	52	55	5	3	2	4	^	3
Hepatic Flexure	75	40	35	45	24	21	26	13	13	2	2	^	^	^	^
Transverse Colon	158	82	76	98	50	48	54	28	26	3	2	^	2	1	^
Splenic Flexure	61	33	28	31	17	14	27	14	13	2	^	^	1	1	^
Descending Colon	116	67	49	69	43	26	42	22	20	3	1	2	3	1	1
Sigmoid Colon	433	261	172	286	173	112	126	74	52	11	8	3	9	5	5
Large Intestine, NOS	95	50	45	56	30	26	36	19	17	2	^	2	^	^	^
Rectum and Rectosigmoid Junction	755	443	312	479	279	200	235	139	96	21	14	7	18	10	8
Rectosigmoid Junction	131	76	55	88	50	39	36	21	14	2	2	^	4	3	1
Rectum	625	367	257	391	230	161	200	118	82	18	12	6	14	7	7
Anus, Anal Canal and Anorectum	117	42	75	85	28	57	29	13	16	3	^	2	^	^	^
Liver and Intrahepatic Bile Duct	653	477	176	393	283	110	220	164	55	21	14	7	18	14	4
Liver	547	419	127	319	242	77	193	151	43	17	13	4	16	13	3
Intrahepatic Bile Duct	106	57	49	74	41	33	26	14	13	4	1	2	2	1	^

Gallbladder	74	25	49	39	13	26	32	11	21	2	^	2	2	^	^
Other Biliary	94	48	46	62	33	29	27	13	15	2	^	1	2	^	1
Pancreas	869	442	427	554	290	265	278	135	144	23	11	12	13	6	6
Retroperitoneum	19	8	11	10	5	6	7	2	5	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	19	2	17	12	^	11	6	^	5	^	^	^	^	^	^
Other Digestive Organs	38	20	18	24	13	11	13	6	6	^	^	^	^	^	^
Respiratory System	3,902	2,180	1,722	2,676	1,439	1,237	1,126	682	444	51	30	20	45	25	19
Nose, Nasal Cavity and Middle Ear	44	28	15	30	20	10	11	7	4	2	1	^	^	^	^
Larynx	267	206	61	166	129	37	96	72	24	3	3	^	2	2	^
Lung and Bronchus	3,582	1,940	1,643	2,474	1,287	1,187	1,017	601	416	45	25	19	41	23	19
Pleura	2	1	^	1	1	^	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	8	5	2	4	2	2	2	2	^	^	^	^	^	^	^
Bones and Joints	49	24	25	36	18	18	10	5	5	1	^	^	^	^	^
Soft Tissue including Heart	193	109	84	131	77	53	55	26	29	5	4	2	^	^	^
Skin excluding Basal and Squamous	1,141	699	442	1,080	669	411	25	11	14	19	10	9	3	2	1
Melanoma of the Skin	1,027	628	398	982	605	377	13	6	7	17	9	8	2	1	^
Other Non-Epithelial Skin	114	70	44	98	64	34	12	5	7	2	^	^	1	^	^
Breast	3,825	38	3,788	2,482	24	2,458	1,192	12	1,180	88	^	87	55	^	54
Female Genital System	1,297	--	1,297	802	--	802	417	--	417	50	--	50	22	--	22
Cervix Uteri	211	--	211	116	--	116	74	--	74	14	--	14	6	--	6
Corpus and Uterus, NOS	673	--	673	403	--	403	234	--	234	23	--	23	10	--	10
Corpus Uteri	652	--	652	393	--	393	224	--	224	23	--	23	10	--	10
Uterus, NOS	21	--	21	11	--	11	10	--	10	^	--	^	^	--	^
Ovary	247	--	247	164	--	164	70	--	70	8	--	8	4	--	4
Vagina	26	--	26	15	--	15	10	--	10	^	--	^	^	--	^
Vulva	88	--	88	67	--	67	17	--	17	3	--	3	1	--	1
Other Female Genital Organs	52	--	52	37	--	37	13	--	13	^	--	^	^	--	^
Male Genital System	4,394	4,394	--	2,636	2,636	--	1,595	1,595	--	95	95	--	45	45	--
Prostate	4,262	4,262	--	2,537	2,537	--	1,574	1,574	--	86	86	--	43	43	--
Testis	104	104	--	81	81	--	12	12	--	8	8	--	2	2	--
Penis	22	22	--	13	13	--	7	7	--	1	1	--	^	^	--
Other Male Genital Organs	7	7	--	5	5	--	2	2	--	^	^	--	^	^	--
Urinary System	2,441	1,704	737	1,796	1,283	513	558	362	196	53	35	18	25	17	7
Urinary Bladder	1,029	804	225	827	654	173	173	126	47	17	14	3	9	7	2
Kidney and Renal Pelvis	1,355	866	489	926	602	324	374	230	144	35	21	14	15	10	5
Ureter	29	17	12	23	14	10	4	2	2	^	^	^	^	^	^
Other Urinary Organs	27	16	11	20	13	7	7	3	3	^	^	^	^	^	^
Eye and Orbit	40	22	17	34	20	14	4	2	3	^	^	^	^	^	^
Brain and Other Nervous System	294	162	132	217	120	97	61	32	28	11	7	4	5	3	2
Brain	277	154	123	205	114	92	57	32	25	10	6	4	4	3	2
Cranial Nerves Other Nervous System	17	8	9	12	6	6	4	^	3	^	^	^	^	^	^
Endocrine System	678	191	488	464	142	322	164	37	127	30	7	23	16	3	13

Thyroid	609	160	449	428	126	302	135	24	111	28	6	21	14	3	12
Other Endocrine including Thymus	69	30	39	35	16	20	29	13	16	2	^	1	2	^	1
Lymphoma	1,145	617	528	834	453	380	259	132	127	33	20	13	15	9	6
Hodgkin Lymphoma	126	71	55	76	43	33	42	24	18	5	4	2	2	^	1
Hodgkin - Nodal	124	70	54	75	42	33	41	23	18	5	4	2	2	^	1
Hodgkin - Extranodal	2	1	^	^	^	^	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	1,020	546	473	758	411	347	217	109	109	28	16	11	13	9	4
NHL - Nodal	688	372	316	524	284	239	139	72	66	17	10	7	8	5	3
NHL - Extranodal	332	175	157	234	126	108	79	36	42	11	7	4	5	4	1
Myeloma	498	277	221	253	154	99	228	113	115	10	6	4	6	4	2
Leukemia	796	458	338	581	337	245	174	95	79	25	16	9	11	7	4
Lymphocytic Leukemia	388	234	154	293	175	118	75	45	30	15	10	5	3	2	^
Acute Lymphocytic Leukemia	70	39	31	41	21	20	18	10	8	10	7	3	^	^	^
Chronic Lymphocytic Leukemia	300	183	117	237	144	94	54	33	21	5	3	2	2	1	^
Other Lymphocytic Leukemia	18	12	6	15	10	5	3	2	1	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	378	209	169	268	151	117	92	47	46	10	5	4	7	4	3
Acute Myeloid Leukemia	247	134	113	173	95	78	61	31	30	7	4	3	5	3	2
Acute Monocytic Leukemia	5	3	2	4	2	2	2	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	122	70	53	88	52	36	29	14	15	3	2	1	1	^	^
Other Myeloid/Monocytic Leukemia	4	2	1	3	2	1	^	^	^	^	^	^	^	^	^
Other Leukemia	30	15	15	21	10	10	7	4	4	^	^	^	^	^	^
Other Acute Leukemia	11	5	6	8	4	4	2	^	1	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	19	10	9	13	7	6	5	3	2	^	^	^	^	^	^
Mesothelioma	57	42	15	43	32	11	11	8	3	2	1	^	^	^	^
Kaposi Sarcoma	24	22	2	8	7	^	14	13	1	2	2	^	^	^	^
Miscellaneous	967	507	460	680	363	317	250	126	124	23	11	12	12	5	7
In Situ Cancers (not included above)															
Breast In Situ	796	2	794	492	^	491	270	^	269	18	^	18	14	^	14

[1]American Indians/Alaska Natives

[2]Asians and Pacific Islanders

[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.

[4]The total case count for each cancer site may not have the same number as the sum of male and female due to rounding.

^ Count is not displayed due to fewer than 6 cases during the five-year period.

--Not applicable

Table A2. Percent Distribution of Cancer Cases by Site, Race, and Sex, 2019-2023, Louisiana

Primary Site	All Races & Ethnicities			White			Black			Hispanic			AI/AN[1] & APIs[2]		
Invasive Cancers[3]	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Sites	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Oral Cavity and Pharynx	2.8	3.8	1.6	3.2	4.4	1.7	2.0	2.6	1.2	2.2	2.9	1.4	2.7	3.9	1.6
Lip	0.1	0.2	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0
Tongue	0.9	1.2	0.5	1.1	1.5	0.6	0.4	0.5	0.3	0.7	1.0	0.4	0.9	1.0	0.8
Salivary Gland	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.1	0.6	0.4	0.5	0.3
Floor of Mouth	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.0
Gum and Other Mouth	0.4	0.5	0.4	0.5	0.5	0.4	0.3	0.3	0.3	0.2	0.2	0.1	0.5	0.6	0.3
Nasopharynx	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.0	0.1	0.0	0.2	0.3	0.1
Tonsil	0.5	0.8	0.2	0.6	1.0	0.2	0.3	0.5	0.2	0.5	0.8	0.1	0.1	0.1	0.0
Oropharynx	0.2	0.3	0.1	0.2	0.3	0.1	0.1	0.2	0.0	0.2	0.2	0.1	0.1	0.1	0.0
Hypopharynx	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.1	0.1	0.0	0.3	0.6	0.0
Other Oral Cavity and Pharynx	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.2	0.0
Digestive System	18.9	19.7	17.9	17.6	18.6	16.5	21.4	21.9	20.9	20.9	22.8	19.0	25.3	29.3	21.2
Esophagus	1.0	1.4	0.4	1.1	1.6	0.4	0.8	1.0	0.5	0.9	1.5	0.3	0.5	0.9	0.1
Stomach	1.6	1.7	1.4	1.2	1.3	1.0	2.3	2.3	2.3	2.5	2.0	3.0	2.5	3.8	1.1
Small Intestine	0.7	0.7	0.8	0.6	0.6	0.6	1.0	0.8	1.2	0.7	0.6	0.9	0.2	0.0	0.3
Colon and Rectum	8.8	8.9	8.8	8.4	8.4	8.4	9.8	9.8	9.7	8.7	10.4	7.0	12.1	12.2	12.0
Colon excluding Rectum	6.1	5.9	6.4	5.8	5.6	6.1	6.8	6.5	7.1	5.5	6.2	4.9	7.1	6.8	7.4
Cecum	1.2	1.0	1.4	1.2	1.0	1.3	1.3	1.1	1.5	0.8	0.6	1.0	0.9	0.4	1.4
Appendix	0.4	0.3	0.5	0.4	0.3	0.5	0.3	0.3	0.4	0.4	0.3	0.6	0.5	0.4	0.7
Ascending Colon	1.2	1.0	1.4	1.1	1.0	1.3	1.3	1.2	1.5	0.7	0.8	0.6	1.0	0.5	1.4
Hepatic Flexure	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.4	0.4	0.5	0.2	0.3	0.5	0.0
Transverse Colon	0.6	0.5	0.6	0.5	0.5	0.6	0.7	0.7	0.7	0.5	0.7	0.3	0.5	0.6	0.4
Splenic Flexure	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.2	0.3	0.3	0.6	0.0
Descending Colon	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.5	0.5	0.5	0.4	0.5	0.7	0.8	0.7
Sigmoid Colon	1.6	1.7	1.3	1.5	1.7	1.3	1.6	1.7	1.4	1.6	2.4	0.9	2.6	2.6	2.6
Large Intestine, NOS	0.3	0.3	0.4	0.3	0.3	0.3	0.4	0.5	0.4	0.4	0.2	0.5	0.2	0.2	0.2
Rectum and Rectosigmoid Junction	2.7	3.0	2.4	2.6	2.8	2.3	2.9	3.2	2.6	3.2	4.2	2.1	5.0	5.4	4.6
Rectosigmoid Junction	0.5	0.5	0.4	0.5	0.5	0.5	0.4	0.5	0.4	0.4	0.6	0.1	1.1	1.5	0.7
Rectum	2.3	2.5	2.0	2.1	2.3	1.9	2.5	2.7	2.2	2.8	3.6	2.0	3.9	3.9	3.9
Anus, Anal Canal and Anorectum	0.4	0.3	0.6	0.5	0.3	0.7	0.4	0.3	0.4	0.4	0.2	0.6	0.2	0.0	0.3
Liver and Intrahepatic Bile Duct	2.4	3.2	1.4	2.1	2.8	1.3	2.7	3.8	1.5	3.2	4.4	2.1	4.9	7.7	2.1
Liver	2.0	2.8	1.0	1.7	2.4	0.9	2.4	3.5	1.1	2.7	3.9	1.3	4.5	7.0	1.9
Intrahepatic Bile Duct	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.6	0.4	0.8	0.4	0.6	0.2
Gallbladder	0.3	0.2	0.4	0.2	0.1	0.3	0.4	0.3	0.6	0.4	0.2	0.6	0.4	0.4	0.4
Other Biliary	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.3	0.4	0.6	0.5	0.7
Pancreas	3.1	3.0	3.3	3.0	2.9	3.1	3.5	3.1	3.9	3.5	3.2	3.8	3.5	3.4	3.6
Retroperitoneum	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.0

Peritoneum, Omentum and Mesentery	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.2
Other Digestive Organs	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.3
Respiratory System	14.1	14.6	13.5	14.4	14.3	14.5	14.0	15.8	12.0	7.8	9.2	6.4	12.2	13.6	10.8
Nose, Nasal Cavity and Middle Ear	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.1	0.3	0.4	0.2	0.2	0.2	0.2
Larynx	1.0	1.4	0.5	0.9	1.3	0.4	1.2	1.7	0.6	0.4	0.8	0.0	0.5	0.9	0.2
Lung and Bronchus	12.9	13.0	12.8	13.3	12.8	13.9	12.7	14.0	11.2	6.9	7.7	6.1	11.3	12.3	10.3
Pleura	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
Trachea, Mediastinum and Other Respiratory Org.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.1	0.1	0.2	0.0
Bones and Joints	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.4	0.1
Soft Tissue including Heart	0.7	0.7	0.7	0.7	0.8	0.6	0.7	0.6	0.8	0.8	1.1	0.6	0.3	0.3	0.2
Skin excluding Basal and Squamous	4.1	4.7	3.5	5.8	6.6	4.8	0.3	0.3	0.4	2.9	2.9	2.8	0.9	1.1	0.7
Melanoma of the Skin	3.7	4.2	3.1	5.3	6.0	4.4	0.2	0.1	0.2	2.6	2.7	2.5	0.5	0.6	0.4
Other Non-Epithelial Skin	0.4	0.5	0.3	0.5	0.6	0.4	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.4	0.2
Breast	13.8	0.3	29.6	13.3	0.2	28.8	14.9	0.3	31.8	13.6	0.3	27.6	15.0	0.3	30.1
Female Genital System	4.7	--	10.1	4.3	--	9.4	5.2	--	11.2	7.7	--	15.8	6.1	--	12.4
Cervix Uteri	0.8	--	1.7	0.6	--	1.4	0.9	--	2.0	2.2	--	4.5	1.5	--	3.1
Corpus and Uterus, NOS	2.4	--	5.3	2.2	--	4.7	2.9	--	6.3	3.6	--	7.3	2.8	--	5.8
Corpus Uteri	2.4	--	5.1	2.1	--	4.6	2.8	--	6.0	3.5	--	7.1	2.8	--	5.8
Uterus, NOS	0.1	--	0.2	0.1	--	0.1	0.1	--	0.3	0.1	--	0.2	0.0	--	0.0
Ovary	0.9	--	1.9	0.9	--	1.9	0.9	--	1.9	1.3	--	2.6	1.1	--	2.2
Vagina	0.1	--	0.2	0.1	--	0.2	0.1	--	0.3	0.2	--	0.3	0.0	--	0.0
Vulva	0.3	--	0.7	0.4	--	0.8	0.2	--	0.4	0.4	--	0.8	0.4	--	0.8
Other Female Genital Organs	0.2	--	0.4	0.2	--	0.4	0.2	--	0.4	0.1	--	0.3	0.3	--	0.6
Male Genital System	15.8	29.3	--	14.2	26.1	--	19.9	37.0	--	14.6	28.7	--	12.4	24.4	--
Prostate	15.4	28.5	--	13.6	25.1	--	19.6	36.5	--	13.2	25.9	--	11.9	23.5	--
Testis	0.4	0.7	--	0.4	0.8	--	0.2	0.3	--	1.2	2.4	--	0.4	0.9	--
Penis	0.1	0.1	--	0.1	0.1	--	0.1	0.2	--	0.2	0.4	--	0.1	0.1	--
Other Male Genital Organs	0.0	0.0	--	0.0	0.0	--	0.0	0.0	--	0.0	0.1	--	0.0	0.0	--
Urinary System	8.8	11.4	5.8	9.6	12.7	6.0	7.0	8.4	5.3	8.2	10.7	5.6	6.7	9.4	4.0
Urinary Bladder	3.7	5.4	1.8	4.4	6.5	2.0	2.2	2.9	1.3	2.7	4.4	0.9	2.5	3.8	1.1
Kidney and Renal Pelvis	4.9	5.8	3.8	5.0	6.0	3.8	4.7	5.3	3.9	5.4	6.2	4.5	4.1	5.5	2.7
Ureter	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.2	0.1	0.1	0.0
Other Urinary Organs	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.2
Eye and Orbit	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.1
Brain and Other Nervous System	1.1	1.1	1.0	1.2	1.2	1.1	0.8	0.8	0.8	1.6	2.0	1.3	1.3	1.5	1.1
Brain	1.0	1.0	1.0	1.1	1.1	1.1	0.7	0.7	0.7	1.5	1.9	1.2	1.2	1.4	0.9
Cranial Nerves Other Nervous System	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.2
Endocrine System	2.4	1.3	3.8	2.5	1.4	3.8	2.0	0.9	3.4	4.6	2.1	7.2	4.5	1.7	7.3
Thyroid	2.2	1.1	3.5	2.3	1.3	3.5	1.7	0.6	3.0	4.3	1.9	6.8	3.9	1.4	6.6
Other Endocrine including Thymus	0.2	0.2	0.3	0.2	0.2	0.2	0.4	0.3	0.4	0.3	0.2	0.4	0.5	0.3	0.8
Lymphoma	4.1	4.1	4.1	4.5	4.5	4.5	3.2	3.1	3.4	5.1	6.0	4.2	4.1	5.0	3.1
Hodgkin Lymphoma	0.5	0.5	0.4	0.4	0.4	0.4	0.5	0.6	0.5	0.8	1.1	0.6	0.5	0.3	0.7

Hodgkin - Nodal	0.4	0.5	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.8	1.1	0.6	0.5	0.3	0.7
Hodgkin - Extranodal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin Lymphoma	3.7	3.6	3.7	4.1	4.1	4.1	2.7	2.5	2.9	4.3	5.0	3.6	3.6	4.6	2.4
NHL - Nodal	2.5	2.5	2.5	2.8	2.8	2.8	1.7	1.7	1.8	2.6	3.0	2.3	2.1	2.5	1.7
NHL - Extranodal	1.2	1.2	1.2	1.3	1.3	1.3	1.0	0.8	1.1	1.7	2.0	1.3	1.5	2.2	0.8
Myeloma	1.8	1.9	1.7	1.4	1.5	1.2	2.8	2.6	3.1	1.5	1.9	1.1	1.7	2.2	1.2
Leukemia	2.9	3.1	2.6	3.1	3.3	2.9	2.2	2.2	2.1	3.9	4.8	3.0	3.0	3.6	2.3
Lymphocytic Leukemia	1.4	1.6	1.2	1.6	1.7	1.4	0.9	1.0	0.8	2.3	3.1	1.5	0.8	1.1	0.6
Acute Lymphocytic Leukemia	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.5	2.0	0.9	0.3	0.3	0.2
Chronic Lymphocytic Leukemia	1.1	1.2	0.9	1.3	1.4	1.1	0.7	0.8	0.6	0.8	1.0	0.5	0.5	0.8	0.3
Other Lymphocytic Leukemia	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0
Myeloid and Monocytic Leukemia	1.4	1.4	1.3	1.4	1.5	1.4	1.1	1.1	1.2	1.5	1.6	1.3	1.9	2.3	1.4
Acute Myeloid Leukemia	0.9	0.9	0.9	0.9	0.9	0.9	0.8	0.7	0.8	1.0	1.1	0.9	1.5	1.7	1.2
Acute Monocytic Leukemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chronic Myeloid Leukemia	0.4	0.5	0.4	0.5	0.5	0.4	0.4	0.3	0.4	0.4	0.5	0.4	0.4	0.5	0.2
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other Leukemia	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.3
Other Acute Leukemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.2
Aleukemic, Subleukemic and NOS	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1
Mesothelioma	0.2	0.3	0.1	0.2	0.3	0.1	0.1	0.2	0.1	0.3	0.4	0.1	0.2	0.3	0.0
Kaposi Sarcoma	0.1	0.1	0.0	0.0	0.1	0.0	0.2	0.3	0.0	0.2	0.5	0.0	0.1	0.2	0.0
Miscellaneous	3.5	3.4	3.6	3.7	3.6	3.7	3.1	2.9	3.3	3.5	3.3	3.7	3.2	2.7	3.7

[1]American Indians/Alaska Natives

[2]Asians and Pacific Islanders

[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.

--Not applicable

Table B. Average Annual Cancer Incidence Rates by Site, Race, and Sex,[1] 2019-2023, Louisiana

Primary Site	All Races			White			Black		
Invasive Cancers[2]	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Sites	493.3	565.2	438.1	505.8	569.1	456.8	512.3	621.0	434.0
Oral Cavity and Pharynx	13.6	21.3	6.8	15.9	24.7	7.8	9.9	15.8	5.3
Lip	0.5	0.9	0.2	0.7	1.3	0.2	^	^	^
Tongue	4.3	6.6	2.2	5.4	8.3	2.8	2.1	3.4	1.1
Salivary Gland	1.3	1.7	0.9	1.3	1.9	0.8	1.2	1.3	1.1
Floor of Mouth	0.6	0.9	0.3	0.7	0.9	0.4	0.6	1.1	^
Gum and Other Mouth	2.1	2.7	1.5	2.3	3.0	1.7	1.7	2.2	1.3
Nasopharynx	0.5	0.8	0.3	0.5	0.7	0.3	0.7	1.2	^
Tonsil	2.6	4.6	0.7	3.2	5.7	0.8	1.6	2.7	0.7
Oropharynx	0.8	1.4	0.3	1.0	1.6	0.4	0.7	1.3	^
Hypopharynx	0.7	1.3	0.2	0.6	1.1	0.2	1.0	2.0	^
Other Oral Cavity and Pharynx	0.2	0.3	^	0.2	0.3	^	0.2	^	^
Digestive System	93.1	112.4	76.7	88.6	106.9	72.6	111.0	137.5	90.7
Esophagus	4.6	8.0	1.8	5.2	9.1	1.8	3.7	6.1	1.8
Stomach	7.6	9.5	6.2	5.9	7.7	4.3	12.1	14.9	10.2
Small Intestine	3.6	3.9	3.4	3.1	3.5	2.8	5.3	5.5	5.1
Colon and Rectum	44.9	51.9	38.7	43.9	50.1	38.3	51.5	62.8	42.9
Colon excluding Rectum	30.8	34.5	27.6	30.0	33.3	27.0	36.1	42.2	31.5
Cecum	5.9	6.0	5.8	5.7	6.0	5.5	6.8	7.0	6.7
Appendix	2.1	1.8	2.3	2.5	2.1	2.8	1.6	1.7	1.6
Ascending Colon	5.8	6.0	5.7	5.6	5.5	5.6	7.1	8.1	6.4
Hepatic Flexure	1.3	1.6	1.1	1.2	1.4	1.0	1.8	2.2	1.5
Transverse Colon	2.8	3.1	2.6	2.7	2.9	2.4	3.6	4.1	3.3
Splenic Flexure	1.1	1.3	1.0	0.9	1.0	0.7	1.8	2.1	1.5
Descending Colon	2.1	2.6	1.7	1.9	2.5	1.4	2.6	3.0	2.3
Sigmoid Colon	7.9	10.1	6.1	8.1	10.2	6.3	8.2	10.9	6.2
Large Intestine, NOS	1.7	2.0	1.5	1.5	1.8	1.3	2.4	3.2	1.9
Rectum and Rectosigmoid Junction	14.1	17.4	11.1	13.9	16.8	11.2	15.4	20.6	11.5
Rectosigmoid Junction	2.4	2.9	1.9	2.5	2.9	2.1	2.3	3.1	1.7
Rectum	11.7	14.5	9.2	11.5	13.9	9.1	13.1	17.5	9.8
Anus, Anal Canal and Anorectum	2.1	1.6	2.6	2.3	1.5	3.0	2.0	2.1	1.9
Liver and Intrahepatic Bile Duct	10.7	16.6	5.6	9.8	14.8	5.4	12.6	21.1	5.9
Liver	8.9	14.5	4.0	7.9	12.5	3.8	10.9	19.0	4.5
Intrahepatic Bile Duct	1.8	2.1	1.6	1.9	2.3	1.6	1.6	2.0	1.4
Gallbladder	1.3	1.0	1.6	1.0	0.7	1.3	2.1	1.7	2.4
Other Biliary	1.7	1.9	1.5	1.6	1.9	1.4	1.8	1.9	1.7
Pancreas	15.2	16.9	13.8	14.5	16.4	12.9	18.3	20.2	16.8
Retroperitoneum	0.3	0.3	0.4	0.3	0.3	0.3	0.4	^	0.5
Peritoneum, Omentum and Mesentery	0.3	^	0.6	0.3	^	0.6	0.4	^	0.6

Other Digestive Organs	0.7	0.7	0.6	0.6	0.7	0.5	0.8	0.8	0.7
Respiratory System	66.0	81.3	53.7	67.6	78.6	58.8	70.6	100.7	48.8
Nose, Nasal Cavity and Middle Ear	0.8	1.2	0.5	0.9	1.2	0.6	0.8	1.2	0.5
Larynx	4.4	7.4	1.9	4.2	6.9	1.9	5.7	10.1	2.5
Lung and Bronchus	60.6	72.4	51.2	62.4	70.2	56.2	63.9	89.2	45.8
Pleura	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other Respiratory	0.1	0.2	^	0.1	^	^	^	^	^
Bones and Joints	1.0	1.0	1.0	1.2	1.2	1.2	0.7	0.8	0.7
Soft Tissue including Heart	3.8	4.6	3.1	3.9	4.9	3.1	3.8	4.2	3.6
Skin excluding Basal and Squamous	21.3	28.5	16.1	31.1	40.2	24.2	1.8	1.9	1.7
Melanoma of the Skin	19.2	25.5	14.6	28.5	36.3	22.5	0.9	1.1	0.8
Other Non-Epithelial Skin	2.1	3.0	1.5	2.6	3.9	1.7	0.8	0.9	0.9
Breast	70.7	1.5	131.9	70.4	1.4	133.6	79.2	2.0	139.4
Female Genital System	24.0	--	45.5	23.4	--	45.1	26.7	--	47.7
Cervix Uteri	4.5	--	8.8	4.2	--	8.2	5.2	--	9.6
Corpus and Uterus, NOS	11.8	--	22.3	11.1	--	21.4	14.1	--	25.1
Corpus Uteri	11.4	--	21.6	10.8	--	20.9	13.6	--	24.1
Uterus, NOS	0.4	--	0.7	0.3	--	0.5	0.6	--	1.0
Ovary	4.6	--	8.7	4.8	--	9.2	4.6	--	8.2
Vagina	0.5	--	0.9	0.4	--	0.8	0.7	--	1.2
Vulva	1.6	--	3.0	1.9	--	3.6	1.1	--	2.0
Other Female Genital Organs	0.9	--	1.7	1.0	--	2.0	0.8	--	1.5
Male Genital System	71.9	155.4	--	65.6	139.0	--	93.8	217.0	--
Prostate	69.0	149.4	--	61.8	131.3	--	92.4	213.8	--
Testis	2.4	4.8	--	3.4	6.7	--	0.9	1.9	--
Penis	0.4	0.9	--	0.4	0.8	--	0.5	1.2	--
Other Male Genital Organs	0.1	0.3	--	0.1	0.3	--	^	^	--
Urinary System	43.7	67.0	24.7	48.4	74.1	26.6	36.7	56.2	22.6
Urinary Bladder	18.2	32.1	7.3	21.5	37.5	8.4	11.8	20.8	5.5
Kidney and Renal Pelvis	24.5	33.6	16.7	25.7	35.1	17.4	24.2	34.2	16.5
Ureter	0.5	0.7	0.4	0.6	0.8	0.4	0.3	^	^
Other Urinary Organs	0.5	0.7	0.4	0.5	0.8	0.3	0.5	0.6	0.4
Eye and Orbit	0.8	0.9	0.6	1.0	1.2	0.8	0.3	^	^
Brain and Other Nervous System	5.7	6.6	4.9	6.7	7.7	5.7	4.0	4.8	3.4
Brain	5.3	6.3	4.5	6.3	7.2	5.3	3.8	4.7	3.1
Cranial Nerves Other Nervous System	0.3	0.3	0.4	0.4	0.4	0.4	0.2	^	^
Endocrine System	13.7	7.7	19.7	15.5	8.9	22.2	11.1	5.5	15.8
Thyroid	12.4	6.5	18.2	14.5	8.0	21.0	9.1	3.5	13.8
Other Endocrine including Thymus	1.3	1.2	1.4	1.1	0.9	1.2	2.0	2.0	2.0
Lymphoma	21.4	25.0	18.3	23.5	27.4	20.2	17.5	19.9	15.5
Hodgkin Lymphoma	2.7	3.1	2.3	2.7	3.1	2.4	2.9	3.5	2.3
Hodgkin - Nodal	2.6	3.0	2.3	2.7	3.1	2.4	2.8	3.4	2.3
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	18.7	21.9	16.0	20.8	24.3	17.8	14.6	16.4	13.3
NHL - Nodal	12.6	14.9	10.6	14.4	16.9	12.1	9.3	11.0	8.0
NHL - Extranodal	6.1	6.9	5.5	6.5	7.4	5.7	5.3	5.4	5.3

Myeloma	8.8	10.7	7.3	6.6	8.7	4.9	15.0	16.9	13.5
Leukemia	14.8	18.6	11.8	16.5	20.4	13.2	11.8	14.6	9.7
Lymphocytic Leukemia	7.1	9.4	5.3	8.2	10.5	6.3	5.0	6.6	3.7
Acute Lymphocytic Leukemia	1.5	1.7	1.3	1.6	1.7	1.6	1.2	1.4	1.0
Chronic Lymphocytic Leukemia	5.3	7.2	3.7	6.2	8.2	4.5	3.6	5.0	2.5
Other Lymphocytic Leukemia	0.3	0.5	0.2	0.4	0.6	0.3	^	^	^
Myeloid and Monocytic Leukemia	7.1	8.6	6.0	7.6	9.2	6.3	6.4	7.4	5.6
Acute Myeloid Leukemia	4.6	5.5	4.0	4.9	5.8	4.2	4.2	4.9	3.6
Acute Monocytic Leukemia	0.1	^	^	0.1	^	^	^	^	^
Chronic Myeloid Leukemia	2.3	2.9	1.9	2.6	3.2	2.0	2.0	2.2	1.9
Other Myeloid/Monocytic Leukemia	0.1	^	^	0.1	^	^	^	^	^
Other Leukemia	0.6	0.6	0.5	0.6	0.6	0.6	0.5	0.6	0.4
Other Acute Leukemia	0.2	0.2	0.2	0.2	0.2	0.2	^	^	^
Aleukemic, Subleukemic and NOS	0.4	0.4	0.3	0.4	0.4	0.3	0.3	^	^
Mesothelioma	1.0	1.7	0.5	1.1	1.9	0.5	0.8	1.3	0.4
Kaposi Sarcoma	0.5	1.0	^	0.3	0.5	^	1.0	1.8	^
Miscellaneous	17.5	20.2	15.4	18.4	21.3	16.1	16.8	19.8	14.7
In Situ Cancers (not included above)									
Breast In Situ	14.6	^	27.8	14.2	^	27.6	17.4	^	31.0

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups - Census P25-1130) standard.
[2]Except for urinary bladder (in situ and invasive), only invasive cases are included.
^Statistic not displayed due to fewer than 16 cases in the five-year period.
--Not applicable

Table C1. Average Annual Cancer Incidence Rates by Race and Sex,[1] 2019-2023: U.S., Louisiana, and 7-Parish Industrial Corridor[2] (Please review: Cautions in Interpretation)

Primary Site	White Men					Black Men					White Women					Black Women				
Invasive Cancers[3]	US	LA		Ind. Corr.		US	LA		Ind. Corr.		US	LA		Ind. Corr.		US	LA		Ind. Corr.	
All Sites	520.8	569.1	↑	574.2		546.6	621.0	↑	643.4	#	454.2	456.8		444.9		414.9	434.0	↑	438.5	
Oral Cavity and Pharynx	20.9	24.7	↑	27.4		13.2	15.8	↑	14.5		7.6	7.8		8.4		4.9	5.3		4.3	
Esophagus	8.2	9.1	↑	8.8		5.3	6.1		6.3		1.9	1.8		1.6		1.9	1.8		^	
Stomach	7.5	7.7		7.2		12.9	14.9	↑	15.9		4.1	4.3		3.1		9.3	10.2		11.5	
Colon excluding Rectum	28.2	33.3	↑	25.4	*	35.3	42.2	↑	40.2		24.3	27.0	↑	24.4		28.2	31.5	↑	29.1	
Rectum and Rectosigmoid Junction	14.2	16.8	↑	16.9		14.7	20.6	↑	21.1		9.4	11.2	↑	10.0		9.8	11.5	↑	14.3	#
Liver and Intrahepatic Bile Duct	11.0	14.8	↑	14.8		15.1	21.1	↑	27.3	#	4.5	5.4	↑	5.4		5.3	5.9		6.6	
Pancreas	16.0	16.4		15.8		18.0	20.2	↑	18.5		12.2	12.9		12.2		15.7	16.8		17.5	
Larynx	4.3	6.9	↑	5.4		6.4	10.1	↑	8.9		1.1	1.9	↑	2.3		1.3	2.5	↑	3.4	
Lung and Bronchus	54.9	70.2	↑	60.5	*	64.2	89.2	↑	82.1		48.9	56.2	↑	51.8	*	42.7	45.8	↑	41.6	
Melanoma of the Skin	44.9	36.3	↓	45.1	#	1.2	1.1		^		30.3	22.5	↓	25.6		0.9	0.8		^	
Breast	1.3	1.4		^		1.9	2.0		^		141.4	133.6	↓	132.6		134.0	139.4	↑	141.3	
Cervix Uteri	--	--		--		--	--		--		6.7	8.2	↑	7.6		7.8	9.6	↑	8.1	
Corpus and Uterus, NOS	--	--		--		--	--		--		27.5	21.4	↓	20.2		30.1	25.1	↓	26.6	
Ovary	--	--		--		--	--		--		10.3	9.2	↓	10.1		9.2	8.2		9.2	
Prostate	121.4	131.3	↑	142.6	#	203.5	213.8	↑	231.3	#	--	--		--		--	--		--	
Testis	7.2	6.7		7.2		1.6	1.9		^		--	--		--		--	--		--	
Urinary Bladder	37.0	37.5		36.2		20.3	20.8		20.9		8.9	8.4		8.8		6.3	5.5		4.9	
Kidney and Renal Pelvis	24.1	35.1	↑	36.1		27.1	34.2	↑	39.1		11.6	17.4	↑	13.8	*	13.4	16.5	↑	17.0	
Brain and Other Nervous System	8.4	7.7	↓	7.0		4.8	4.8		5.0		6.0	5.7		5.5		3.6	3.4		3.4	
Thyroid	8.3	8.0		9.8		3.6	3.5		4.0		20.4	21.0		24.9	#	12.2	13.8	↑	16.1	
Hodgkin Lymphoma	3.0	3.1		3.5		2.8	3.5	↑	3.9		2.5	2.4		2.0		2.3	2.3		2.7	
Non-Hodgkin Lymphoma	24.1	24.3		25.5		17.2	16.4		17.6		16.4	17.8	↑	18.1		12.1	13.3		15.3	
Myeloma	8.4	8.7		8.8		18.0	16.9		21.1	#	5.1	4.9		4.4		13.6	13.5		15.9	
Leukemia	20.2	20.4		19.5		14.2	14.6		15.1		12.3	13.2	↑	12.6		9.8	9.7		10.3	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Ascension, East Baton Rouge, Iberville, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table C2. Average Annual Cancer Incidence Rates by Race and Sex,[1] 2019-2023: U.S., Louisiana, and 11-Parish Industrial Corridor[2] (Please review: Cautions in Interpretation)

Primary Site	White Men					Black Men					White Women					Black Women				
Invasive Cancers[3]	US	LA		Ind. Corr.		US	LA		Ind. Corr.		US	LA		Ind. Corr.		US	LA		Ind. Corr.	
All Sites	520.8	569.1	↑	554.5	*	546.6	621.0	↑	601.9	*	454.2	456.8		441.5	*	414.9	434.0	↑	423.5	
Oral Cavity and Pharynx	20.9	24.7	↑	25.7		13.2	15.8	↑	13.5		7.6	7.8		7.6		4.9	5.3		4.5	
Esophagus	8.2	9.1	↑	8.5		5.3	6.1		5.3		1.9	1.8		1.6		1.9	1.8		1.6	
Stomach	7.5	7.7		7.1		12.9	14.9	↑	15.2		4.1	4.3		3.4	*	9.3	10.2		10.9	
Colon excluding Rectum	28.2	33.3	↑	27.7	*	35.3	42.2	↑	40.8		24.3	27.0	↑	24.6	*	28.2	31.5	↑	27.2	*
Rectum and Rectosigmoid Junction	14.2	16.8	↑	16.2		14.7	20.6	↑	19.2		9.4	11.2	↑	10.5		9.8	11.5	↑	12.5	
Liver and Intrahepatic Bile Duct	11.0	14.8	↑	14.9		15.1	21.1	↑	23.3		4.5	5.4	↑	5.7		5.3	5.9		6.1	
Pancreas	16.0	16.4		15.2		18.0	20.2	↑	18.2		12.2	12.9		11.8		15.7	16.8		15.9	
Larynx	4.3	6.9	↑	6.5		6.4	10.1	↑	8.3		1.1	1.9	↑	1.9		1.3	2.5	↑	2.5	
Lung and Bronchus	54.9	70.2	↑	61.1	*	64.2	89.2	↑	78.1	*	48.9	56.2	↑	50.0	*	42.7	45.8	↑	44.2	
Melanoma of the Skin	44.9	36.3	↓	41.2	#	1.2	1.1		^		30.3	22.5	↓	24.6		0.9	0.8		^	
Breast	1.3	1.4		1.6		1.9	2.0		2.1		141.4	133.6	↓	137.2		134.0	139.4	↑	137.8	
Cervix Uteri	--	--		--		--	--		--		6.7	8.2	↑	7.0		7.8	9.6	↑	8.8	
Corpus and Uterus, NOS	--	--		--		--	--		--		27.5	21.4	↓	20.7		30.1	25.1	↓	23.9	
Ovary	--	--		--		--	--		--		10.3	9.2	↓	10.3		9.2	8.2		8.7	
Prostate	121.4	131.3	↑	135.3		203.5	213.8	↑	213.2		--	--		--		--	--		--	
Testis	7.2	6.7		6.3		1.6	1.9		2.1		--	--		--		--	--		--	
Urinary Bladder	37.0	37.5		38.0		20.3	20.8		20.5		8.9	8.4		8.5		6.3	5.5		5.3	
Kidney and Renal Pelvis	24.1	35.1	↑	32.5		27.1	34.2	↑	36.0		11.6	17.4	↑	13.5	*	13.4	16.5	↑	16.1	
Brain and Other Nervous System	8.4	7.7	↓	7.0		4.8	4.8		4.6		6.0	5.7		5.3		3.6	3.4		3.7	
Thyroid	8.3	8.0		7.9		3.6	3.5		3.8		20.4	21.0		22.9		12.2	13.8	↑	14.8	
Hodgkin Lymphoma	3.0	3.1		3.9		2.8	3.5	↑	3.9		2.5	2.4		2.3		2.3	2.3		2.6	
Non-Hodgkin Lymphoma	24.1	24.3		24.3		17.2	16.4		16.1		16.4	17.8	↑	18.2		12.1	13.3		14.2	
Myeloma	8.4	8.7		8.3		18.0	16.9		17.8		5.1	4.9		4.5		13.6	13.5		13.4	
Leukemia	20.2	20.4		18.6		14.2	14.6		13.8		12.3	13.2	↑	11.2	*	9.8	9.7		9.0	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Ascension, East Baton Rouge, Iberville, Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table D1. Cancer Incidence Rates[1] among the Hispanic Population, 2019-2023: U.S. and Louisiana

Primary Site	Male			Female		
Invasive Cancers[2]	U.S.	LA		U.S.	LA	
All Sites	367.7	262.5	↓	364.1	250.9	↓
Oral Cavity and Pharynx	9.8	7.3	↓	4.6	3.5	
Esophagus	4.7	4.0		1.1	^	
Stomach	12.1	5.6	↓	9.1	7.5	
Colon and rectum	38.7	26.6	↓	30.0	18.0	↓
Liver and Intrahepatic Bile Duct	18.8	10.7	↓	9.2	5.5	↓
Pancreas	13.4	9.1	↓	12.0	9.9	
Larynx	3.1	^		0.4	^	
Lung and Bronchus	27.3	22.3	↓	23.1	15.7	↓
Melanoma of the Skin	5.5	8.1	↑	5.8	6.4	
Breast	0.7	^		106.9	70.3	↓
Cervix Uteri	--	--		9.3	10.8	
Corpus and Uterus, NOS	--	--		28.4	18.4	↓
Ovary	--	--		10.5	6.4	↓
Prostate	92.5	70.8	↓	--	--	
Testis	7.0	4.4	↓	--	--	
Urinary Bladder	17.5	13.4		4.9	^	
Kidney and Renal Pelvis	23.5	15.1	↓	13.8	11.3	
Brain and Other Nervous System	5.8	4.5		4.7	2.8	↓
Thyroid	6.0	3.9	↓	21.0	15.7	↓
Hodgkin Lymphoma	2.7	2.5		2.0	^	
Non-Hodgkin Lymphoma	20.4	12.0	↓	16.1	9.2	↓
Myeloma	7.9	5.2	↓	5.5	2.8	↓
Leukemia	13.8	11.2		10.0	6.9	↓

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases in the five-year period.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table D2. Cancer Incidence Rates[1] among the NH American Indian/Alaska Native and Asian and Pacific Islander Population, 2019-2023: U.S. and Louisiana

Primary Site	Male		Female		
Invasive Cancers[2]	U.S.	LA	U.S.	LA	
All Sites	315.6	299.8	335.5	265.5	↓
Oral Cavity and Pharynx	11.9	11.5	5.9	^	
Esophagus	4.0	^	1.1	^	
Stomach	11.6	11.0	7.1	^	
Colon and rectum	37.2	36.1	27.5	31.6	
Liver and Intrahepatic Bile Duct	16.9	21.7	6.9	5.4	
Pancreas	11.8	10.6	10.0	9.2	
Larynx	1.9	^	0.3	^	
Lung and Bronchus	40.3	38.1	29.2	28.1	
Melanoma of the Skin	2.1	^	1.7	^	
Breast	0.6	^	118.7	79.8	↓
Cervix Uteri	--	--	6.2	8.4	
Corpus and Uterus, NOS	--	--	25.8	14.9	↓
Ovary	--	--	9.7	5.8	↓
Prostate	68.2	67.0	--	--	
Testis	3.1	^	--	--	
Urinary Bladder	15.1	12.6	3.7	^	
Kidney and Renal Pelvis	13.9	16.8	6.8	6.5	
Brain and Other Nervous System	4.6	^	3.3	^	
Thyroid	7.1	^	20.6	18.4	
Hodgkin Lymphoma	1.6	^	1.3	^	
Non-Hodgkin Lymphoma	16.7	13.8	11.9	6.7	↓
Myeloma	5.3	7.2	3.7	^	
Leukemia	10.5	11.6	6.8	6.5	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases in the five-year period.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table E1. Incidence Rates[1] by Louisiana Parish[2] for the Ten Most Commonly Diagnosed Cancers, 2019-2023: NH White Males

	All Sites	Prostate	Lung and Bronchus	Colon and Rectum	Urinary Bladder	Melanoma of the Skin	Kidney and Renal Pelvis	Oral Cavity and Pharynx	Non-Hodgkin Lymphoma	Leukemia	Pancreas
Louisiana	569.1	131.3	70.2	50.1	37.5	36.3	35.1	24.7	24.3	20.4	16.4
Acadia	609.7	120.7	90.9	57.3	42.5	19.7	44.2	30.4	24.3	18.6	19.4
Allen	669.3	133.7	106.9	73.3	37.1	37.1	^	^	^	34.7	^
Ascension	553.3	144.2	60.1	35.8	36.1	38.9	33.1	29.1	26.3	18.0	14.5
Assumption	601.4	151.8	75.3	33.6	40.1	^	52.0	^	34.5	^	^
Avoyelles	633.2	123.1	73.0	65.4	61.4	32.1	48.7	18.7	29.4	19.6	26.1
Beauregard	586.7	132.9	60.0	77.2	31.6	33.4	32.5	21.0	24.4	29.6	^
Bienville	569.2	117.9	89.7	79.9	^	^	^	^	^	^	^
Bossier	553.5	111.3	67.1	54.5	40.5	39.6	37.6	20.1	25.4	15.8	17.0
Caddo	527.3	118.1	70.6	43.2	37.6	29.1	28.6	26.7	17.6	23.0	17.0
Calcasieu	553.6	131.1	67.7	52.3	32.2	34.9	32.3	23.9	20.1	22.1	15.7
Caldwell	521.9	118.9	99.4	^	^	^	^	^	^	^	^
Cameron	590.3	98.0	^	^	^	^	^	^	^	^	^
Catahoula	618.6	153.8	^	95.1	^	^	^	^	^	^	^
Claiborne	634.4	128.2	61.7	71.9	^	^	^	^	^	^	^
Concordia	532.5	119.1	60.7	52.0	^	^	^	^	^	^	^
De Soto	591.3	119.5	67.1	58.1	33.8	46.0	39.6	^	^	^	^
East Baton Rouge	571.4	149.5	53.4	40.6	34.2	53.4	35.8	23.9	25.3	18.9	16.1
East Carroll	411.2	^	^	^	^	^	^	^	^	^	^
East Feliciana	500.0	127.7	75.1	49.0	^	^	^	^	^	^	^
Evangeline	565.3	84.8	96.0	64.9	45.5	37.9	37.1	^	33.0	^	^
Franklin	553.2	95.2	81.4	81.6	56.8	^	^	^	^	^	^
Grant	544.3	104.0	80.1	68.6	^	29.3	33.3	^	29.7	^	28.4
Iberia	647.3	176.3	80.8	58.8	41.6	30.7	33.3	20.8	25.0	25.1	19.2
Iberville	744.7	132.9	107.2	65.6	39.7	39.5	62.5	49.5	^	^	^
Jackson	599.9	141.4	86.4	61.8	^	^	^	^	^	^	^
Jefferson	546.8	125.5	67.4	43.4	42.2	33.9	34.1	22.9	24.0	17.9	15.9
Jefferson Davis	572.4	134.3	72.4	45.0	38.8	30.2	48.1	20.1	22.4	^	^

Lafayette	565.5	165.2	59.6	44.3	33.0	24.4	42.6	23.1	28.3	20.1	13.0
Lafourche	565.9	127.1	75.7	53.7	37.6	23.8	42.5	18.9	29.5	22.8	15.2
La Salle	593.3	104.6	90.6	73.0	56.3	^	^	^	^	^	^
Lincoln	477.2	119.4	53.2	39.7	22.2	38.9	28.5	^	23.4	^	^
Livingston	574.2	117.3	84.7	48.6	32.7	38.0	35.4	27.3	25.5	23.1	13.2
Madison	494.4	120.5	^	^	^	^	^	^	^	^	^
Morehouse	559.7	114.2	80.6	66.5	^	37.3	^	34.0	^	^	^
Natchitoches	544.2	118.4	65.5	59.6	28.4	27.3	41.6	27.4	^	31.1	^
Orleans	505.8	140.7	41.4	43.6	32.3	49.6	18.5	27.2	21.0	17.8	12.0
Ouachita	550.8	124.0	60.5	44.0	33.5	50.7	31.3	25.8	24.5	21.8	15.7
Plaquemines	594.3	148.1	64.3	70.6	43.3	^	40.7	^	^	^	^
Pointe Coupee	549.9	96.6	61.2	54.6	45.5	34.3	38.2	^	^	^	^
Rapides	542.8	109.0	63.4	53.9	38.4	32.9	29.6	30.7	23.1	17.6	17.7
Red River	608.3	112.7	^	^	^	^	^	^	^	^	^
Richland	570.2	126.3	90.1	61.3	^	^	40.4	^	^	^	^
Sabine	599.5	132.8	90.0	53.9	30.9	^	32.1	^	29.3	27.5	^
St. Bernard	571.8	99.8	100.9	54.0	44.0	^	33.7	23.0	23.9	^	^
St. Charles	608.6	133.0	61.6	45.7	51.2	30.3	37.9	40.8	24.8	22.3	23.4
St. Helena	546.9	125.2	74.2	^	^	^	^	^	^	^	^
St. James	530.0	116.6	63.6	78.7	^	^	^	^	^	^	^
St. John the Baptist	556.3	111.6	86.3	44.2	41.9	^	31.1	^	35.0	^	^
St. Landry	587.7	119.6	72.0	58.4	40.6	23.9	37.7	29.6	26.1	27.1	10.6
St. Martin	610.1	149.8	81.7	70.7	33.7	24.9	48.6	22.8	19.8	16.1	15.7
St. Mary	621.9	135.2	98.5	47.6	44.2	20.3	30.6	27.1	28.0	24.2	24.0
St. Tammany	604.0	140.3	66.5	48.5	40.0	55.7	30.8	25.9	26.3	19.8	19.3
Tangipahoa	582.1	147.9	76.8	46.5	32.0	39.3	35.5	21.1	22.0	15.8	18.7
Tensas	501.1	^	^	^	^	^	^	^	^	^	^
Terrebonne	617.5	123.8	92.5	56.5	52.2	29.6	47.7	25.8	25.2	20.0	19.4
Union	465.8	79.0	75.5	34.6	31.0	29.6	38.7	^	^	^	^
Vermilion	641.8	173.2	79.1	63.7	40.3	27.4	45.1	18.7	24.0	29.6	17.4
Vernon	529.5	108.1	92.6	47.2	39.1	20.1	31.8	^	^	^	^
Washington	630.2	96.0	104.2	52.0	42.2	49.2	33.0	24.8	20.7	24.1	21.4
Webster	615.0	135.6	86.3	51.0	35.1	28.9	43.5	33.1	27.4	26.9	18.6
West Baton Rouge	542.9	141.8	82.9	^	^	37.2	^	^	^	^	^

West Carroll	642.2	155.7	119.3	70.0	^	^	^	^	^	^	^
West Feliciana	568.8	155.4	68.9	53.9	^	^	^	^	^	^	^
Winn	583.6	91.8	92.0	71.1	^	^	^	^	^	^	^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.
[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.
^Statistic not displayed due to fewer than 16 cases during the five-year period.

Table E2. Incidence Rates[1] by Louisiana Parish[2] for the Ten Most Commonly Diagnosed Cancers, 2019-2023: NH White Females

	All Sites	Breast	Lung and Bronchus	Colon and Rectum	Melanoma of the Skin	Corpus and Uterus, NOS	Thyroid	Non-Hodgkin Lymphoma	Kidney and Renal Pelvis	Leukemia	Pancreas
Louisiana	456.8	133.6	56.2	38.3	22.5	21.4	21.0	17.8	17.4	13.2	12.9
Acadia	490.8	143.7	58.2	39.1	17.4	25.1	23.6	18.0	32.7	18.1	12.8
Allen	501.0	117.9	63.8	54.0	^	^	^	^	36.0	^	^
Ascension	473.8	131.5	64.7	38.7	26.7	19.7	35.4	16.8	14.9	14.3	11.1
Assumption	411.9	113.5	69.6	^	^	^	^	^	^	^	^
Avoyelles	410.7	108.9	66.2	37.7	^	25.6	^	^	20.7	^	^
Beauregard	508.2	121.1	72.7	41.3	^	25.3	^	29.8	25.2	^	17.7
Bienville	454.3	75.3	86.7	^	^	^	^	^	^	^	^
Bossier	458.6	128.7	67.5	39.4	24.8	20.0	18.2	14.0	14.8	17.7	11.9
Caddo	472.2	131.5	53.2	40.8	24.2	25.5	16.5	18.5	14.9	16.8	15.2
Calcasieu	418.0	116.5	54.2	34.1	18.2	17.9	13.5	20.9	17.2	13.5	11.3
Caldwell	486.8	112.7	70.7	^	^	^	^	^	^	^	^
Cameron	582.2	204.7	^	^	^	^	^	^	^	^	^
Catahoula	564.9	152.4	68.9	^	^	^	^	^	^	^	^
Claiborne	529.5	150.2	55.8	^	^	^	^	^	^	^	^
Concordia	370.1	86.5	57.9	42.2	^	^	^	^	^	^	^
De Soto	503.5	114.3	85.6	43.0	^	^	^	31.5	^	^	^
East Baton Rouge	430.8	134.3	46.7	33.2	28.0	19.9	21.2	16.3	11.6	12.4	11.9
East Carroll	336.9	^	^	^	^	^	^	^	^	^	^
East Feliciana	452.2	125.4	83.7	^	^	^	^	^	^	^	^
Evangeline	431.8	91.9	71.7	47.2	^	^	^	^	30.1	^	^
Franklin	455.9	99.2	73.9	66.5	^	^	^	^	^	^	^
Grant	476.1	111.9	45.2	64.4	^	^	^	28.7	^	^	^
Iberia	460.5	133.7	61.7	37.7	11.2	19.7	17.8	20.1	19.4	15.4	14.9
Iberville	476.2	112.9	80.3	31.5	^	^	^	^	^	^	^
Jackson	517.7	118.6	61.1	76.4	^	^	^	^	^	^	^
Jefferson	446.7	138.0	52.8	36.0	19.5	20.8	24.1	21.8	15.1	10.9	12.7
Jefferson Davis	433.4	134.1	57.3	48.7	^	^	^	^	^	^	^

Lafayette	464.0	155.7	53.8	32.1	16.0	25.3	21.2	19.5	15.5	13.2	13.1
Lafourche	411.5	133.4	44.4	32.5	15.7	23.3	16.0	15.8	24.9	11.8	9.6
La Salle	491.0	128.7	69.5	61.5	^	^	^	^	^	^	^
Lincoln	400.8	127.1	51.5	34.9	^	23.7	^	17.2	^	20.3	^
Livingston	472.8	120.9	74.2	35.7	26.2	19.9	20.0	17.0	21.6	10.8	12.6
Madison	431.1	129.8	^	^	^	^	^	^	^	^	^
Morehouse	473.4	110.8	64.7	^	^	^	^	^	^	^	^
Natchitoches	526.2	171.9	46.3	49.4	^	^	^	19.3	^	^	^
Orleans	412.5	151.0	34.1	33.4	33.5	22.2	17.3	11.6	6.3	8.9	7.8
Ouachita	452.2	122.0	53.4	40.4	30.6	18.7	17.0	16.0	18.6	13.4	13.8
Plaquemines	458.3	121.6	59.5	^	^	^	^	^	^	^	^
Pointe Coupee	490.4	121.9	29.9	51.9	42.9	^	^	^	^	^	^
Rapides	441.4	123.9	49.7	38.8	19.8	20.2	28.0	13.8	14.1	15.5	12.5
Red River	390.9	115.8	^	^	^	^	^	^	^	^	^
Richland	438.4	116.7	75.5	61.5	^	^	^	^	^	^	^
Sabine	532.3	110.4	63.5	53.4	32.7	37.7	^	^	^	^	^
St. Bernard	466.3	134.2	60.5	41.3	^	22.8	^	^	18.2	^	^
St. Charles	442.1	124.1	44.7	33.0	19.1	19.4	26.7	16.6	23.5	^	^
St. Helena	416.3	97.8	63.6	^	^	^	^	^	^	^	^
St. James	502.1	160.4	42.2	51.9	^	^	^	^	^	^	^
St. John the Baptist	440.2	139.6	45.7	41.1	^	^	^	^	^	^	^
St. Landry	493.9	156.4	60.3	37.5	17.9	22.8	20.0	17.0	24.7	12.1	16.8
St. Martin	482.7	160.0	57.9	42.8	^	23.5	^	24.8	16.7	16.1	^
St. Mary	450.7	121.8	60.5	37.3	^	21.5	^	17.6	21.1	^	^
St. Tammany	489.6	153.8	57.8	40.0	31.3	17.7	23.6	19.0	20.7	11.6	11.4
Tangipahoa	474.3	138.2	57.9	32.9	17.3	23.3	24.6	16.6	20.1	14.8	17.3
Tensas	464.6	^	^	^	^	^	^	^	^	^	^
Terrebonne	460.4	131.1	64.8	41.0	21.1	21.0	20.2	14.2	16.5	16.3	12.1
Union	510.6	128.8	51.4	48.0	43.9	^	^	^	^	^	^
Vermilion	467.9	138.4	59.4	35.5	16.7	30.8	17.3	15.3	21.2	13.9	20.5
Vernon	478.6	92.1	64.3	49.7	29.6	40.9	23.0	^	^	18.9	^
Washington	477.4	126.7	76.4	40.0	^	20.1	^	14.2	22.5	^	19.9
Webster	455.5	132.7	50.9	44.5	26.6	21.6	^	23.7	^	15.8	16.0
West Baton Rouge	455.6	128.7	69.3	^	^	^	^	^	^	^	^

West Carroll	478.2	125.7	^	^	^	^	^	^	^	^	^
West Feliciana	401.7	139.6	^	^	^	^	^	^	^	^	^
Winn	561.0	156.5	66.1	68.2	^	^	^	^	^	^	^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.
[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.
^Statistic not displayed due to fewer than 16 cases during the five-year period

Table E3. Incidence Rates[1] by Louisiana Parish[2] for the Ten Most Commonly Diagnosed Cancers, 2019-2023: NH Black Males

	All Sites	Prostate	Lung and Bronchus	Colon and Rectum	Kidney and Renal Pelvis	Liver and Intrahepatic Bile Duct	Urinary Bladder	Pancreas	Myeloma	Non-Hodgkin Lymphoma	Oral Cavity and Pharynx
Louisiana	621.0	213.8	89.2	62.8	34.2	21.1	20.8	20.2	16.9	16.4	15.8
Acadia	660.3	212.2	129.7	^	^	^	^	^	^	^	^
Allen	494.2	198.3	^	^	^	^	^	^	^	^	^
Ascension	670.9	257.2	76.1	67.2	52.1	24.7	^	^	^	^	^
Assumption	642.8	197.7	122.5	^	^	^	^	^	^	^	^
Avoyelles	779.6	238.7	120.1	81.2	^	^	^	^	^	^	^
Beauregard	566.9	152.5	^	^	^	^	^	^	^	^	^
Bienville	650.6	259.3	92.3	^	^	^	^	^	^	^	^
Bossier	577.6	198.2	87.4	63.8	37.5	^	^	^	^	^	^
Caddo	606.7	189.0	100.3	59.3	33.6	25.5	22.3	18.3	17.4	17.0	20.6
Calcasieu	623.8	212.1	82.2	63.1	27.3	17.8	24.8	13.4	17.1	22.8	14.7
Caldwell	410.3	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	962.8	497.7	^	^	^	^	^	^	^	^	^
Claiborne	625.8	198.8	90.0	^	^	^	^	^	^	^	^
Concordia	695.2	261.8	134.7	^	^	^	^	^	^	^	^
De Soto	786.2	192.4	150.9	104.3	^	^	^	^	^	^	^
East Baton Rouge	630.7	222.6	83.8	61.2	37.4	28.0	21.6	18.3	21.7	16.9	13.3
East Carroll	820.3	324.5	^	^	^	^	^	^	^	^	^
East Feliciana	716.6	272.1	119.9	^	^	^	^	^	^	^	^
Evangeline	731.2	197.3	123.3	^	^	^	^	^	^	^	^
Franklin	555.7	173.2	100.8	^	^	^	^	^	^	^	^
Grant	598.4	^	^	^	^	^	^	^	^	^	^
Iberia	800.0	255.5	126.1	65.6	52.1	^	^	^	^	^	^
Iberville	894.1	297.6	118.0	90.1	39.1	43.9	^	^	^	^	^
Jackson	626.5	264.6	^	^	^	^	^	^	^	^	^
Jefferson	604.1	217.5	73.6	61.2	31.8	13.1	25.3	21.5	18.3	15.7	11.4
Jefferson Davis	704.1	234.9	120.0	^	^	^	^	^	^	^	^

Lafayette	641.7	205.9	103.4	61.2	43.0	28.4	22.5	28.9	16.3	18.5	16.9
Lafourche	670.3	246.2	86.2	^	^	^	^	^	^	^	^
La Salle	446.5	^	^	^	^	^	^	^	^	^	^
Lincoln	538.8	229.8	85.6	^	^	^	^	^	^	^	^
Livingston	757.2	293.5	111.6	100.4	^	^	^	^	^	^	^
Madison	517.4	174.0	^	^	^	^	^	^	^	^	^
Morehouse	661.4	215.0	126.7	80.7	^	^	^	^	^	^	^
Natchitoches	592.8	185.0	92.9	75.1	^	^	^	^	^	^	^
Orleans	557.0	189.0	77.9	57.2	35.4	23.1	18.3	17.2	14.7	14.6	13.2
Ouachita	570.8	194.0	83.7	52.8	33.3	^	23.6	18.1	22.0	19.1	17.8
Plaquemines	569.5	248.7	^	^	^	^	^	^	^	^	^
Pointe Coupee	687.0	182.6	106.1	100.8	^	^	^	^	^	^	^
Rapides	640.2	209.5	97.8	65.9	^	20.2	20.5	22.6	23.7	^	21.8
Red River	599.7	^	^	^	^	^	^	^	^	^	^
Richland	660.8	220.9	^	^	^	^	^	^	^	^	^
Sabine	549.1	213.2	^	^	^	^	^	^	^	^	^
St. Bernard	659.1	207.1	^	92.6	^	^	^	^	^	^	^
St. Charles	595.6	231.2	56.5	55.7	^	^	^	^	^	^	^
St. Helena	615.1	216.2	^	^	^	^	^	^	^	^	^
St. James	606.4	196.0	96.4	^	^	^	^	^	^	^	^
St. John the Baptist	594.5	232.1	56.1	67.4	32.6	^	^	^	26.1	^	^
St. Landry	714.7	207.9	100.9	90.8	31.5	18.5	29.1	37.6	^	^	22.1
St. Martin	656.2	252.6	99.8	94.8	^	^	^	^	^	^	^
St. Mary	585.9	181.7	82.2	64.6	47.6	^	^	^	^	^	^
St. Tammany	682.4	247.7	82.8	65.7	48.6	^	^	33.4	^	25.1	^
Tangipahoa	667.0	263.5	93.7	61.8	40.3	31.6	^	^	^	^	^
Tensas	704.5	209.7	^	^	^	^	^	^	^	^	^
Terrebonne	581.5	170.7	125.6	64.1	^	^	^	^	^	^	^
Union	599.2	226.6	^	^	^	^	^	^	^	^	^
Vermilion	866.1	281.6	140.4	^	^	^	^	^	^	^	^
Vernon	578.0	219.6	^	^	^	^	^	^	^	^	^
Washington	669.5	220.9	102.2	77.3	^	^	^	39.4	^	^	^
Webster	700.6	250.4	138.8	81.1	^	^	^	^	^	^	^
West Baton Rouge	690.9	262.0	93.9	^	^	^	^	^	^	^	^

West Carroll	608.1	^	^	^	^	^	^	^	^	^	^
West Feliciana	937.3	370.9	155.9	^	^	^	^	^	^	^	^
Winn	397.5	173.4	^	^	^	^	^	^	^	^	^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.
[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.
^Statistic not displayed due to fewer than 16 cases during the five-year period.

Table E4. Incidence Rates[1] by Louisiana Parish[2] for the Ten Most Commonly Diagnosed Cancers, 2019-2023: NH Black Females

	All Sites	Breast	Lung and Bronchus	Colon and Rectum	Corpus and Uterus, NOS	Pancreas	Kidney and Renal Pelvis	Thyroid	Myeloma	Non-Hodgkin Lymphoma	Stomach
Louisiana	434.0	139.4	45.8	42.9	25.1	16.8	16.5	13.8	13.5	13.3	10.2
Acadia	470.5	215.2	53.2	^	^	^	^	^	^	^	^
Allen	615.1	252.3	^	^	^	^	^	^	^	^	^
Ascension	428.1	149.8	39.0	47.1	22.0	22.6	^	^	19.7	^	^
Assumption	571.1	203.1	^	^	^	^	^	^	^	^	^
Avoyelles	478.9	145.3	^	60.7	^	^	^	^	^	^	^
Beauregard	540.7	245.0	^	^	^	^	^	^	^	^	^
Bienville	549.3	163.5	^	^	^	^	^	^	^	^	^
Bossier	440.8	133.9	55.1	46.5	29.9	^	21.1	^	^	^	^
Caddo	425.0	131.8	36.7	49.9	27.7	18.1	16.1	10.7	13.7	15.6	8.6
Calcasieu	433.4	126.1	54.9	46.6	18.6	19.2	14.1	^	12.7	19.3	^
Caldwell	433.6	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	510.9	^	^	^	^	^	^	^	^	^	^
Claiborne	416.0	154.7	^	^	^	^	^	^	^	^	^
Concordia	382.4	151.4	^	^	^	^	^	^	^	^	^
De Soto	462.0	179.2	^	^	^	^	^	^	^	^	^
East Baton Rouge	437.2	137.8	41.6	41.5	26.2	16.9	18.9	16.2	16.3	16.5	12.1
East Carroll	557.9	150.9	^	^	^	^	^	^	^	^	^
East Feliciana	415.2	138.3	^	^	^	^	^	^	^	^	^
Evangeline	496.4	110.0	90.3	^	^	^	^	^	^	^	^
Franklin	429.4	^	^	^	^	^	^	^	^	^	^
Grant	447.3	^	^	^	^	^	^	^	^	^	^
Iberia	486.0	142.4	53.4	49.9	28.7	^	^	^	^	^	^
Iberville	445.8	139.6	52.3	^	^	^	^	^	^	^	^
Jackson	395.8	^	^	^	^	^	^	^	^	^	^
Jefferson	457.5	157.3	46.8	39.6	20.3	15.0	17.4	17.2	13.3	16.0	10.6

Jefferson Davis	433.9	158.1	^	^	^	^	^	^	^	^	^
Lafayette	495.8	167.2	45.5	46.5	37.9	19.9	22.0	14.4	12.7	12.3	^
Lafourche	483.3	165.9	49.9	^	^	^	^	^	^	^	^
La Salle	411.5	^	^	^	^	^	^	^	^	^	^
Lincoln	397.0	133.3	50.4	^	^	^	^	^	^	^	^
Livingston	418.0	126.3	^	^	^	^	^	^	^	^	^
Madison	405.1	^	^	^	^	^	^	^	^	^	^
Morehouse	431.6	94.5	43.9	58.0	^	^	^	^	^	^	^
Natchitoches	497.6	189.6	46.4	61.3	^	^	^	^	^	^	^
Orleans	389.4	124.2	45.4	35.7	22.4	14.8	14.3	11.8	10.8	12.7	10.5
Ouachita	414.8	118.7	37.3	40.9	31.8	15.2	19.4	^	13.7	16.9	16.4
Plaquemines	413.7	138.3	^	^	^	^	^	^	^	^	^
Pointe Coupee	435.6	115.4	69.1	^	^	^	^	^	^	^	^
Rapides	433.7	124.0	51.0	53.9	20.0	13.1	23.1	19.4	^	^	^
Red River	496.0	^	^	^	^	^	^	^	^	^	^
Richland	525.2	175.0	^	^	^	^	^	^	^	^	^
Sabine	378.0	^	^	^	^	^	^	^	^	^	^
St. Bernard	517.9	147.4	^	^	^	^	^	^	^	^	^
St. Charles	362.4	128.6	^	^	^	^	^	^	^	^	^
St. Helena	303.9	112.6	^	^	^	^	^	^	^	^	^
St. James	496.9	160.0	41.0	46.9	^	^	^	^	^	^	^
St. John the Baptist	435.1	132.9	40.3	48.4	29.9	^	21.0	^	^	^	^
St. Landry	469.0	170.1	52.3	42.0	26.5	23.7	19.2	^	^	^	^
St. Martin	456.4	171.7	51.6	52.0	^	^	^	^	^	^	^
St. Mary	431.2	151.8	48.9	42.6	^	^	^	^	^	^	^
St. Tammany	436.8	172.7	53.8	32.4	21.1	^	^	^	^	^	^
Tangipahoa	416.3	124.9	44.5	36.6	29.4	^	18.1	^	^	^	^
Tensas	334.1	^	^	^	^	^	^	^	^	^	^
Terrebonne	457.5	146.2	68.7	39.7	^	^	^	^	^	^	^
Union	473.5	149.2	^	^	^	^	^	^	^	^	^
Vermilion	537.9	139.7	^	^	^	^	^	^	^	^	^
Vernon	397.8	148.8	^	^	^	^	^	^	^	^	^
Washington	421.2	132.0	48.5	50.6	^	^	^	^	^	^	^
Webster	429.0	128.4	62.5	45.7	^	^	^	^	^	^	^

West Baton Rouge	497.7	184.5	65.2	65.0	^	^	^	^	^	^	^
West Carroll	356.5	^	^	^	^	^	^	^	^	^	^
West Feliciana	488.2	^	^	^	^	^	^	^	^	^	^
Winn	399.9	^	^	^	^	^	^	^	^	^	^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.
[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.
^Statistic not displayed due to fewer than 16 cases.

Table F1. Incidence Rates[1] by LTR Region[2] for the Ten Most Commonly Diagnosed Cancers, 2019-2023: NH White Males

Primary Site Invasive cancers[3]	U.S.[4]	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region	
All Sites	520.8	569.1	↑	536.4	*	573.4		597.0	#	595.5	#	568.0		560.0		557.0		536.3	*
Prostate	121.4	131.3	↑	128.1		139.0	#	131.2		149.4	#	131.0		111.3	*	119.1	*	118.3	*
Lung and Bronchus	54.9	70.2	↑	61.5	*	67.8		74.3		75.2		69.1		73.3		72.0		71.0	
Colon and Rectum	42.4	50.1	↑	44.4	*	43.6	*	51.8		54.2		56.7	#	59.4	#	51.4		49.7	
Urinary Bladder	37.0	37.5		39.3		34.3		42.4	#	38.0		33.9		40.8		36.8		32.0	*
Melanoma of the Skin	44.9	36.3	↓	38.3		43.3	#	41.7	#	25.3	*	33.6		28.6	*	32.7		38.5	
Kidney and Renal Pelvis	24.1	35.1	↑	29.1	*	36.2		36.1		40.7	#	34.8		33.5		34.7		32.7	
Oral Cavity and Pharynx	20.9	24.7	↑	24.3		25.4		25.7		23.9		23.2		25.4		24.5		24.1	
Non-Hodgkin Lymphoma	24.1	24.3		23.2		24.5		26.1		26.3		21.6		24.8		22.8		22.8	
Leukemia	20.2	20.4		17.9		19.7		20.4		22.0		23.6		18.0		22.4		20.5	
Pancreas	16.0	16.4		14.6		15.7		18.4		15.5		15.4		18.9		17.1		16.0	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]LTR Regions

[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.

[4]U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table F2. Incidence Rates[1] by LTR Region[2] for the Ten Most Commonly Diagnosed Cancers, 2019-2023: NH White Females

Primary Site Invasive cancers[3]	U.S.[4]	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region	
All Sites	454.2	456.8		438.5	*	454.5		465.1		468.5		440.7		452.9		475.7	#	454.2	
Breast	141.4	133.6	↓	142.2	#	130.3		141.8	#	145.2	#	121.0	*	116.4	*	130.6		119.5	*
Lung and Bronchus	48.9	56.2	↑	48.2	*	58.2		56.1		58.1		58.2		56.6		59.7		56.3	
Colon and Rectum	33.8	38.3	↑	35.8		33.7	*	38.5		36.5		38.7		45.3	#	42.3		45.7	#
Melanoma of the Skin	30.3	22.5	↓	23.7		25.2		24.4		15.4	*	17.3	*	19.4		24.1		29.2	#
Corpus and Uterus, NOS	27.5	21.4	↓	21.2		20.3		19.7		24.4	#	19.2		24.6		23.7		19.6	
Thyroid	20.4	21.0		20.8		23.9	#	21.3		20.3		14.6	*	26.1	#	19.3		18.7	
Non-Hodgkin Lymphoma	16.4	17.8	↑	18.2		17.0		17.6		18.9		22.2	#	14.4	*	18.8		15.1	
Kidney and Renal Pelvis	11.6	17.4	↑	12.9	*	16.6		20.6	#	20.4	#	19.6		14.7		15.5		18.0	
Leukemia	12.3	13.2	↑	10.2	*	12.8		12.4		13.8		13.4		14.2		16.6	#	14.2	
Pancreas	12.2	12.9		11.4		13.0		12.0		13.9		11.0		14.7		13.9		13.9	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]LTR Regions

[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.

[4]U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table F3. Incidence Rates[1] by LTR Region[2] for the Ten Most Commonly Diagnosed Cancers, 2019-2023: NH Black Males

Primary Site Invasive cancers[3]	U.S.[4]	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region	Central Region	Northwest Region		Northeast Region	
All Sites	546.6	621.0	↑	573.2	*	661.7	#	630.0		680.1	#	613.8	632.2	619.1		582.2	*
Prostate	203.5	213.8	↑	198.6	*	239.7	#	224.5		216.5		209.9	214.8	196.6	*	207.7	
Lung and Bronchus	64.2	89.2	↑	76.0	*	90.3		84.2		105.1	#	84.1	94.6	102.3	#	91.3	
Colon and Rectum	50.0	62.8	↑	59.1		61.9		61.4		71.7		60.4	66.5	66.2		59.2	
Kidney and Renal Pelvis	27.1	34.2	↑	34.2		39.2		35.2		37.8		27.0	18.9	*	31.1	36.3	
Liver and Intrahepatic Bile Duct	15.1	21.1	↑	20.5		29.1	#	15.3	*	23.3		18.7	16.5	22.7		5.9	*
Urinary Bladder	20.3	20.8	↑	20.5		20.0		18.1		24.7		22.3	24.4	23.0		16.2	
Pancreas	18.0	20.2	↑	18.3		17.5		24.2		28.3	#	17.2	18.8	21.4		18.1	
Myeloma	18.0	16.9		15.6		18.7		17.8		14.4		18.1	18.1	17.4		16.0	
Non-Hodgkin Lymphoma	17.2	16.4		14.9		18.1		16.8		17.8		19.7	17.0	16.1		13.3	
Oral Cavity and Pharynx	13.2	15.8	↑	12.7		14.1		15.0		19.4		16.7	20.5	17.7		17.3	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]LTR Regions

[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.

[4]U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table F4. Incidence Rates[1] by LTR Region[2] for the Ten Most Commonly Diagnosed Cancers, 2019-2023: NH Black Females

Primary Site Invasive cancers[3]	U.S.[4]	LA		New Orleans Region		Baton Rouge Region		Southeast Region	Acadiana Region		Southwest Region	Central Region		Northwest Region	Northeast Region	
All Sites	414.9	434.0	↑	412.9	*	435.2		439.7	477.4	#	450.3	432.2		437.3	421.8	
Breast	134.0	139.4	↑	135.3		139.0		150.6	160.7	#	144.2	130.4		139.1	116.1	*
Lung and Bronchus	42.7	45.8	↑	46.4		43.2		47.5	52.6	#	52.3	42.6		42.7	43.6	
Colon and Rectum	38.1	42.9	↑	36.8	*	41.9		40.3	46.7		43.3	56.1	#	48.4	43.9	
Corpus and Uterus, NOS	30.1	25.1	↓	21.9		25.8		24.5	28.0		22.5	21.0		27.7	30.2	
Pancreas	15.7	16.8		14.9		17.3		15.7	19.9		20.0	15.5		16.6	17.6	
Kidney and Renal Pelvis	13.4	16.5	↑	15.4		16.4		16.0	19.2		12.7	19.5		17.4	15.5	
Thyroid	12.2	13.8	↑	13.7		14.4		16.3	13.9		10.8	17.9		11.6	13.0	
Myeloma	13.6	13.5		11.6		16.7	#	11.9	13.1		10.5	10.2		14.2	15.5	
Non-Hodgkin Lymphoma	12.1	13.3		13.5		14.3		12.1	11.9		17.5	12.5		12.8	11.5	
Stomach	9.3	10.2		10.6		11.2		12.7	8.6	^		8.9		8.6	11.0	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]LTR Regions

[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.

[4]U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G1. Incidence Rates[1] by LA OPH Region[2] for the Ten Most Commonly Diagnosed Cancers, 2019-2023: NH White Males

Primary Site Invasive cancers[3]	U.S.[4]	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region		Northlake Region	
All Sites	520.8	569.1	↑	538.1	*	569.4		590.0	#	593.7	#	568.0		560.0		557.0		536.3	*	594.1	#
Prostate	121.4	131.3	↑	128.9		143.5	#	128.3		150.5	#	131.0		111.3	*	119.1	*	118.3	*	133.1	
Lung and Bronchus	54.9	70.2	↑	61.7	*	60.2	*	80.7	#	73.3		69.1		73.3		72.0		71.0		75.3	#
Colon and Rectum	42.4	50.1	↑	45.3	*	41.6	*	52.0		54.7		56.7	#	59.4	#	51.4		49.7		48.4	
Urinary Bladder	37.0	37.5		39.4		34.8		44.3	#	37.6		33.9		40.8		36.8		32.0	*	37.2	
Melanoma of the Skin	44.9	36.3	↓	37.9		47.1	#	26.0	*	25.7	*	33.6		28.6	*	32.7		38.5		47.3	#
Kidney and Renal Pelvis	24.1	35.1	↑	29.4	*	35.6		41.0	#	41.5	#	34.8		33.5		34.7		32.7		33.3	
Oral Cavity and Pharynx	20.9	24.7	↑	24.3		25.9		25.6		23.6		23.2		25.4		24.5		24.1		25.1	
Non-Hodgkin Lymphoma	24.1	24.3		23.1		24.5		27.6		26.1		21.6		24.8		22.8		22.8		24.8	
Leukemia	20.2	20.4		17.8		19.2		21.4		21.8		23.6		18.0		22.4		20.5		20.3	
Pancreas	16.0	16.4		14.6		15.7		17.5		14.9		15.4		18.9		17.1		16.0		18.0	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Louisiana Office of Public Health Regions

[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.

[4]U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G2. Incidence Rates[1] by LA OPH Region[2] for the Ten Most Commonly Diagnosed Cancers, 2019-2023: NH White Females

Primary Site Invasive cancers[3]	U.S.[4]	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region		Northlake Region	
All Sites	454.2	456.8		439.2	*	445.1		438.6	*	470.2	#	440.7		452.9		475.7	#	454.2		480.3	#
Breast	141.4	133.6	↓	141.4	#	132.0		130.1		147.0	#	121.0	*	116.4	*	130.6		119.5	*	140.5	#
Lung and Bronchus	48.9	56.2	↑	48.5	*	52.8		53.5		58.0		58.2		56.6		59.7		56.3		62.9	#
Colon and Rectum	33.8	38.3	↑	35.6		34.2	*	36.4		36.4		38.7		45.3	#	42.3		45.7	#	37.0	
Melanoma of the Skin	30.3	22.5	↓	23.7		27.7	#	17.3	*	15.5	*	17.3	*	19.4		24.1		29.2	#	26.1	
Corpus and Uterus, NOS	27.5	21.4	↓	21.1		19.8		21.3		24.6	#	19.2		24.6		23.7		19.6		19.6	
Thyroid	20.4	21.0		21.3		25.6	#	18.7		20.4		14.6	*	26.1	#	19.3		18.7		22.3	
Non-Hodgkin Lymphoma	16.4	17.8	↑	18.2		17.2		17.0		19.0		22.2	#	14.4	*	18.8		15.1		17.6	
Kidney and Renal Pelvis	11.6	17.4	↑	13.2	*	13.7	*	20.5		20.4	#	19.6		14.7		15.5		18.0		20.9	#
Leukemia	12.3	13.2	↑	10.1	*	12.2		13.8		14.0		13.4		14.2		16.6	#	14.2		12.2	
Pancreas	12.2	12.9		11.5		12.2		11.2		14.1		11.0		14.7		13.9		13.9		13.5	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Louisiana Office of Public Health Regions

[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.

[4]U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G3. Incidence Rates[1] by LA OPH Region[2] for the Ten Most Commonly Diagnosed Cancers, 2019-2023: NH Black Males

Primary Site Invasive cancers[3]	U.S.[4]	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region	Central Region	Northwest Region		Northeast Region		Northlake Region	
All Sites	546.6	621.0	↑	573.1	*	660.8	#	602.1		694.2	#	613.8	632.2	619.1		582.2	*	674.1	#
Prostate	203.5	213.8	↑	199.3	*	236.9	#	207.8		221.2		209.9	214.8	196.6	*	207.7		249.9	#
Lung and Bronchus	64.2	89.2	↑	75.7	*	89.1		85.0		108.3	#	84.1	94.6	102.3	#	91.3		90.6	
Colon and Rectum	50.0	62.8	↑	58.8		61.6		58.9		72.9	#	60.4	66.5	66.2		59.2		66.2	
Kidney and Renal Pelvis	27.1	34.2	↑	34.0		37.8		37.2		36.9		27.0	18.9	* 31.1		36.3		41.8	
Liver and Intrahepatic Bile Duct	15.1	21.1	↑	20.3		29.8	#	13.7	*	25.4		18.7	16.5	22.7		5.9	*	21.9	
Urinary Bladder	20.3	20.8		20.6		20.5		19.7		24.8		22.3	24.4	23.0		16.2		16.1	
Pancreas	18.0	20.2	↑	18.2		18.5		17.5		29.5	#	17.2	18.8	21.4		18.1		24.7	
Myeloma	18.0	16.9		15.3		20.6		18.7		13.9		18.1	18.1	17.4		16.0		13.6	
Non-Hodgkin Lymphoma	17.2	16.4		15.0		18.5		12.3		19.3		19.7	17.0	16.1		13.3		19.1	
Oral Cavity and Pharynx	13.2	15.8	↑	12.5	*	14.8		15.3		20.5	#	16.7	20.5	17.7		17.3		12.4	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Louisiana Office of Public Health Regions

[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.

[4]U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G4. Incidence Rates[1] by LA OPH Region[2] for the Ten Most Commonly Diagnosed Cancers, 2019-2023: NH Black Females

Primary Site Invasive cancers[3]	U.S.[4]	LA	New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
All Sites	414.9	434.0 ↑	413.0 *	438.8	450.1	483.2 #	450.3	432.2	437.3	421.8	415.3
Breast	134.0	139.4 ↑	135.5	140.6	148.1	162.5 #	144.2	130.4	139.1	116.1 *	140.9
Lung and Bronchus	42.7	45.8 ↑	46.2	44.2	45.7	53.1 #	52.3	42.6	42.7	43.6	45.0
Colon and Rectum	38.1	42.9 ↑	36.7 *	42.6	44.2	47.2	43.3	56.1 #	48.4	43.9	36.2
Corpus and Uterus, NOS	30.1	25.1 ↓	22.0	25.9	26.6	28.4	22.5	21.0	27.7	30.2	22.1
Pancreas	15.7	16.8	14.8	17.5	18.0	19.2	20.0	15.5	16.6	17.6	16.1
Kidney and Renal Pelvis	13.4	16.5 ↑	15.5	16.4	19.1	19.4	12.7	19.5	17.4	15.5	13.4
Thyroid	12.2	13.8 ↑	13.8	14.8	16.6	14.1	10.8	17.9	11.6	13.0	13.4
Myeloma	13.6	13.5	11.6	16.9 #	11.8	13.7	10.5	10.2	14.2	15.5	13.7
Non-Hodgkin Lymphoma	12.1	13.3	13.4	14.8	11.4	12.0	17.5	12.5	12.8	11.5	12.8
Stomach	9.3	10.2	10.6	11.7	12.9	8.9	^	8.9	8.6	11.0	9.0

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Louisiana Office of Public Health Regions

[3]Except for urinary bladder (in situ and invasive), only invasive cases are included.

[4]U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table H1. Number of Children and Adolescent Cancer Diagnoses,[1] 2019-2023 Combined, Louisiana

ICCC[2] Primary Site	All Races			Whites			Blacks		
	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls
All ICCC Sites including Borderline & Benign Brain/CNS Tumors	1,184	592	592	670	324	346	362	178	184
I Leukemias, myeloproliferative & myelodysplastic diseases	256	146	110	140	69	71	74	47	27
II Lymphomas & reticuloendothelial neoplasms	144	95	49	83	55	28	39	23	16
III CNS & miscellaneous intracranial & intraspinal neoplasms	267	120	147	154	75	79	87	34	53
IV Neuroblastoma & other peripheral nervous cell tumors	47	17	30	31	10	21	14	6	8
V Retinoblastoma	17	7	10	9	^	^	6	^	^
VI Renal tumors	51	25	26	20	8	12	23	14	9
VII Hepatic tumors	18	11	7	13	8	^	^	^	^
VIII Malignant bone tumors	51	29	22	33	18	15	12	7	^
IX Soft tissue & other extraosseous sarcomas	85	50	35	37	22	15	39	21	18
X Germ cell tumors, trophoblastic tumors & neoplasms of gonads	53	26	27	26	15	11	20	^	15
XI Other malignant epithelial neoplasms & malignant melanomas	136	37	99	91	24	67	27	10	17
XII Other & unspecified malignant neoplasms	6	^	^	^	^	^	^	^	^
Not classified by SEER or in situ	53	26	27	32	14	18	15	8	7

[1]Children and adolescent cancers include patients aged 0-19 years.
[2]ICCC: International Classification of Childhood Cancer. For more information: https://seer.cancer.gov/iccc/iccc-iarc-2017.html
[3]Group I includes myelodysplastic syndromes.
[4]Group III includes benign and borderline brain/CNS tumors.
[5]Group X includes benign and borderline intracranial and intraspinal germ cell tumors.
[6]Group XI includes in situ urinary bladder tumors.
^ Count is not displayed due to fewer than 6 cases during the five-year period.

Table H2. Percent Distribution of Children and Adolescent Cancers,[1] 2019-2023, Louisiana

ICCC[2] Primary Site	All Races			Whites			Blacks		
	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls
All ICCC Sites including Borderline & Benign Brain/CNS Tumors	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
I Leukemias, myeloproliferative & myelodysplastic diseases	21.6	24.7	18.6	20.9	21.3	20.5	20.4	26.4	14.7
II Lymphomas & reticuloendothelial neoplasms	12.2	16.0	8.3	12.4	17.0	8.1	10.8	12.9	8.7
III CNS & miscellaneous intracranial & intraspinal neoplasms	22.6	20.3	24.8	23.0	23.1	22.8	24.0	19.1	28.8
IV Neuroblastoma & other peripheral nervous cell tumors	4.0	2.9	5.1	4.6	3.1	6.1	3.9	3.4	4.3
V Retinoblastoma	1.4	1.2	1.7	1.3	1.5	1.2	1.7	0.6	2.7
VI Renal tumors	4.3	4.2	4.4	3.0	2.5	3.5	6.4	7.9	4.9
VII Hepatic tumors	1.5	1.9	1.2	1.9	2.5	1.4	0.8	1.1	0.5
VIII Malignant bone tumors	4.3	4.9	3.7	4.9	5.6	4.3	3.3	3.9	2.7
IX Soft tissue & other extraosseous sarcomas	7.2	8.4	5.9	5.5	6.8	4.3	10.8	11.8	9.8
X Germ cell tumors, trophoblastic tumors & neoplasms of gonads	4.5	4.4	4.6	3.9	4.6	3.2	5.5	2.8	8.2
XI Other malignant epithelial neoplasms & malignant melanomas	11.5	6.3	16.7	13.6	7.4	19.4	7.5	5.6	9.2
XII Other & unspecified malignant neoplasms	0.5	0.5	0.5	0.1	0.3	0.0	0.8	0.0	1.6
Not classified by SEER or in situ	4.5	4.4	4.6	4.8	4.3	5.2	4.1	4.5	3.8

[1]Children and adolescent cancers include patients aged 0-19 years.
[2]ICCC: International Classification of Childhood Cancer. For more information: https://seer.cancer.gov/iccc/iccc-iarc-2017.html
[3]Group I includes myelodysplastic syndromes.
[4]Group III includes benign and borderline brain/CNS tumors.
[5]Group X includes benign and borderline intracranial and intraspinal germ cell tumors.
[6]Group XI includes in situ urinary bladder tumors.

Table H3. Average Annual Cancer Incidence Rates[1] of Children and Adolescent Cancers,[2] 2019-2023, Louisiana

ICCC[3] Primary Site	All Races			Whites			Blacks		
	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls
All ICCC Sites excluding Borderline & Benign Brain/CNS Tumors	174.1	173.7	174.5	193.2	183.6	203.3	143.4	144.6	142.2
All ICCC Sites including Borderline & Benign Brain/CNS Tumors	195.6	191.8	199.5	218.6	206.4	231.4	160.1	155.9	164.4
I Leukemias, myeloproliferative & myelodysplastic diseases	42.3	47.3	37.1	46.2	44.4	48.1	33.0	41.5	24.2
II Lymphomas & reticuloendothelial neoplasms	23.7	30.7	16.5	26.8	34.7	18.4	17.1	20.0	14.2
III CNS & miscellaneous intracranial & intraspinal neoplasms	44.1	38.9	49.5	50.2	47.7	52.9	38.5	29.8	47.4
IV Neuroblastoma & other peripheral nervous cell tumors	7.8	5.5	10.2	10.3	^	14.3	^	^	^
V Retinoblastoma	2.8	^	^	^	^	^	^	^	^
VI Renal tumors	8.4	8.1	8.8	6.6	^	^	10.2	^	^
VII Hepatic tumors	3.0	^	^	^	^	^	^	^	^
VIII Malignant bone tumors	8.4	9.4	7.4	10.7	11.4	^	^	^	^
IX Soft tissue & other extraosseous sarcomas	14.0	16.2	11.8	12.1	14.0	^	17.3	18.3	16.1
X Germ cell tumors, trophoblastic tumors & neoplasms of gonads	8.8	8.4	9.1	8.4	^	^	8.8	^	^
XI Other malignant epithelial neoplasms & malignant melanomas	22.4	11.9	33.3	29.2	15.1	44.0	11.8	^	14.9
XII Other & unspecified malignant neoplasms	^	^	^	^	^	^	^	^	^
Not classified by SEER or in situ	8.7	8.4	9.1	10.3	^	11.8	^	^	^

[1]Rates are per 1,000,000 and age-adjusted to the 2000 US Population (19 age groups - Census P25-1130) standard.
[2]Children and adolescent cancers include patients aged 0-19 years.
[2]ICCC: International Classification of Childhood Cancer. For more information: https://seer.cancer.gov/iccc/iccc-iarc-2017.html
[3]Group I includes myelodysplastic syndromes.
[4]Group III includes benign and borderline brain/CNS tumors.
[5]Group X includes benign and borderline intracranial and intraspinal germ cell tumors.
[6]Group XI includes in situ urinary bladder tumors.
^Statistic not displayed due to fewer than 16 cases during the five-year period.

Table I1. Age-specific Number of Cancer Cases[1], 2019-2023, Louisiana

Primary Site *Invasive Cancers*[3]	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
All Sites	530	847	1,565	2,508	3,713	5,520	8,753	14,115	20,590	24,203	21,555	16,164	9,970	5,285	2,458
Oral Cavity and Pharynx	12	16	30	58	83	173	345	548	698	621	530	357	207	113	62
Lip	^	^	^	^	^	11	13	16	20	19	23	14	11	7	7
Tongue	^	^	13	14	25	57	110	171	225	203	162	126	57	33	15
Salivary Gland	^	9	7	16	11	12	15	35	46	43	54	42	31	15	^
Floor of Mouth	^	^	^	^	^	9	19	19	42	29	17	15	10	8	^
Gum and Other Mouth	^	^	^	9	13	20	38	65	78	83	92	59	58	28	24
Nasopharynx	^	^	^	6	10	8	13	20	25	21	10	11	^	^	^
Tonsil	^	^	^	10	12	40	92	144	154	125	95	42	15	8	^
Oropharynx	^	^	^	^	^	7	28	42	54	46	38	19	6	^	^
Hypopharynx	^	^	^	^	^	8	11	28	48	43	33	23	13	6	^
Other Oral Cavity and Pharynx	^	^	^	^	^	^	6	8	6	9	6	6	^	^	^
Digestive System	58	83	179	346	625	1,129	1,923	2,788	3,940	4,436	4,010	2,960	1,954	1,155	551
Esophagus	^	^	^	^	17	45	82	166	256	251	218	150	100	44	22
Stomach	^	^	23	40	47	68	125	214	308	371	332	267	185	110	53
Small Intestine	^	^	7	15	34	58	77	117	155	174	154	105	64	33	12
Colon and Rectum	43	64	106	216	385	737	1,187	1,315	1,684	1,874	1,739	1,226	872	512	278
Colon excluding Rectum	34	42	71	137	210	429	675	831	1,110	1,323	1,287	945	711	425	231
Cecum	^	^	^	13	28	71	107	139	183	281	254	206	170	115	59
Appendix	24	25	31	25	35	39	46	47	73	54	55	19	19	7	^
Ascending Colon	^	^	^	14	18	55	87	108	207	251	315	231	178	112	57
Hepatic Flexure	^	^	^	^	^	13	26	24	47	52	84	54	38	16	11
Transverse Colon	^	^	7	9	15	34	52	84	96	115	129	113	73	39	20
Splenic Flexure	^	^	^	6	11	16	33	42	37	43	30	40	27	9	7
Descending Colon	^	^	^	14	18	33	52	71	87	92	86	46	39	21	15
Sigmoid Colon	^	11	16	42	75	153	249	276	319	366	262	183	117	66	28
Large Intestine, NOS	^	^	^	11	6	15	23	40	61	69	72	53	50	40	33
Rectum and Rectosigmoid Junction	9	22	35	79	175	308	512	484	574	551	452	281	161	87	47
Rectosigmoid Junction	^	^	^	12	20	39	88	79	113	108	79	54	31	14	9
Rectum	9	19	30	67	155	269	424	405	461	443	373	227	130	73	38

Anus, Anal Canal and Anorectum	^	^	^	15	25	37	51	72	98	94	73	62	23	21	9
Liver and Intrahepatic Bile Duct	^	^	9	14	33	54	127	366	697	761	519	345	182	103	30
Liver	^	^	6	11	27	41	97	310	617	655	424	270	153	74	25
Intrahepatic Bile Duct	^	^	^	^	6	13	30	56	80	106	95	75	29	29	^
Gallbladder	^	^	^	^	^	10	18	32	48	41	82	61	39	18	14
Other Biliary	^	^	^	^	8	10	17	39	63	74	77	62	54	48	12
Pancreas	^	7	16	26	63	100	219	430	560	745	766	639	411	241	113
Retroperitoneum	^	^	^	^	^	^	6	^	18	14	10	10	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	8	14	12	15	8	10	6	7	^
Other Digestive Organs	^	^	^	^	^	^	6	19	41	22	32	23	15	17	^
Respiratory System	10	8	29	63	144	290	739	1,827	3,205	3,863	3,452	2,922	1,832	822	293
Nose, Nasal Cavity and Middle Ear	^	^	^	9	10	15	11	16	36	26	31	24	18	11	^
Larynx	^	^	^	^	15	42	85	210	271	285	181	129	76	23	8
Lung and Bronchus	6	7	19	48	118	232	639	1,596	2,892	3,549	3,236	2,764	1,737	786	281
Pleura	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Bones and Joints	7	19	6	10	9	17	9	22	17	18	22	10	10	11	6
Soft Tissue including Heart	15	13	35	42	34	54	51	82	92	95	127	102	77	46	27
Skin excluding Basal and Squamous	32	70	142	196	235	283	371	475	651	808	811	660	486	279	178
Melanoma of the Skin	32	64	134	181	222	276	352	441	593	727	728	575	412	230	141
Other Non-Epithelial Skin	^	6	8	15	13	7	19	34	58	81	83	85	74	49	37
Breast	16	82	261	548	983	1,325	1,637	2,010	2,692	3,042	2,612	1,828	1,164	610	317
Female Genital System	26	64	182	277	355	406	506	793	1,010	994	796	498	313	169	76
Cervix Uteri	^	26	96	131	144	122	110	116	98	86	51	34	17	18	^
Corpus and Uterus, NOS	^	13	42	75	128	172	249	448	647	616	499	257	133	57	28
Corpus Uteri	^	13	42	69	126	170	242	434	625	596	486	251	126	53	27
Uterus, NOS	^	^	^	6	^	^	7	14	22	20	13	6	7	^	^
Ovary	20	20	28	50	46	76	91	148	166	162	134	115	89	54	19
Vagina	^	^	^	^	^	^	8	13	15	27	16	16	9	7	^
Vulva	^	^	9	15	26	19	31	39	53	59	60	40	45	24	18
Other Female Genital Organs	^	^	^	^	6	13	17	29	31	44	36	36	20	9	^
Male Genital System	69	80	83	96	152	403	1,159	2,524	4,050	5,291	4,124	2,376	1,000	389	151
Prostate	^	^	^	12	86	357	1,121	2,490	4,023	5,258	4,103	2,350	983	378	147

Testis	69	80	82	81	65	38	30	22	11	11	7	^	^	^	^
Penis	^	^	^	^	^	6	8	8	11	17	12	20	12	9	^
Other Male Genital Organs	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Urinary System	13	30	72	167	292	494	712	1,158	1,641	1,984	1,973	1,689	1,054	604	265
Urinary Bladder	^	^	7	24	48	76	171	364	615	838	899	914	610	403	170
Kidney and Renal Pelvis	10	27	65	140	243	413	534	781	1,003	1,110	1,016	723	400	176	82
Ureter	^	^	^	^	^	^	^	7	13	20	30	27	24	14	^
Other Urinary Organs	^	^	^	^	^	^	^	6	10	16	28	25	20	11	10
Eye and Orbit	^	^	^	6	10	6	12	19	26	26	26	25	12	^	^
Brain and Other Nervous System	37	40	49	60	56	84	82	139	164	154	186	141	90	32	20
Brain	31	36	45	52	51	81	76	130	154	151	176	137	90	30	18
Cranial Nerves Other Nervous System	6	^	^	8	^	^	6	9	10	^	10	^	^	^	^
Endocrine System	91	141	225	275	297	288	321	334	397	336	296	167	84	33	10
Thyroid	88	136	213	264	281	273	296	303	343	290	259	139	64	27	10
Other Endocrine including Thymus	^	^	12	11	16	15	25	31	54	46	37	28	20	6	^
Lymphoma	89	128	140	151	200	235	316	467	667	784	786	752	500	284	100
Hodgkin Lymphoma	61	79	59	46	43	36	31	34	35	37	42	28	21	7	^
Hodgkin - Nodal	61	78	58	46	43	34	31	33	35	36	41	26	21	6	^
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	28	49	81	105	157	199	285	433	632	747	744	724	479	277	98
NHL - Nodal	18	28	43	64	98	124	201	288	427	495	528	498	331	191	65
NHL - Extranodal	10	21	38	41	59	75	84	145	205	252	216	226	148	86	33
Myeloma	^	^	10	27	46	94	148	219	345	425	421	367	204	131	50
Leukemia	35	36	56	89	91	114	196	333	417	525	570	527	410	217	116
Lymphocytic Leukemia	16	8	10	24	27	41	88	168	226	279	271	238	192	107	57
Acute Lymphocytic Leukemia	16	6	9	11	6	12	7	22	18	21	11	9	8	^	^
Chronic Lymphocytic Leukemia	^	^	^	7	16	27	75	136	198	243	249	220	173	102	53
Other Lymphocytic Leukemia	^	^	^	6	^	^	6	10	10	15	11	9	11	^	^
Myeloid and Monocytic Leukemia	17	27	44	63	60	65	102	159	180	228	267	274	204	96	50
Acute Myeloid Leukemia	9	13	24	34	29	41	62	95	121	151	176	198	130	60	44
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	6	^	^
Chronic Myeloid Leukemia	8	14	20	29	31	22	38	60	56	70	87	72	66	27	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Other Leukemia	^	^	^	^	^	8	6	6	11	18	32	15	14	14	9

Other Acute Leukemia	^	^	^	^	^	^	^	^	^	6	11	^	6	8	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	6	^	^	9	12	21	10	8	6	6
Mesothelioma	^	^	^	^	7	^	7	12	19	49	59	53	36	24	9
Kaposi Sarcoma	^	15	27	14	9	7	6	^	^	6	10	^	6	^	^
Miscellaneous	16	17	34	82	85	116	213	360	554	746	744	728	531	360	223
In Situ Cancers (not included above)															
Breast In Situ	^	6	24	81	250	330	426	475	630	678	530	329	145	55	18

^Statistic not displayed due to fewer than 6 cases.

[1]Number of cases is the total for the 5-year time period.

[2]Except for urinary bladder (in situ and invasive), only invasive cases are included.

Table I2. Age-Specific Average Annual Cancer Incidence Rates,[1] 2019-2023, Louisiana

Primary Site *Invasive Cancers*[3]	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
All Sites	35.1	55.4	97.7	159.4	254.5	419.1	641.1	959.9	1,394.7	1,875.7	2,119.8	2,386.4	2,374.3	2,332.2	1,701.2
Oral Cavity and Pharynx	^	^	1.9	3.7	5.7	13.1	25.3	37.3	47.3	48.1	52.1	52.7	49.3	49.9	42.9
Lip	^	^	^	^	^	^	^	1.1	1.4	1.5	2.3	^	^	^	^
Tongue	^	^	^	^	1.7	4.3	8.1	11.6	15.2	15.7	15.9	18.6	13.6	14.6	^
Salivary Gland	^	^	^	1.0	^	^	^	2.4	3.1	3.3	5.3	6.2	7.4	^	^
Floor of Mouth	^	^	^	^	^	^	1.4	1.3	2.8	2.2	1.7	^	^	^	^
Gum and Other Mouth	^	^	^	^	^	1.5	2.8	4.4	5.3	6.4	9.0	8.7	13.8	12.4	16.6
Nasopharynx	^	^	^	^	^	^	^	1.4	1.7	1.6	^	^	^	^	^
Tonsil	^	^	^	^	^	3.0	6.7	9.8	10.4	9.7	9.3	6.2	^	^	^
Oropharynx	^	^	^	^	^	^	2.1	2.9	3.7	3.6	3.7	2.8	^	^	^
Hypopharynx	^	^	^	^	^	^	^	1.9	3.3	3.3	3.2	3.4	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Digestive System	3.8	5.4	11.2	22.0	42.8	85.7	140.8	189.6	266.9	343.8	394.4	437.0	465.3	509.7	381.4
Esophagus	^	^	^	^	1.2	3.4	6.0	11.3	17.3	19.5	21.4	22.1	23.8	19.4	15.2
Stomach	^	^	1.4	2.5	3.2	5.2	9.2	14.6	20.9	28.8	32.6	39.4	44.1	48.5	36.7
Small Intestine	^	^	^	^	2.3	4.4	5.6	8.0	10.5	13.5	15.1	15.5	15.2	14.6	^
Colon and Rectum	2.8	4.2	6.6	13.7	26.4	56.0	86.9	89.4	114.1	145.2	171.0	181.0	207.7	225.9	192.4
Colon excluding Rectum	2.3	2.7	4.4	8.7	14.4	32.6	49.4	56.5	75.2	102.5	126.6	139.5	169.3	187.5	159.9
Cecum	^	^	^	^	1.9	5.4	7.8	9.5	12.4	21.8	25.0	30.4	40.5	50.7	40.8
Appendix	1.6	1.6	1.9	1.6	2.4	3.0	3.4	3.2	4.9	4.2	5.4	2.8	4.5	^	^
Ascending Colon	^	^	^	^	1.2	4.2	6.4	7.3	14.0	19.5	31.0	34.1	42.4	49.4	39.5
Hepatic Flexure	^	^	^	^	^	^	1.9	1.6	3.2	4.0	8.3	8.0	9.0	7.1	^
Transverse Colon	^	^	^	^	^	2.6	3.8	5.7	6.5	8.9	12.7	16.7	17.4	17.2	13.8
Splenic Flexure	^	^	^	^	^	1.2	2.4	2.9	2.5	3.3	3.0	5.9	6.4	^	^
Descending Colon	^	^	^	^	1.2	2.5	3.8	4.8	5.9	7.1	8.5	6.8	9.3	9.3	^
Sigmoid Colon	^	^	1.0	2.7	5.1	11.6	18.2	18.8	21.6	28.4	25.8	27.0	27.9	29.1	19.4
Large Intestine, NOS	^	^	^	^	^	^	1.7	2.7	4.1	5.3	7.1	7.8	11.9	17.7	22.8
Rectum and Rectosigmoid Junction	^	1.4	2.2	5.0	12.0	23.4	37.5	32.9	38.9	42.7	44.5	41.5	38.3	38.4	32.5
Rectosigmoid Junction	^	^	^	^	1.4	3.0	6.4	5.4	7.7	8.4	7.8	8.0	7.4	^	^
Rectum	^	1.2	1.9	4.3	10.6	20.4	31.1	27.5	31.2	34.3	36.7	33.5	31.0	32.2	26.3

Anus, Anal Canal and Anorectum	^	^	^	^	1.7	2.8	3.7	4.9	6.6	7.3	7.2	9.2	5.5	9.3	^
Liver and Intrahepatic Bile Duct	^	^	^	^	2.3	4.1	9.3	24.9	47.2	59.0	51.0	50.9	43.3	45.5	20.8
Liver	^	^	^	^	1.9	3.1	7.1	21.1	41.8	50.8	41.7	39.9	36.4	32.7	17.3
Intrahepatic Bile Duct	^	^	^	^	^	^	2.2	3.8	5.4	8.2	9.3	11.1	6.9	12.8	^
Gallbladder	^	^	^	^	^	^	1.3	2.2	3.3	3.2	8.1	9.0	9.3	7.9	^
Other Biliary	^	^	^	^	^	^	1.2	2.7	4.3	5.7	7.6	9.2	12.9	21.2	^
Pancreas	^	^	1.0	1.7	4.3	7.6	16.0	29.2	37.9	57.7	75.3	94.3	97.9	106.4	78.2
Retroperitoneum	^	^	^	^	^	^	^	^	1.2	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	1.3	2.8	1.7	3.1	3.4	^	7.5	^
Respiratory System	^	^	1.8	4.0	9.9	22.0	54.1	124.2	217.1	299.4	339.5	431.4	436.3	362.7	202.8
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	1.1	2.4	2.0	3.0	3.5	4.3	^	^
Larynx	^	^	^	^	^	3.2	6.2	14.3	18.4	22.1	17.8	19.0	18.1	10.1	^
Lung and Bronchus	^	^	1.2	3.1	8.1	17.6	46.8	108.5	195.9	275.0	318.2	408.1	413.7	346.9	194.5
Pleura	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Bones and Joints	^	1.2	^	^	^	1.3	^	1.5	1.2	1.4	2.2	^	^	^	^
Soft Tissue including Heart	^	^	2.2	2.7	2.3	4.1	3.7	5.6	6.2	7.4	12.5	15.1	18.3	20.3	18.7
Skin excluding Basal and Squamous	2.1	4.6	8.9	12.5	16.1	21.5	27.2	32.3	44.1	62.6	79.8	97.4	115.7	123.1	123.2
Melanoma of the Skin	2.1	4.2	8.4	11.5	15.2	21.0	25.8	30.0	40.2	56.3	71.6	84.9	98.1	101.5	97.6
Other Non-Epithelial Skin	^	^	^	^	^	^	1.4	2.3	3.9	6.3	8.2	12.5	17.6	21.6	25.6
Breast	1.1	5.4	16.3	34.8	67.4	100.6	119.9	136.7	182.3	235.8	256.9	269.9	277.2	269.2	219.4
Female Genital System	1.7	4.2	11.4	17.6	24.3	30.8	37.1	53.9	68.4	77.0	78.3	73.5	74.5	74.6	52.6
Cervix Uteri	^	1.7	6.0	8.3	9.9	9.3	8.1	7.9	6.6	6.7	5.0	5.0	4.0	7.9	^
Corpus and Uterus, NOS	^	^	2.6	4.8	8.8	13.1	18.2	30.5	43.8	47.7	49.1	37.9	31.7	25.2	19.4
Corpus Uteri	^	^	2.6	4.4	8.6	12.9	17.7	29.5	42.3	46.2	47.8	37.1	30.0	23.4	18.7
Uterus, NOS	^	^	^	^	^	^	^	^	1.5	1.6	^	^	^	^	^
Ovary	1.3	1.3	1.7	3.2	3.2	5.8	6.7	10.1	11.2	12.6	13.2	17.0	21.2	23.8	13.2
Vagina	^	^	^	^	^	^	^	^	^	2.1	1.6	2.4	^	^	^
Vulva	^	^	^	^	1.8	1.4	2.3	2.7	3.6	4.6	5.9	5.9	10.7	10.6	12.5
Other Female Genital Organs	^	^	^	^	^	^	1.2	2.0	2.1	3.4	3.5	5.3	4.8	^	^
Male Genital System	4.6	5.2	5.2	6.1	10.4	30.6	84.9	171.6	274.3	410.1	405.6	350.8	238.1	171.7	104.5
Prostate	^	^	^	^	5.9	27.1	82.1	169.3	272.5	407.5	403.5	347.0	234.1	166.8	101.7
Testis	4.6	5.2	5.1	5.1	4.5	2.9	2.2	1.5	^	^	^	^	^	^	^

Penis	^	^	^	^	^	^	^	^	^	1.3	^	3.0	^	^	^
Other Male Genital Organs	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Urinary System	^	2.0	4.5	10.6	20.0	37.5	52.1	78.7	111.2	153.8	194.0	249.4	251.0	266.5	183.4
Urinary Bladder	^	^	^	1.5	3.3	5.8	12.5	24.8	41.7	64.9	88.4	134.9	145.3	177.8	117.7
Kidney and Renal Pelvis	^	1.8	4.1	8.9	16.7	31.4	39.1	53.1	67.9	86.0	99.9	106.7	95.3	77.7	56.8
Ureter	^	^	^	^	^	^	^	^	^	1.6	3.0	4.0	5.7	^	^
Other Urinary Organs	^	^	^	^	^	^	^	^	^	1.2	2.8	3.7	4.8	^	^
Eye and Orbit	^	^	^	^	^	^	^	1.3	1.8	2.0	2.6	3.7	^	^	^
Brain and Other Nervous System	2.5	2.6	3.1	3.8	3.8	6.4	6.0	9.5	11.1	11.9	18.3	20.8	21.4	14.1	13.8
Brain	2.1	2.4	2.8	3.3	3.5	6.2	5.6	8.8	10.4	11.7	17.3	20.2	21.4	13.2	12.5
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Endocrine System	6.0	9.2	14.1	17.5	20.4	21.9	23.5	22.7	26.9	26.0	29.1	24.7	20.0	14.6	^
Thyroid	5.8	8.9	13.3	16.8	19.3	20.7	21.7	20.6	23.2	22.5	25.5	20.5	15.2	11.9	^
Other Endocrine including Thymus	^	^	^	^	1.1	^	1.8	2.1	3.7	3.6	3.6	4.1	4.8	^	^
Lymphoma	5.9	8.4	8.7	9.6	13.7	17.8	23.1	31.8	45.2	60.8	77.3	111.0	119.1	125.3	69.2
Hodgkin Lymphoma	4.0	5.2	3.7	2.9	2.9	2.7	2.3	2.3	2.4	2.9	4.1	4.1	5.0	^	^
Hodgkin - Nodal	4.0	5.1	3.6	2.9	2.9	2.6	2.3	2.2	2.4	2.8	4.0	3.8	5.0	^	^
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	1.9	3.2	5.1	6.7	10.8	15.1	20.9	29.4	42.8	57.9	73.2	106.9	114.1	122.2	67.8
NHL - Nodal	1.2	1.8	2.7	4.1	6.7	9.4	14.7	19.6	28.9	38.4	51.9	73.5	78.8	84.3	45.0
NHL - Extranodal	^	1.4	2.4	2.6	4.0	5.7	6.2	9.9	13.9	19.5	21.2	33.4	35.2	38.0	22.8
Myeloma	^	^	^	1.7	3.2	7.1	10.8	14.9	23.4	32.9	41.4	54.2	48.6	57.8	34.6
Leukemia	2.3	2.4	3.5	5.7	6.2	8.7	14.4	22.6	28.2	40.7	56.1	77.8	97.6	95.8	80.3
Lymphocytic Leukemia	1.1	^	^	1.5	1.9	3.1	6.4	11.4	15.3	21.6	26.7	35.1	45.7	47.2	39.5
Acute Lymphocytic Leukemia	1.1	^	^	^	^	^	^	1.5	1.2	1.6	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	1.1	2.1	5.5	9.2	13.4	18.8	24.5	32.5	41.2	45.0	36.7
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	1.1	1.8	2.7	4.0	4.1	4.9	7.5	10.8	12.2	17.7	26.3	40.5	48.6	42.4	34.6
Acute Myeloid Leukemia	^	^	1.5	2.2	2.0	3.1	4.5	6.5	8.2	11.7	17.3	29.2	31.0	26.5	30.5
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	^	^	1.2	1.8	2.1	1.7	2.8	4.1	3.8	5.4	8.6	10.6	15.7	11.9	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Other Leukemia	^	^	^	^	^	^	^	^	^	1.4	3.1	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^	^	^	2.1	^	^	^	^
Mesothelioma	^	^	^	^	^	^	^	^	1.3	3.8	5.8	7.8	8.6	10.6	^
Kaposi Sarcoma	^	^	1.7	^	^	^	^	^	^	^	^	^	^	^	^
Miscellaneous	1.1	1.1	2.1	5.2	5.8	8.8	15.6	24.5	37.5	57.8	73.2	107.5	126.5	158.9	154.3
In Situ Cancers (not included above)															
Breast In Situ	^	^	1.5	5.1	17.1	25.1	31.2	32.3	42.7	52.5	52.1	48.6	34.5	24.3	12.5

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population

[2]Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases.