Mortality Tables

Table J1. Average Annual Number of Cancer Deaths by Site, Race, and Sex, 2019-2023, Louisiana

Primary Site	All Races			NH White			NH Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	9,284	5,035	4,249	6,181	3,380	2,802	2,829	1,510	1,319
Oral Cavity and Pharynx	194	146	48	133	98	35	54	43	12
Lip	^	^	^	^	^	^	^	^	^
Tongue	45	32	13	34	25	9	9	6	^
Salivary Gland	14	10	4	10	8	^	3	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	24	16	9	17	10	7	6	4	^
Nasopharynx	10	8	^	6	5	^	4	^	^
Tonsil	18	16	^	14	12	^	4	3	^
Oropharynx	25	20	5	15	12	3	9	7	^
Hypopharynx	9	8	^	5	4	^	^	^	^
Other Oral Cavity and Pharynx	46	35	11	29	21	8	16	13	3
Digestive System	2,658	1,555	1,103	1,687	996	692	879	508	371
Esophagus	209	168	41	157	130	28	47	34	12
Stomach	177	102	75	84	51	33	80	44	35
Small Intestine	26	15	11	15	9	6	10	5	5
Colon and Rectum	850	466	384	535	295	240	288	155	133
Colon excluding Rectum	675	360	314	417	225	192	237	123	114
Rectum and Rectosigmoid Junction	175	106	70	118	70	48	51	32	20
Anus, Anal Canal and Anorectum	21	8	13	16	5	11	4	^	^
Liver and Intrahepatic Bile Duct	536	376	160	330	223	107	183	138	45
Liver	443	329	114	264	190	74	159	125	34
Intrahepatic Bile Duct	93	47	46	66	33	33	24	13	11
Gallbladder	35	13	22	21	8	13	13	4	9
Other Biliary	35	18	16	23	12	11	10	6	4
Pancreas	719	366	353	475	249	226	225	109	116
Retroperitoneum	7	3	3	4	^	^	^	^	^
Peritoneum, Omentum and Mesentery	17	^	14	11	^	10	4	^	3
Other Digestive Organs	27	17	10	15	9	6	12	8	5
Respiratory System	2,403	1,383	1,020	1,655	920	735	697	432	265
Nose, Nasal Cavity and Middle Ear	13	7	6	9	4	4	4	^	^
Larynx	74	59	15	44	35	9	29	24	5
Lung and Bronchus	2,304	1,308	996	1,593	875	718	662	404	258
Pleura	5	4	^	4	^	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	7	5	^	5	3	^	^	^	^
Bones and Joints	36	18	18	26	13	13	9	5	5
Soft Tissue including Heart	58	33	25	37	21	16	18	10	8
Skin	145	101	44	128	91	37	16	9	6
Melanoma of the Skin	83	57	26	76	53	23	7	3	3

Non-Melanoma Skin	62	44	18	52	38	15	9	6	3
Breast	658	9	649	399	5	394	238	4	235
Female Genital System	422	--	422	254	--	254	153	--	153
Cervix Uteri	69	--	69	37	--	37	29	--	29
Corpus and Uterus, NOS	149	--	149	73	--	73	71	--	71
Corpus Uteri	94	--	94	47	--	47	43	--	43
Uterus, NOS	55	--	55	25	--	25	28	--	28
Ovary	168	--	168	120	--	120	41	--	41
Vagina	10	--	10	5	--	5	4	--	4
Vulva	19	--	19	14	--	14	4	--	4
Other Female Genital Organs	8	--	8	5	--	5	^	--	^
Male Genital System	447	447	--	256	256	--	180	180	--
Prostate	435	435	--	248	248	--	177	177	--
Testis	7	7	--	5	5	--	^	^	--
Penis	4	4	--	^	^	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	498	345	153	376	266	110	110	71	40
Urinary Bladder	224	164	60	176	133	43	43	28	16
Kidney and Renal Pelvis	257	172	85	187	126	61	63	41	22
Ureter	5	^	^	3	^	^	^	^	^
Other Urinary Organs	13	7	6	9	5	4	^	^	^
Eye and Orbit	5	^	^	4	^	^	^	^	^
Brain and Other Nervous System	236	135	100	184	105	79	43	25	18
Endocrine System	38	18	21	25	13	12	11	4	7
Thyroid	25	10	14	18	8	9	6	^	4
Other Endocrine including Thymus	14	7	6	8	5	^	6	^	^
Lymphoma	288	166	122	219	126	93	58	33	25
Hodgkin Lymphoma	17	9	7	12	7	5	4	^	^
Non-Hodgkin Lymphoma	272	157	115	207	119	88	54	31	23
Myeloma	188	104	84	104	62	42	78	38	40
Leukemia	329	196	134	244	147	97	73	42	31
Lymphocytic Leukemia	83	50	33	63	38	25	18	11	7
Acute Lymphocytic Leukemia	18	12	6	11	8	4	5	3	^
Chronic Lymphocytic Leukemia	57	34	23	45	26	18	12	8	4
Other Lymphocytic Leukemia	8	4	4	7	4	^	^	^	^
Myeloid and Monocytic Leukemia	159	90	69	117	68	49	37	19	18
Acute Myeloid Leukemia	131	72	59	97	55	42	30	15	15
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	15	9	6	11	7	4	4	^	^
Other Myeloid/Monocytic Leukemia	13	9	4	9	6	^	3	^	^
Other Leukemia	87	56	32	65	41	23	18	12	7
Other Acute Leukemia	14	8	6	10	6	4	3	^	^
Aleukemic, Subleukemic and NOS	73	47	26	55	36	19	15	9	5
Miscellaneous Malignant Cancer	678	376	302	450	260	190	210	108	102

^The NCI does not present counts for cells smaller than 10 for the five-year period. -- Not Applicable
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table J2. Percent Distribution of Cancer Deaths by Site, Race, and Sex, 2019-2023, Louisiana

Primary Site	All Races			NH White			NH Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Oral Cavity and Pharynx	2.1	2.9	1.1	2.2	2.9	1.3	1.9	2.8	0.9
Lip	^	^	^	^	^	^	^	^	^
Tongue	0.5	0.6	0.3	0.6	0.7	0.3	0.3	0.4	^
Salivary Gland	0.2	0.2	0.1	0.2	0.2	^	0.1	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.3	^
Nasopharynx	0.1	0.2	^	0.1	0.1	^	0.1	^	^
Tonsil	0.2	0.3	^	0.2	0.4	^	0.1	0.2	^
Oropharynx	0.3	0.4	0.1	0.2	0.3	^	0.3	0.5	^
Hypopharynx	0.1	0.2	^	0.1	0.1	^	^	^	^
Other Oral Cavity and Pharynx	0.5	0.7	0.3	0.5	0.6	0.3	0.6	0.8	0.2
Digestive System	28.6	30.9	26.0	27.3	29.5	24.7	31.1	33.7	28.1
Esophagus	2.3	3.3	1.0	2.5	3.8	1.0	1.6	2.3	0.9
Stomach	1.9	2.0	1.8	1.4	1.5	1.2	2.8	2.9	2.7
Small Intestine	0.3	0.3	0.3	0.2	0.3	0.2	0.4	0.3	0.4
Colon and Rectum	9.2	9.3	9.0	8.7	8.7	8.6	10.2	10.3	10.1
Colon excluding Rectum	7.3	7.2	7.4	6.8	6.7	6.9	8.4	8.2	8.6
Rectum and Rectosigmoid Junction	1.9	2.1	1.6	1.9	2.1	1.7	1.8	2.1	1.5
Anus, Anal Canal and Anorectum	0.2	0.2	0.3	0.3	0.2	0.4	0.1	^	^
Liver and Intrahepatic Bile Duct	5.8	7.5	3.8	5.3	6.6	3.8	6.5	9.1	3.4
Liver	4.8	6.5	2.7	4.3	5.6	2.6	5.6	8.3	2.6
Intrahepatic Bile Duct	1.0	0.9	1.1	1.1	1.0	1.2	0.8	0.8	0.8
Gallbladder	0.4	0.3	0.5	0.3	0.2	0.5	0.5	0.3	0.7
Other Biliary	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.3
Pancreas	7.7	7.3	8.3	7.7	7.4	8.1	8.0	7.2	8.8
Retroperitoneum	0.1	^	^	0.1	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.2	^	0.3	0.2	^	0.3	0.2	^	^
Other Digestive Organs	0.3	0.3	0.2	0.2	0.3	0.2	0.4	0.5	0.3
Respiratory System	25.9	27.5	24.0	26.8	27.2	26.2	24.6	28.6	20.1
Nose, Nasal Cavity and Middle Ear	0.1	0.1	0.1	0.1	0.1	0.2	0.1	^	^
Larynx	0.8	1.2	0.3	0.7	1.0	0.3	1.0	1.6	0.4
Lung and Bronchus	24.8	26.0	23.4	25.8	25.9	25.6	23.4	26.7	19.6
Pleura	0.1	0.1	^	0.1	^	^	^	^	^
Trachea, Mediastinum and Other Resp Organs	0.1	0.1	^	0.1	^	^	^	^	^
Bones and Joints	0.4	0.4	0.4	0.4	0.4	0.5	0.3	0.3	0.3
Soft Tissue including Heart	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
Skin	1.6	2.0	1.0	2.1	2.7	1.3	0.6	0.6	0.5
Melanoma of the Skin	0.9	1.1	0.6	1.2	1.6	0.8	0.2	^	^
Non-Melanoma Skin	0.7	0.9	0.4	0.8	1.1	0.5	0.3	0.4	0.2
Breast	7.1	0.2	15.3	6.5	0.1	14.1	8.4	0.2	17.8

Female Genital System	4.5	--	9.9	4.1	--	9.1	5.4	--	11.6
Cervix Uteri	0.7	--	1.6	0.6	--	1.3	1.0	--	2.2
Corpus and Uterus, NOS	1.6	--	3.5	1.2	--	2.6	2.5	--	5.4
Corpus Uteri	1.0	--	2.2	0.8	--	1.7	1.5	--	3.2
Uterus, NOS	0.6	--	1.3	0.4	--	0.9	1.0	--	2.1
Ovary	1.8	--	4.0	1.9	--	4.3	1.5	--	3.1
Vagina	0.1	--	0.2	0.1	--	0.2	0.1	--	0.3
Vulva	0.2	--	0.4	0.2	--	0.5	0.1	--	0.3
Other Female Genital Organs	0.1	--	0.2	0.1	--	0.2	^	--	^
Male Genital System	4.8	8.9	--	4.1	7.6	--	6.4	11.9	--
Prostate	4.7	8.6	--	4.0	7.3	--	6.3	11.7	--
Testis	0.1	0.1	--	0.1	0.1	--	^	^	--
Penis	0.0	0.1	--	^	^	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	5.4	6.9	3.6	6.1	7.9	3.9	3.9	4.7	3.0
Urinary Bladder	2.4	3.3	1.4	2.9	3.9	1.5	1.5	1.8	1.2
Kidney and Renal Pelvis	2.8	3.4	2.0	3.0	3.7	2.2	2.2	2.7	1.7
Ureter	0.0	^	^	^	^	^	^	^	^
Other Urinary Organs	0.1	0.1	0.1	0.2	0.1	0.2	^	^	^
Eye and Orbit	0.1	^	^	0.1	^	^	^	^	^
Brain and Other Nervous System	2.5	2.7	2.4	3.0	3.1	2.8	1.5	1.7	1.3
Endocrine System	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.3	0.5
Thyroid	0.3	0.2	0.3	0.3	0.2	0.3	0.2	^	0.3
Other Endocrine including Thymus	0.1	0.1	0.1	0.1	0.1	^	0.2	^	^
Lymphoma	3.1	3.3	2.9	3.5	3.7	3.3	2.1	2.2	1.9
Hodgkin Lymphoma	0.2	0.2	0.2	0.2	0.2	0.2	0.1	^	^
Non-Hodgkin Lymphoma	2.9	3.1	2.7	3.4	3.5	3.1	1.9	2.1	1.8
Myeloma	2.0	2.1	2.0	1.7	1.8	1.5	2.8	2.5	3.0
Leukemia	3.5	3.9	3.1	3.9	4.3	3.5	2.6	2.8	2.4
Lymphocytic Leukemia	0.9	1.0	0.8	1.0	1.1	0.9	0.6	0.7	0.5
Acute Lymphocytic Leukemia	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	^
Chronic Lymphocytic Leukemia	0.6	0.7	0.5	0.7	0.8	0.7	0.4	0.5	0.3
Other Lymphocytic Leukemia	0.1	0.1	0.1	0.1	0.1	^	^	^	^
Myeloid and Monocytic Leukemia	1.7	1.8	1.6	1.9	2.0	1.7	1.3	1.3	1.4
Acute Myeloid Leukemia	1.4	1.4	1.4	1.6	1.6	1.5	1.1	1.0	1.2
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	0.2	0.2	0.1	0.2	0.2	0.1	0.1	^	^
Other Myeloid/Monocytic Leukemia	0.1	0.2	0.1	0.1	0.2	^	0.1	^	^
Other Leukemia	0.9	1.1	0.7	1.0	1.2	0.8	0.6	0.8	0.5
Other Acute Leukemia	0.2	0.2	0.1	0.2	0.2	0.1	0.1	^	^
Aleukemic, Subleukemic and NOS	0.8	0.9	0.6	0.9	1.1	0.7	0.5	0.6	0.4
Miscellaneous Malignant Cancer	7.3	7.5	7.1	7.3	7.7	6.8	7.4	7.1	7.8

^The NCI does not present counts for cells smaller than 10 for the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).
-- Not Applicable

Table K. Average Annual Death Rate[1] by Site, Race, and Sex, 2019-2023, Louisiana

Primary Site	All Races			NH White			NH Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	165.1	201.0	138.3	163.1	197.2	137.1	189.8	241.5	154.9
Oral Cavity and Pharynx	3.4	5.5	1.6	3.5	5.4	1.8	3.4	6.2	1.4
Lip	^	^	^	^	^	^	^	^	^
Tongue	0.8	1.3	0.4	0.9	1.5	0.5	0.6	0.9	^
Salivary Gland	0.3	0.4	0.1	0.3	0.5	^	0.2	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.4	0.6	0.3	0.5	0.6	0.3	0.3	0.6	^
Nasopharynx	0.2	0.3	^	0.2	0.3	^	0.3	^	^
Tonsil	0.3	0.5	^	0.4	0.6	^	0.2	0.4	^
Oropharynx	0.4	0.7	0.2	0.4	0.6	0.2	0.6	1.1	^
Hypopharynx	0.2	0.3	^	0.1	0.3	^	^	^	^
Other Oral Cavity and Pharynx	0.8	1.3	0.4	0.7	1.1	0.4	1.0	2.0	0.4
Digestive System	46.7	59.7	35.8	44.2	56.4	33.6	58.0	76.9	43.8
Esophagus	3.6	6.4	1.3	4.1	7.3	1.3	2.9	4.9	1.3
Stomach	3.2	4.0	2.5	2.3	3.0	1.6	5.5	7.1	4.4
Small Intestine	0.5	0.6	0.4	0.4	0.5	0.3	0.7	0.8	0.6
Colon and Rectum	15.4	18.6	12.8	14.5	17.3	12.0	19.7	25.0	16.0
Colon excluding Rectum	12.2	14.5	10.4	11.2	13.3	9.5	16.3	20.0	13.7
Rectum and Rectosigmoid Junction	3.2	4.1	2.4	3.2	4.1	2.5	3.5	5.0	2.3
Anus, Anal Canal and Anorectum	0.4	0.3	0.4	0.4	0.3	0.5	0.3	^	^
Liver and Intrahepatic Bile Duct	8.9	13.4	5.1	8.3	11.9	5.1	11.0	18.5	5.1
Liver	7.3	11.6	3.6	6.6	10.0	3.5	9.4	16.5	3.8
Intrahepatic Bile Duct	1.6	1.8	1.5	1.7	1.8	1.6	1.6	2.0	1.3
Gallbladder	0.6	0.5	0.7	0.5	0.4	0.6	0.9	0.7	1.0
Other Biliary	0.6	0.7	0.5	0.6	0.7	0.5	0.6	0.9	0.5
Pancreas	12.6	14.2	11.3	12.3	14.1	10.8	15.1	16.9	13.6
Retroperitoneum	0.1	0.1	0.1	0.1	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.3	^	0.4	0.3	^	0.5	0.3	^	0.4
Other Digestive Organs	0.5	0.7	0.3	0.4	0.5	0.3	0.9	1.3	0.6
Respiratory System	41.4	53.5	32.0	42.2	51.8	34.8	45.4	67.5	30.0
Nose, Nasal Cavity and Middle Ear	0.3	0.3	0.2	0.2	0.2	0.2	0.3	^	^
Larynx	1.3	2.3	0.5	1.1	2.0	0.4	1.8	3.6	0.6
Lung and Bronchus	39.7	50.6	31.2	40.6	49.2	34.0	43.1	63.2	29.1
Pleura	0.1	0.2	^	0.1	^	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.1	0.2	^	0.1	0.2	^	^	^	^
Bones and Joints	0.7	0.8	0.6	0.8	0.9	0.7	0.7	0.8	0.6
Soft Tissue including Heart	1.1	1.4	0.9	1.1	1.4	0.9	1.2	1.5	0.9
Skin	2.7	4.3	1.5	3.5	5.5	1.9	1.0	1.4	0.7
Melanoma of the Skin	1.5	2.4	0.9	2.1	3.2	1.2	0.5	0.6	0.4
Non-Melanoma Skin	1.2	1.9	0.6	1.4	2.4	0.7	0.6	0.8	0.4
Breast	12.2	0.4	21.8	11.0	0.3	19.9	16.5	0.6	28.2

Female Genital System	7.6	--	14.0	6.9	--	12.9	10.1	--	17.6
Cervix Uteri	1.4	--	2.7	1.2	--	2.4	2.1	--	3.7
Corpus and Uterus, NOS	2.5	--	4.7	1.9	--	3.5	4.5	--	7.8
Corpus Uteri	1.6	--	3.0	1.2	--	2.3	2.7	--	4.7
Uterus, NOS	0.9	--	1.7	0.6	--	1.2	1.8	--	3.0
Ovary	3.0	--	5.5	3.2	--	5.9	2.8	--	4.8
Vagina	0.2	--	0.3	0.1	--	0.3	0.3	--	0.5
Vulva	0.4	--	0.6	0.4	--	0.7	0.3	--	0.5
Other Female Genital Organs	0.1	--	0.2	0.1	--	0.2	^	--	^
Male Genital System	8.2	19.9	--	6.8	16.4	--	13.1	34.1	--
Prostate	8.0	19.4	--	6.6	15.9	--	12.9	33.6	--
Testis	0.1	0.3	--	0.2	0.3	--	^	^	--
Penis	0.1	0.2	--	^	^	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	9.1	14.7	5.0	10.0	16.3	5.3	7.8	12.0	4.8
Urinary Bladder	4.2	7.4	2.0	4.7	8.5	2.0	3.2	5.1	2.0
Kidney and Renal Pelvis	4.6	6.9	2.7	4.9	7.4	3.0	4.3	6.5	2.6
Ureter	0.1	^	^	0.1	^	^	^	^	^
Other Urinary Organs	0.2	0.3	0.2	0.3	0.3	0.2	^	^	^
Eye and Orbit	0.1	^	^	0.1	^	^	^	^	^
Brain and Other Nervous System	4.3	5.3	3.4	5.1	6.2	4.1	2.9	3.8	2.2
Endocrine System	0.7	0.7	0.7	0.7	0.8	0.6	0.8	0.6	0.9
Thyroid	0.4	0.4	0.5	0.5	0.5	0.4	0.4	^	0.5
Other Endocrine including Thymus	0.3	0.3	0.2	0.2	0.3	^	0.4	^	^
Lymphoma	5.3	7.0	4.0	5.9	7.7	4.4	4.1	5.5	3.1
Hodgkin Lymphoma	0.3	0.4	0.2	0.3	0.4	0.2	0.3	^	^
Non-Hodgkin Lymphoma	5.0	6.6	3.7	5.6	7.2	4.2	3.8	5.2	2.8
Myeloma	3.4	4.4	2.7	2.8	3.8	2.0	5.5	6.5	4.7
Leukemia	6.2	8.5	4.4	6.7	9.3	4.7	5.2	7.0	3.9
Lymphocytic Leukemia	1.6	2.3	1.1	1.8	2.5	1.2	1.3	1.9	0.9
Acute Lymphocytic Leukemia	0.3	0.5	0.2	0.3	0.5	0.2	0.3	0.5	^
Chronic Lymphocytic Leukemia	1.1	1.6	0.8	1.2	1.7	0.9	0.9	1.4	0.5
Other Lymphocytic Leukemia	0.2	0.2	0.1	0.2	0.3	^	^	^	^
Myeloid and Monocytic Leukemia	2.9	3.8	2.3	3.2	4.1	2.4	2.5	3.0	2.2
Acute Myeloid Leukemia	2.4	3.0	2.0	2.6	3.3	2.1	2.0	2.3	1.8
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	0.3	0.4	0.2	0.3	0.5	0.2	0.3	^	^
Other Myeloid/Monocytic Leukemia	0.2	0.4	0.1	0.2	0.4	^	0.2	^	^
Other Leukemia	1.6	2.4	1.0	1.7	2.6	1.1	1.4	2.0	0.9
Other Acute Leukemia	0.3	0.4	0.2	0.3	0.3	0.2	0.3	^	^
Aleukemic, Subleukemic and NOS	1.4	2.1	0.8	1.5	2.2	0.9	1.1	1.6	0.7
Miscellaneous Malignant Cancer	12.0	14.9	9.8	11.9	15.1	9.3	14.1	16.9	12.1
In situ, benign or unknown behavior neoplasm	3.9	4.9	3.3	4.0	5.0	3.3	4.3	5.3	3.7

[1]Rates are per 100,000 and age-adjusted to the 2000 Population (19 age groups – Census P25-1130) standard.
^Statistic not displayed due to fewer than 16 cases during the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).
--Not Applicable

Table L1. Average Annual Death Rates[1] for Selected Cancers by Race and Sex, 2019-2023: U.S., Louisiana, and 7-Parish Industrial Corridor[2] (Please review: Cautions in Interpretation)

	NH White Males					NH White Females					NH Black Males					NH Black Females				
Primary Site	US	Louisiana		Ind. Corr.		US	Louisiana		Ind. Corr.		US	Louisiana		Ind. Corr.		US	Louisiana		Ind. Corr.	
All Malignant Cancers	178.0	197.2	↑	176.5	*	131.2	137.1	↑	118.9	*	203.6	241.5	↑	230.3		143.7	154.9	↑	141.3	*
Oral Cavity and Pharynx	4.4	5.4	↑	5.2		1.6	1.8		1.6		4.1	6.2	↑	4.7		1.2	1.4		^	
Esophagus	7.5	7.3		7.1		1.5	1.3		^		4.3	4.9		5.0		1.4	1.3		^	
Stomach	2.8	3.0		2.3		1.4	1.6		^		6.4	7.1		7.9		3.2	4.4	↑	3.2	
Small Intestine	0.5	0.5		^		0.4	0.3		^		0.9	0.8		^		0.6	0.6		^	
Colon and Rectum	15.2	17.3	↑	14.5	*	10.9	12.0	↑	9.3	*	21.0	25.0	↑	19.0	*	13.4	16.0	↑	15.0	
Liver and Intrahepatic Bile Duct	8.5	11.9	↑	11.2		3.9	5.1	↑	4.5		12.0	18.5	↑	22.6	*	4.6	5.1		5.9	
Pancreas	13.3	14.1	↑	13.1		9.9	10.8	↑	9.9		15.1	16.9	↑	18.1		12.3	13.6	↑	12.5	
Larynx	1.6	2.0	↑	^		0.4	0.4		^		2.6	3.6	↑	3.5		0.5	0.6		^	
Lung and Bronchus	39.6	49.2	↑	41.8	*	30.5	34.0	↑	29.3	*	44.5	63.2	↑	54.6	*	25.3	29.1	↑	22.9	*
Breast	0.3	0.3		^		19.3	19.9		16.3	*	0.5	0.6		^		26.5	28.2	↑	28.6	
Cervix Uteri	--	--		--		2.0	2.4		1.6		--	--		--		3.1	3.7	↑	3.7	
Corpus and Uterus, NOS	--	--		--		4.8	3.5	↓	2.8		--	--		--		9.8	7.8	↓	8.7	
Ovary	--	--		--		6.2	5.9		5.9		--	--		--		5.4	4.8		4.5	
Prostate	18.4	15.9	↓	13.1	*	--	--		--		36.9	33.6	↓	31.3		--	--		--	
Urinary Bladder	8.0	8.5		7.6		2.2	2.0		1.6		5.2	5.1		5.9		2.1	2.0		^	
Kidney and Renal Pelvis	5.3	7.4	↑	6.4		2.2	3.0	↑	2.3		4.9	6.5	↑	7.8		2.1	2.6	↑	2.7	
Brain and Other Nervous System	6.1	6.2		6.3		4.1	4.1		3.7		3.4	3.8		3.7		2.3	2.2		^	
Hodgkin Lymphoma	0.3	0.4		^		0.2	0.2		^		0.3	^		^		0.2	^		^	
Non-Hodgkin Lymphoma	6.8	7.2		7.2		3.9	4.2		3.9		4.7	5.2		5.8		2.8	2.8		2.5	
Myeloma	3.6	3.8		4.2		2.1	2.0		1.5		6.9	6.5		7.8		4.8	4.7		5.3	
Leukemia	8.4	9.3	↑	9.1		4.6	4.7		4.8		6.4	7.0		5.5		4.0	3.9		3.9	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Ascension, East Baton Rouge, Iberville, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate. #The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate. -- Not applicable

Table L2. Average Annual Death Rates[1] for Selected Cancers by Race and Sex, 2019-2023: U.S., Louisiana, and 11-Parish Industrial Corridor[2] (Please review: Cautions in Interpretation)

	NH White Males					NH White Females					NH Black Males					NH Black Females				
Primary Site	US	Louisiana		Ind. Corr.		US	Louisiana		Ind. Corr.		US	Louisiana		Ind. Corr.		US	Louisiana		Ind. Corr.	
All Malignant Cancers	178.0	197.2	↑	177.5	*	131.2	137.1	↑	122.0	*	203.6	241.5	↑	226.1	*	143.7	154.9	↑	145.2	*
Oral Cavity and Pharynx	4.4	5.4	↑	5.4		1.6	1.8		1.7		4.1	6.2	↑	5.0		1.2	1.4		1.5	
Esophagus	7.5	7.3		7.1		1.5	1.3		0.9		4.3	4.9		4.3		1.4	1.3		0.8	
Stomach	2.8	3.0		2.6		1.4	1.6		0.9	*	6.4	7.1		7.4		3.2	4.4	↑	3.5	
Small Intestine	0.5	0.5		^		0.4	0.3		^		0.9	0.8		^		0.6	0.6		^	
Colon and Rectum	15.2	17.3	↑	13.1	*	10.9	12.0		9.8	*	21.0	25.0	↑	21.7		13.4	16.0	↑	14.6	
Liver and Intrahepatic Bile Duct	8.5	11.9	↑	10.6		3.9	5.1	↑	4.4		12.0	18.5	↑	19.4		4.6	5.1		5.1	
Pancreas	13.3	14.1		13.0		9.9	10.8	↑	9.5		15.1	16.9	↑	14.8		12.3	13.6		12.3	
Larynx	1.6	2.0	↑	1.8		0.4	0.4		0.5		2.6	3.6	↑	3.0		0.5	0.6		^	
Lung and Bronchus	39.6	49.2	↑	42.3	*	30.5	34.0	↑	29.4	*	44.5	63.2	↑	54.7	*	25.3	29.1	↑	27.1	
Breast	0.3	0.3		^		19.3	19.9		18.8		0.5	0.6		^		26.5	28.2		27.5	
Cervix Uteri	--	--		--		2.0	2.4		1.6		--	--		--		3.1	3.7	↑	3.7	
Corpus and Uterus, NOS	--	--		--		4.8	3.5	↓	3.0		--	--		--		9.8	7.8	↓	7.7	
Ovary	--	--		--		6.2	5.9		6.1		--	--		--		5.4	4.8		5.0	
Prostate	18.4	15.9	↓	15.1		--	--		--		36.9	33.6	↓	34.1		--	--		--	
Urinary Bladder	8.0	8.5		8.1		2.2	2.0		2.1		5.2	5.1		5.9		2.1	2.0		2.1	
Kidney and Renal Pelvis	5.3	7.4	↑	6.7		2.2	3.0	↑	2.1	*	4.9	6.5	↑	6.8		2.1	2.6	↑	2.6	
Brain and Other Nervous System	6.1	6.2		6.2		4.1	4.1		3.4		3.4	3.8		3.7		2.3	2.2		1.8	
Hodgkin Lymphoma	0.3	0.4		^		0.2	0.2		^		0.3	^		^		0.2	^		^	
Non-Hodgkin Lymphoma	6.8	7.2		6.9		3.9	4.2	↑	3.8		4.7	5.2		5.3		2.8	2.8		2.4	
Myeloma	3.6	3.8		3.7		2.1	2.0		1.6		6.9	6.5		7.6		4.8	4.7		4.3	
Leukemia	8.4	9.3		7.8		4.6	4.7		4.6		6.4	7.0		5.8		4.0	3.9		3.0	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Ascension, East Baton Rouge, Iberville, Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate. #The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate. -- Not applicable

Table M1. Death Rates[1] by Louisiana Parish[2] for the Ten Most Common Cancer Deaths, 2019-2023: NH White Males

	All Malignant Cancers	Lung and Bronchus	Colon and Rectum	Prostate	Pancreas	Liver and Intrahepatic Bile Duct	Leukemia	Urinary Bladder	Kidney and Renal Pelvis	Esophagus	Non-Hodgkin Lymphoma
Louisiana	197.2	49.2	17.3	15.9	14.1	11.9	9.3	8.5	7.4	7.3	7.2
Acadia Parish	244.1	65.0	28.4	^	19.3	^	^	^	^	^	^
Allen Parish	298.8	85.3	^	^	^	^	^	^	^	^	^
Ascension Parish	165.9	40.2	11.8	12.0	12.7	10.0	7.6	^	^	6.7	^
Assumption Parish	183.7	48.0	^	^	^	^	^	^	^	^	^
Avoyelles Parish	222.8	61.5	20.9	^	19.5	^	^	^	^	^	^
Beauregard Parish	222.0	54.0	26.7	^	^	^	^	^	^	^	^
Bienville Parish	209.0	^	^	^	^	^	^	^	^	^	^
Bossier Parish	191.8	54.4	15.2	10.8	14.5	14.1	7.7	14.8	7.0	^	^
Caddo Parish	187.9	44.0	13.1	18.2	16.1	11.7	8.6	8.9	4.8	7.7	5.9
Calcasieu Parish	189.4	50.7	17.1	9.5	14.9	12.7	10.2	6.2	8.4	6.6	5.7
Caldwell Parish	156.9	66.9	^	^	^	^	^	^	^	^	^
Cameron Parish	145.2	^	^	^	^	^	^	^	^	^	^
Catahoula Parish	314.0	^	^	^	^	^	^	^	^	^	^
Claiborne Parish	230.8	50.4	^	^	^	^	^	^	^	^	^
Concordia Parish	213.7	^	^	43.8	^	^	^	^	^	^	^
De Soto Parish	180.6	41.4	^	^	^	^	^	^	^	^	^
East Baton Rouge Parish	167.1	36.4	14.5	13.6	13.3	10.9	9.5	7.6	5.1	7.0	7.7
East Carroll Parish	192.1	^	^	^	^	^	^	^	^	^	^
East Feliciana Parish	175.3	55.0	^	^	^	^	^	^	^	^	^
Evangeline Parish	206.5	55.0	25.3	^	^	^	^	^	^	^	^
Franklin Parish	197.1	78.8	^	^	^	^	^	^	^	^	^
Grant Parish	232.6	56.0	^	^	^	^	^	^	^	^	^
Iberia Parish	223.4	53.4	21.5	17.6	15.7	14.4	^	^	^	^	^
Iberville Parish	238.3	79.6	^	^	^	^	^	^	^	^	^
Jackson Parish	254.5	63.3	^	^	^	^	^	^	^	^	^
Jefferson Parish	188.7	47.8	12.1	17.1	13.2	11.9	8.0	9.4	8.0	7.4	6.7

Jefferson Davis Parish	236.4	68.8	^	27.2	^	^	^	^	^	^	^
Lafayette Parish	191.0	47.3	18.0	14.7	12.1	11.3	8.7	9.0	9.6	6.4	7.3
Lafourche Parish	217.1	53.8	20.8	16.7	12.5	15.0	15.2	^	9.4	7.6	9.2
La Salle Parish	232.1	55.7	^	^	^	^	^	^	^	^	^
Lincoln Parish	178.2	31.7	26.9	^	^	^	^	^	^	^	^
Livingston Parish	188.4	54.7	18.5	12.6	12.6	14.1	9.5	7.5	4.9	5.2	6.0
Madison Parish	202.8	^	^	^	^	^	^	^	^	^	^
Morehouse Parish	199.0	51.6	^	^	^	^	^	^	^	^	^
Natchitoches Parish	215.3	50.5	24.9	^	^	^	^	^	^	^	^
Orleans Parish	146.5	25.2	11.8	17.5	12.2	5.7	^	5.6	^	7.2	4.4
Ouachita Parish	198.8	44.1	19.1	17.9	14.6	7.0	10.3	9.8	8.5	6.0	8.1
Plaquemines Parish	178.4	39.7	^	^	^	^	^	^	^	^	^
Pointe Coupee Parish	202.5	44.1	^	^	^	^	^	^	^	^	^
Rapides Parish	190.0	46.0	20.3	12.1	14.4	13.0	10.8	7.4	6.1	8.5	^
Red River Parish	258.0	^	^	^	^	^	^	^	^	^	^
Richland Parish	216.8	69.9	^	^	^	^	^	^	^	^	^
Sabine Parish	231.3	72.3	^	^	^	^	^	^	^	^	^
St. Bernard Parish	217.1	73.1	^	^	^	^	^	^	^	^	^
St. Charles Parish	222.1	47.6	17.1	^	19.0	16.0	^	^	^	^	^
St. Helena Parish	224.0	^	^	^	^	^	^	^	^	^	^
St. James Parish	165.8	^	^	^	^	^	^	^	^	^	^
St. John the Baptist Parish	205.8	64.6	^	^	^	^	^	^	^	^	^
St. Landry Parish	223.3	59.4	22.5	12.7	14.1	15.4	13.9	^	^	^	^
St. Martin Parish	207.8	48.8	26.4	^	^	16.4	^	^	^	^	^
St. Mary Parish	239.4	74.4	19.0	^	17.6	^	^	^	^	^	^
St. Tammany Parish	184.1	39.6	12.3	18.1	14.0	12.2	7.9	10.3	5.8	7.2	7.0
Tangipahoa Parish	221.9	54.3	22.7	27.1	15.5	11.6	10.0	9.2	6.1	6.5	7.7
Tensas Parish	203.7	^	^	^	^	^	^	^	^	^	^
Terrebonne Parish	233.8	65.4	21.6	13.3	17.8	12.2	10.0	8.1	11.9	^	10.9
Union Parish	208.2	57.7	^	^	^	^	^	^	^	^	^
Vermilion Parish	222.8	50.9	22.4	16.2	13.3	10.8	15.9	^	^	^	^
Vernon Parish	223.1	70.9	24.8	^	^	^	^	^	^	^	^
Washington Parish	239.6	65.9	17.7	16.6	20.8	24.9	^	^	^	^	^
Webster Parish	240.0	63.1	23.4	^	^	^	^	^	^	^	^

West Baton Rouge Parish	171.4	49.4	^	^	^	^	^	^	^	^	^
West Carroll Parish	243.5	95.0	^	^	^	^	^	^	^	^	^
West Feliciana Parish	196.5	^	^	^	^	^	^	^	^	^	^
Winn Parish	247.4	69.6	^	^	^	^	^	^	^	^	^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.
^Statistic not displayed due to fewer than 16 cases during the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M2. Death Rates[1] by Louisiana Parish[2] for the Ten Most Common Cancer Deaths, 2019-2023: NH White Females

	All Malignant Cancers	Lung and Bronchus	Breast	Colon and Rectum	Pancreas	Ovary	Liver and Intrahepatic Bile Duct	Leukemia	Non-Hodgkin Lymphoma	Brain and Other Nervous System	Corpus and Uterus, NOS
Louisiana	137.1	34.0	19.9	12.0	10.8	5.9	5.1	4.7	4.2	4.1	3.5
Acadia	148.5	44.2	16.3	18.6	12.5	^	^	^	^	^	^
Allen	176.9	42.1	^	^	^	^	^	^	^	^	^
Ascension	122.5	27.0	20.5	6.6	11.7	6.2	^	^	^	^	^
Assumption	141.1	39.0	^	^	^	^	^	^	^	^	^
Avoyelles	161.8	46.3	16.8	^	^	^	^	^	^	^	^
Beauregard	179.1	42.3	21.2	^	20.7	^	^	^	^	^	^
Bienville	134.5	^	^	^	^	^	^	^	^	^	^
Bossier	138.0	37.9	18.6	10.0	11.1	6.8	7.3	^	^	^	^
Caddo	148.9	35.1	21.8	14.7	11.0	6.5	6.2	5.4	5.1	4.8	^
Calcasieu	138.1	35.4	17.1	12.6	11.8	4.9	5.5	6.1	4.2	3.9	3.6
Caldwell	99.6	^	^	^	^	^	^	^	^	^	^
Cameron	162.2	^	^	^	^	^	^	^	^	^	^
Catahoula	195.4	^	^	^	^	^	^	^	^	^	^
Claiborne	152.3	^	^	^	^	^	^	^	^	^	^
Concordia	151.1	^	^	^	^	^	^	^	^	^	^
De Soto	149.5	37.3	^	^	^	^	^	^	^	^	^
East Baton Rouge	112.5	27.0	15.8	9.0	9.1	7.7	3.8	4.6	3.5	3.1	2.7
East Carroll	^	^	^	^	^	^	^	^	^	^	^
East Feliciana	138.2	54.5	^	^	^	^	^	^	^	^	^
Evangeline	144.5	41.1	^	^	^	^	^	^	^	^	^
Franklin	132.4	31.6	^	^	^	^	^	^	^	^	^
Grant	176.1	45.9	^	^	^	^	^	^	^	^	^
Iberia	156.7	45.0	18.3	16.1	14.0	^	^	^	^	^	^
Iberville	133.3	42.8	^	^	^	^	^	^	^	^	^
Jackson	186.5	54.1	^	^	^	^	^	^	^	^	^
Jefferson	129.9	31.2	20.7	11.4	10.7	6.0	4.9	4.6	4.2	2.7	2.4
Jefferson Davis	158.2	44.2	24.0	^	^	^	^	^	^	^	^

Lafayette	131.3	31.6	22.3	9.7	10.8	5.1	3.8	3.3	4.1	4.1	2.9
Lafourche	123.6	31.2	17.9	12.0	7.9	5.7	^	^	^	^	^
La Salle	141.2	^	^	^	^	^	^	^	^	^	^
Lincoln	127.1	27.5	20.7	^	^	^	^	^	^	^	^
Livingston	142.5	39.9	20.2	13.0	10.1	6.3	7.2	4.6	^	3.8	4.4
Madison	152.6	^	^	^	^	^	^	^	^	^	^
Morehouse	141.4	49.9	^	^	^	^	^	^	^	^	^
Natchitoches	140.8	23.3	23.7	^	^	^	^	^	^	^	^
Orleans	99.2	20.3	19.9	7.5	4.8	6.5	^	^	^	4.5	4.8
Ouachita	154.3	35.2	24.6	12.9	12.6	6.5	5.5	5.6	^	4.4	^
Plaquemines	157.9	46.6	^	^	^	^	^	^	^	^	^
Pointe Coupee	139.9	28.6	^	^	^	^	^	^	^	^	^
Rapides	113.7	29.1	17.3	10.0	11.8	5.5	5.1	^	5.1	^	^
Red River	101.9	^	^	^	^	^	^	^	^	^	^
Richland	136.3	35.4	^	^	^	^	^	^	^	^	^
Sabine	152.6	46.4	28.6	^	^	^	^	^	^	^	^
St. Bernard	151.4	40.6	24.1	^	^	^	^	^	^	^	^
St. Charles	145.0	36.2	18.8	^	^	^	^	^	^	^	^
St. Helena	142.6	68.5	^	^	^	^	^	^	^	^	^
St. James	128.2	^	^	^	^	^	^	^	^	^	^
St. John the Baptist	148.0	42.4	^	^	^	^	^	^	^	^	^
St. Landry	163.2	39.6	24.0	16.4	9.6	^	^	^	^	^	^
St. Martin	137.3	30.6	18.6	14.5	^	^	^	^	^	^	^
St. Mary	149.4	37.1	21.8	^	^	^	^	^	^	^	^
St. Tammany	130.8	31.9	19.7	11.4	9.6	6.3	3.3	4.9	5.1	4.5	3.6
Tangipahoa	155.4	34.1	25.7	12.3	10.4	8.1	^	^	6.1	^	^
Tensas	261.9	^	^	^	^	^	^	^	^	^	^
Terrebonne	145.4	37.4	15.8	11.5	8.8	^	6.3	7.5	^	^	^
Union	177.1	46.9	^	^	^	^	^	^	^	^	^
Vermilion	145.2	30.5	22.6	16.2	18.0	^	^	^	^	^	^
Vernon	162.1	40.4	20.6	^	16.2	^	^	^	^	^	^
Washington	157.3	43.6	26.4	^	17.5	^	^	^	^	^	^
Webster	175.7	33.3	22.6	19.3	14.3	^	^	^	^	^	^
West Baton Rouge	117.8	36.0	^	^	^	^	^	^	^	^	^

West Carroll	161.6	^	^	^	^	^	^	^	^	^	^
West Feliciana	104.4	^	^	^	^	^	^	^	^	^	^
Winn	169.5	^	^	^	^	^	^	^	^	^	^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.
^Statistic not displayed due to fewer than 16 cases during the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M3. Death Rates[1] by Louisiana Parish[2] for the Ten Most Common Cancer Deaths, 2019-2023: NH Black Males

	All Malignant Cancers	Lung and Bronchus	Prostate	Colon and Rectum	Liver and Intrahepatic Bile Duct	Pancreas	Stomach	Leukemia	Kidney and Renal Pelvis	Myeloma	Oral Cavity and Pharynx
Louisiana	241.5	63.2	33.6	25.0	18.5	16.9	7.1	7.0	6.5	6.5	6.2
Acadia	347.3	114.6	^	^	^	^	^	^	^	^	^
Allen	202.0	^	^	^	^	^	^	^	^	^	^
Ascension	250.7	55.9	38.1	^	24.6	^	^	^	^	^	^
Assumption	278.2	^	^	^	^	^	^	^	^	^	^
Avoyelles	366.1	105.1	^	^	^	^	^	^	^	^	^
Beauregard	250.9	^	^	^	^	^	^	^	^	^	^
Bienville	262.3	^	^	^	^	^	^	^	^	^	^
Bossier	194.6	55.5	^	^	^	^	^	^	^	^	^
Caddo	253.3	69.2	38.3	27.7	21.5	18.6	6.7	9.8	5.9	7.9	5.6
Calcasieu	242.3	71.0	33.3	23.9	22.7	17.0	^	^	^	^	^
Caldwell	^	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	^	^	^	^	^	^	^	^	^	^	^
Claiborne	254.9	^	^	^	^	^	^	^	^	^	^
Concordia	326.6	^	^	^	^	^	^	^	^	^	^
De Soto	279.7	73.0	^	^	^	^	^	^	^	^	^
East Baton Rouge	217.0	53.5	26.0	20.2	25.2	17.2	7.8	5.6	6.2	7.3	^
East Carroll	394.4	^	^	^	^	^	^	^	^	^	^
East Feliciana	251.2	79.0	^	^	^	^	^	^	^	^	^
Evangeline	330.4	^	^	^	^	^	^	^	^	^	^
Franklin	242.1	^	^	^	^	^	^	^	^	^	^
Grant	^	^	^	^	^	^	^	^	^	^	^
Iberia	261.8	63.9	^	^	^	^	^	^	^	^	^
Iberville	345.5	83.9	^	^	^	^	^	^	^	^	^
Jackson	313.3	^	^	^	^	^	^	^	^	^	^
Jefferson	224.8	66.1	34.1	17.3	14.5	14.0	7.7	7.6	^	8.6	^

Jefferson Davis	334.1	^	^	^	^	^	^	^	^	^	^
Lafayette	251.8	74.1	16.4	27.3	29.0	23.5	^	^	^	^	^
Lafourche	283.9	93.3	^	^	^	^	^	^	^	^	^
La Salle	^	^	^	^	^	^	^	^	^	^	^
Lincoln	225.5	58.9	^	^	^	^	^	^	^	^	^
Livingston	202.2	^	^	^	^	^	^	^	^	^	^
Madison	257.3	^	^	^	^	^	^	^	^	^	^
Morehouse	213.0	74.9	^	^	^	^	^	^	^	^	^
Natchitoches	264.6	93.7	^	^	^	^	^	^	^	^	^
Orleans	221.3	49.4	35.8	26.5	18.0	11.7	6.4	5.7	5.9	6.9	5.2
Ouachita	237.7	59.8	37.6	25.8	^	16.9	^	^	^	^	^
Plaquemines	280.8	^	^	^	^	^	^	^	^	^	^
Pointe Coupee	282.0	^	^	^	^	^	^	^	^	^	^
Rapides	262.4	69.9	44.2	31.1	24.1	^	^	^	^	^	^
Red River	287.8	^	^	^	^	^	^	^	^	^	^
Richland	256.3	^	^	^	^	^	^	^	^	^	^
Sabine	223.1	^	^	^	^	^	^	^	^	^	^
St. Bernard	230.3	^	^	^	^	^	^	^	^	^	^
St. Charles	212.2	^	^	^	^	^	^	^	^	^	^
St. Helena	252.8	^	^	^	^	^	^	^	^	^	^
St. James	254.0	54.3	^	^	^	^	^	^	^	^	^
St. John the Baptist	219.4	43.4	44.4	^	^	^	^	^	^	^	^
St. Landry	313.5	70.4	^	45.3	19.2	28.7	^	^	^	^	^
St. Martin	232.7	65.1	^	^	^	^	^	^	^	^	^
St. Mary	225.8	53.6	^	^	^	^	^	^	^	^	^
St. Tammany	187.1	28.2	^	22.0	^	26.3	^	^	^	^	^
Tangipahoa	304.0	99.7	47.7	24.1	26.0	^	^	^	^	^	^
Tensas	198.4	^	^	^	^	^	^	^	^	^	^
Terrebonne	235.3	81.3	^	^	^	^	^	^	^	^	^
Union	330.5	^	^	^	^	^	^	^	^	^	^
Vermilion	358.8	^	^	^	^	^	^	^	^	^	^
Vernon	209.7	^	^	^	^	^	^	^	^	^	^
Washington	278.3	65.2	^	^	^	^	^	^	^	^	^
Webster	257.3	104.8	^	^	^	^	^	^	^	^	^

West Baton Rouge	287.6	^	^	^	^	^	^	^	^	^	^
West Carroll	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	227.0	^	^	^	^	^	^	^	^	^	^
Winn	246.4	^	^	^	^	^	^	^	^	^	^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.
^Statistic not displayed due to fewer than 16 cases during the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M4. Death Rates[1] by Louisiana Parish[2] for the Ten Most Common Cancer Deaths, 2019-2023: NH Black Females

	All Malignant Cancers	Lung and Bronchus	Breast	Colon and Rectum	Pancreas	Corpus and Uterus, NOS	Liver and Intrahepatic Bile Duct	Ovary	Corpus Uteri	Myeloma	Stomach
Louisiana	154.9	29.1	28.2	16.0	13.6	7.8	5.1	4.8	4.7	4.7	4.4
Acadia	206.2	^	^	^	^	^	^	^	^	^	^
Allen	178.2	^	^	^	^	^	^	^	^	^	^
Ascension	134.9	^	33.2	^	^	^	^	^	^	^	^
Assumption	211.4	^	^	^	^	^	^	^	^	^	^
Avoyelles	169.0	^	^	^	^	^	^	^	^	^	^
Beauregard	193.6	^	^	^	^	^	^	^	^	^	^
Bienville	145.7	^	^	^	^	^	^	^	^	^	^
Bossier	148.5	32.0	27.7	^	^	^	^	^	^	^	^
Caddo	148.0	24.2	23.9	18.8	12.5	9.5	5.2	4.9	6.2	5.8	^
Calcasieu	160.8	29.8	28.1	21.0	15.5	^	^	^	^	^	^
Caldwell	^	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	^	^	^	^	^	^	^	^	^	^	^
Claiborne	183.8	^	^	^	^	^	^	^	^	^	^
Concordia	155.2	^	^	^	^	^	^	^	^	^	^
De Soto	158.0	^	^	^	^	^	^	^	^	^	^
East Baton Rouge	141.2	23.4	26.8	15.4	12.6	7.4	6.7	4.2	4.5	5.8	3.3
East Carroll	386.2	^	^	^	^	^	^	^	^	^	^
East Feliciana	162.6	^	^	^	^	^	^	^	^	^	^
Evangeline	203.6	^	^	^	^	^	^	^	^	^	^
Franklin	164.3	^	^	^	^	^	^	^	^	^	^
Grant	^	^	^	^	^	^	^	^	^	^	^
Iberia	185.9	36.8	29.9	^	^	^	^	^	^	^	^
Iberville	134.0	^	^	^	^	^	^	^	^	^	^
Jackson	192.8	^	^	^	^	^	^	^	^	^	^
Jefferson	161.8	30.9	26.3	15.7	15.2	7.9	6.2	5.6	4.7	^	^
Jefferson Davis	186.5	^	^	^	^	^	^	^	^	^	^

Lafayette	165.4	29.9	31.3	15.4	12.2	^	^	^	^	^	^
Lafourche	197.1	^	^	^	^	^	^	^	^	^	^
La Salle	^	^	^	^	^	^	^	^	^	^	^
Lincoln	163.5	33.8	40.0	^	^	^	^	^	^	^	^
Livingston	143.9	^	^	^	^	^	^	^	^	^	^
Madison	154.7	^	^	^	^	^	^	^	^	^	^
Morehouse	211.9	^	^	^	^	^	^	^	^	^	^
Natchitoches	159.9	^	^	^	^	^	^	^	^	^	^
Orleans	142.3	29.9	25.9	13.9	11.2	6.7	3.9	5.1	4.8	3.6	3.2
Ouachita	148.3	22.5	33.8	13.4	17.2	^	^	^	^	^	^
Plaquemines	160.0	^	^	^	^	^	^	^	^	^	^
Pointe Coupee	185.4	^	^	^	^	^	^	^	^	^	^
Rapides	153.0	29.9	34.8	19.9	15.1	^	^	^	^	^	^
Red River	168.2	^	^	^	^	^	^	^	^	^	^
Richland	174.6	^	^	^	^	^	^	^	^	^	^
Sabine	207.5	^	^	^	^	^	^	^	^	^	^
St. Bernard	236.2	^	^	^	^	^	^	^	^	^	^
St. Charles	131.3	^	^	^	^	^	^	^	^	^	^
St. Helena	90.4	^	^	^	^	^	^	^	^	^	^
St. James	175.5	^	^	^	^	^	^	^	^	^	^
St. John the Baptist	146.3	^	24.7	^	^	^	^	^	^	^	^
St. Landry	179.4	31.1	33.5	16.0	15.5	^	^	^	^	^	^
St. Martin	148.4	^	^	^	^	^	^	^	^	^	^
St. Mary	181.8	30.4	^	^	^	^	^	^	^	^	^
St. Tammany	150.0	25.8	28.9	^	^	^	^	^	^	^	^
Tangipahoa	166.1	34.6	26.2	^	^	^	^	^	^	^	^
Tensas	181.4	^	^	^	^	^	^	^	^	^	^
Terrebonne	164.2	49.9	28.1	^	^	^	^	^	^	^	^
Union	201.6	^	^	^	^	^	^	^	^	^	^
Vermilion	147.2	^	^	^	^	^	^	^	^	^	^
Vernon	152.8	^	^	^	^	^	^	^	^	^	^
Washington	181.7	40.9	^	^	34.3	^	^	^	^	^	^
Webster	177.8	37.7	^	^	^	^	^	^	^	^	^
West Baton Rouge	143.7	^	^	^	^	^	^	^	^	^	^

West Carroll	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	176.8	^	^	^	^	^	^	^	^	^	^
Winn	147.3	^	^	^	^	^	^	^	^	^	^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.
^Statistic not displayed due to fewer than 16 cases during the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N1. Death Rates[1] by LTR Region[2] for the Ten Most Common Cancer Deaths, 2019-2023: NH White Males

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region	Acadiana Region		Southwest Region		Central Region		Northwest Region	Northeast Region	
All Malignant Cancers	178.0	197.2	↑	178.3	*	184.3	*	202.7	212.1	#	205.2		213.8	#	200.2	200.6	
Lung and Bronchus	39.6	49.2	↑	42.7	*	45.8		48.5	54.1	#	55.0	#	53.0		50.7	52.3	
Colon and Rectum	15.2	17.3	↑	11.9	*	16.2		16.1	21.4	#	18.7		23.5	#	16.8	19.6	
Prostate	18.3	15.9	↓	16.8		15.7		16.6	14.1		12.6		18.4		15.1	19.0	
Pancreas	13.3	14.1	↑	13.0		13.3		14.8	14.3		15.6		15.7		14.2	14.1	
Liver and Intrahepatic Bile Duct	8.5	11.9	↑	10.3		11.5		13.5	12.6		13.8		11.9		12.6	8.0	*
Leukemia	8.4	9.3	↑	6.7	*	9.1		9.6	10.2		11.7		9.3		9.9	8.6	
Urinary Bladder	8.0	8.5		8.4		8.2		9.2	8.6		7.3		9.3		9.0	7.7	
Kidney and Renal Pelvis	5.3	7.4	↑	6.8		6.0		8.1	9.2	#	9.2		6.3		6.6	7.4	
Esophagus	7.5	7.3		7.0		6.7		7.5	6.5		7.3		9.2		8.6	6.6	
Non-Hodgkin Lymphoma	6.8	7.2		6.7		7.0		7.5	8.0		6.9		7.3		7.3	6.7	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]LTR Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N2. Death Rates[1] by LTR Region[2] for the Ten Most Common Cancer Deaths, 2019-2023: NH White Females

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region	Acadiana Region	Southwest Region		Central Region	Northwest Region		Northeast Region	
All Malignant Cancers	131.2	137.1	↑	123.7	*	128.6	*	135.2	142.7	148.7	#	141.6	146.4	#	149.9	#
Lung and Bronchus	30.5	34.0	↑	29.1	*	32.5		34.1	35.9	37.8		35.3	36.0		36.2	
Breast	19.3	19.9		20.8		18.8		19.0	20.8	19.7		17.7	20.7		21.8	
Colon and Rectum	10.9	12.0	↑	10.2		10.1	*	11.9	13.6	12.8		11.9	12.9		15.4	#
Pancreas	9.9	10.8	↑	9.1		9.9		9.9	11.5	12.7		13.4	11.1		11.8	
Ovary	6.2	5.9		6.2		6.7		5.3	5.5	5.2		5.6	6.2		5.4	
Liver and Intrahepatic Bile Duct	3.9	5.1	↑	4.4		5.1		4.3	5.8	6.1		5.8	6.4		4.1	
Leukemia	4.6	4.7		4.2		4.5		5.3	4.2	5.8		4.4	5.3		4.7	
Non-Hodgkin Lymphoma	3.9	4.2		3.6		4.1		4.9	3.3	4.6		5.5	4.9		3.5	
Brain and Other Nervous System	4.2	4.1		3.2		4.0		4.0	4.1	4.1		4.2	4.7		5.2	
Corpus and Uterus, NOS	4.8	3.5	↓	3.1		3.2		3.8	4.2	3.8		3.0	3.3		3.0	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]LTR Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N3. Death Rates[1] by LTR Region[2] for the Ten Most Common Cancer Deaths, 2019-2023: NH Black Males

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region	Central Region		Northwest Region		Northeast Region	
All Malignant Cancers	203.6	241.5	↑	222.2	*	241.4		229.5		272.0	#	245.5	275.0	#	247.4		241.1	
Lung and Bronchus	44.6	63.2	↑	54.1	*	62.5		55.9		70.2		73.4	74.0		73.0	#	62.4	
Prostate	36.9	33.6	↓	35.7		32.1		30.7		24.8	*	31.4	45.0		31.7		44.6	#
Colon and Rectum	21.0	25.0	↑	23.8		21.4		18.7	*	31.5	#	23.7	33.2		28.7		25.7	
Liver and Intrahepatic Bile Duct	12.0	18.5	↑	17.0		22.9	#	12.8	*	25.2	#	20.0	16.3		19.0		7.7	*
Pancreas	15.1	16.9	↑	12.6	*	17.1		19.1		24.1	#	17.1	14.8		18.0		17.1	
Stomach	6.4	7.1		6.9		7.1		8.4		7.7		^	^		6.2		7.6	
Leukemia	6.4	7.0		6.1		6.9		5.8		10.0		^	^		7.9		^	
Kidney and Renal Pelvis	4.9	6.5	↑	5.9		7.0		8.2		7.7		^	^		5.4		6.7	
Myeloma	6.9	6.5		7.4		7.3		7.5		6.4		^	^		6.7		^	
Oral Cavity and Pharynx	4.1	6.2	↑	5.0		5.0		5.5		8.9		^	12.4	#	5.2		7.1	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]LTR Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N4. Death Rates[1] by LTR Region[2] for the Ten Most Common Cancer Deaths, 2019-2023: NH Black Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region		Southeast Region	Acadiana Region		Southwest Region	Central Region	Northwest Region	Northeast Region	
All Malignant Cancers	143.7	154.9	↑	148.0	145.6	*	160.6	173.8	#	165.0	156.3	152.7	169.2	#
Lung and Bronchus	25.3	29.1	↑	30.1	25.4		32.2	34.1		33.9	27.6	26.1	29.4	
Breast	26.5	28.2	↑	26.4	28.4		28.1	28.6		31.3	34.9	26.2	31.0	
Colon and Rectum	13.4	16.0	↑	14.4	14.3		17.3	17.9		18.2	18.2	18.2	15.8	
Pancreas	12.3	13.6	↑	12.3	13.9		12.1	15.7		14.8	15.6	12.6	16.1	
Corpus and Uterus, NOS	9.8	7.8	↓	7.0	8.7		6.5	8.8		^	^	8.4	8.5	
Liver and Intrahepatic Bile Duct	4.6	5.1		4.5	6.3		5.3	6.7		^	^	4.4	5.3	
Ovary	5.4	4.8		5.4	4.2		4.6	6.0		^	^	4.3	4.6	
Corpus Uteri	5.6	4.7	↓	4.8	5.2		4.5	5.0		^	^	5.0	4.9	
Myeloma	4.8	4.7		3.4	5.2		6.4	4.7		^	^	5.1	6.3	
Stomach	3.2	4.4	↑	3.8	3.2		4.3	5.4		^	^	4.3	6.9	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]LTR Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O1. Death Rates[1] by LA OPH Region[2] for the Ten Most Common Cancer Deaths, 2019-2023: NH White Males

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region	Northeast Region		Northlake Region
All Malignant Cancers	178	197.2	↑	178.2	*	173.0	*	219.3	#	210.0	#	205.2		213.8	#	200.2	200.6		196.8
Lung and Bronchus	39.6	49.2	↑	42.6	*	41.4	*	57.9	#	52.4		55.0	#	53.0		50.7	52.3		47.3
Colon and Rectum	15.2	17.3	↑	12.0	*	13.9	*	19.3		21.6	#	18.7		23.5	#	16.8	19.6		16.3
Prostate	18.3	15.9	↓	16.8		13.8		14.0		14.6		12.6		18.4		15.1	19.0		18.5
Pancreas	13.3	14.1	↑	12.9		13.1		14.6		14.0		15.6		15.7		14.2	14.1		14.6
Liver and Intrahepatic Bile Duct	8.5	11.9	↑	10.2		10.7		13.6		12.4		13.8		11.9		12.6	8.0	*	13.5
Leukemia	8.4	9.3	↑	6.7	*	8.6		11.4		10.0		11.7		9.3		9.9	8.6		8.8
Urinary Bladder	8.0	8.5		8.5		7.7		9.0		8.2		7.3		9.3		9.0	7.7		9.5
Kidney and Renal Pelvis	5.3	7.4	↑	6.8		6.2		10.0	#	9.4	#	9.2		6.3		6.6	7.4		5.8
Esophagus	7.5	7.3		7.1		7.1		7.3		6.4		7.3		9.2		8.6	6.6		6.9
Non-Hodgkin Lymphoma	6.8	7.2		6.6		6.9		9.3		7.8		6.9		7.3		7.3	6.7		6.7

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Louisiana Office of Public Health Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O2. Death Rates[1] by LA OPH Region[2] for the Ten Most Common Cancer Deaths, 2019-2023: NH White Females

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region	Acadiana Region	Southwest Region		Central Region	Northwest Region		Northeast Region		Northlake Region
All Malignant Cancers	131.2	137.1	↑	124.7	*	116.9	*	137.3	142.2	148.7	#	141.6	146.4	#	149.9	#	140.0
Lung and Bronchus	30.5	34.0	↑	29.6	*	28.9	*	35.0	35.8	37.8		35.3	36.0		36.2		35.5
Breast	19.3	19.9		20.9		16.8	*	17.4	20.7	19.7		17.7	20.7		21.8		21.2
Colon and Rectum	10.9	12.0	↑	10.2		8.3	*	13.4	13.6	12.8		11.9	12.9		15.4	#	12.0
Pancreas	9.9	10.8	↑	9.2		9.9		8.7	11.7	12.7		13.4	11.1		11.8		10.4
Ovary	6.2	5.9		6.4		6.6		4.7	5.4	5.2		5.6	6.2		5.4		6.4
Liver and Intrahepatic Bile Duct	3.9	5.1	↑	4.3		4.6		5.9	5.6	6.1		5.8	6.4		4.1		4.5
Leukemia	4.6	4.7		4.4		4.4		5.5	4.2	5.8		4.4	5.3		4.7		4.6
Non-Hodgkin Lymphoma	3.9	4.2		3.7		3.8		4.4	3.2	4.6		5.5	4.9		3.5		5.1
Brain and Other Nervous System	4.2	4.1		3.2		3.6		3.5	4.3	4.1		4.2	4.7		5.2		4.4
Corpus and Uterus, NOS	4.8	3.5	↓	3.1		2.5		4.4	4.1	3.8		3.0	3.3		3.0		3.9

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Louisiana Office of Public Health Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O3. Death Rates[1] by LA OPH Region[2] for the Ten Most Common Cancer Deaths, 2019-2023: NH Black Males

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region		Northlake Region
All Malignant Cancers	203.6	241.5	↑	223.1	*	232.9		233.1		278.7	#	245.5		275	#	247.4		241.1		249.1
Lung and Bronchus	44.6	63.2	↑	54.8	*	56.9		62.9		72.4		73.4		74		73.0	#	62.4		63.0
Prostate	36.9	33.6	↓	35.9		28.9		30.4		24.0	*	31.4		45		31.7		44.6	#	39.3
Colon and Rectum	21.0	25.0	↑	23.7		21.2		18.4		33.0	#	23.7		33.2		28.7		25.7		21.2
Liver and Intrahepatic Bile Duct	12.0	18.5	↑	17.1		23.8	#	12.4	*	26.6	#	20.0		16.3		19.0		7.7	*	16.5
Pancreas	15.1	16.9	↑	12.6	*	18.3		17.3		23.6	#	17.1		14.8		18.0		17.1		18.8
Stomach	6.4	7.1		7.0		7.1		9.5		7.7		^		^		6.2		7.6		^
Leukemia	6.4	7.0		6.0		6.5		^		11.0	#	^		^		7.9		^		9.2
Kidney and Renal Pelvis	4.9	6.5	↑	6.1		6.6		7.6		8.0		^		^		5.4		6.7		^
Myeloma	6.9	6.5		7.3		7.9		^		5.9		^		^		6.7		^		7.3
Oral Cavity and Pharynx	4.1	6.2	↑	5.1		4.3		9.0		8.9		^		12.4	#	5.2		7.1		^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Louisiana Office of Public Health Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O4. Death Rates[1] by LA OPH Region[2] for the Ten Most Common Cancer Deaths, 2019-2023: NH Black Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region		Southeast Region	Acadiana Region		Southwest Region	Central Region	Northwest Region	Northeast Region		Northlake Region
All Malignant Cancers	143.7	154.9	↑	148.1	142.7	*	166.6	172.7	#	165.0	156.3	152.7	169.2	#	156.0
Lung and Bronchus	25.3	29.1	↑	30.1	24.1	*	32.1	34.4		33.9	27.6	26.1	29.4		31.2
Breast	26.5	28.2	↑	26.6	29.5		27.0	28.8		31.3	34.9	26.2	31.0		25.1
Colon and Rectum	13.4	16.0	↑	14.2	14.9		18.5	17.5		18.2	18.2	18.2	15.8		14.1
Pancreas	12.3	13.6	↑	12.2	12.7		15.1	14.3		14.8	15.6	12.6	16.1		16.6
Corpus and Uterus, NOS	9.8	7.8	↓	7.0	9.0		8.1	8.1		^	^	8.4	8.5		7.0
Liver and Intrahepatic Bile Duct	4.6	5.1		4.5	5.9		5.7	7.1		^	^	4.4	5.3		6.3
Ovary	5.4	4.8		5.4	4.5		^	6.5		^	^	4.3	4.6		^
Corpus Uteri	5.6	4.7	↓	4.7	5.4		5.7	4.8		^	^	5.0	4.9		^
Myeloma	4.8	4.7		3.6	5.3		^	5.1		^	^	5.1	6.3		^
Stomach	3.2	4.4	↑	3.8	3.6		^	5.8		^	^	4.3	6.9		^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Louisiana Office of Public Health Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).